DUS DEAS 909

DRAFT UGANDA STANDARD

First Edition 2018-mm-dd





Reference number DUS DEAS 909: 2018

© UNBS 2018

Compliance with this standard does not, of itself confer immunity from legal obligations

A Uganda Standard does not purport to include all necessary provisions of a contract. Users are responsible for its correct application

© UNBS 2018

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilm, without prior written permission from UNBS.

CREWENDRAK

Requests for permission to reproduce this document should be addressed to

The Executive Director Uganda National Bureau of Standards P.O. Box 6329 <u>Kampala</u> Uganda Tel: +256 417 333 250/1/2 Fax: +256 414 286 123 E-mail: <u>info@unbs.go.ug</u> Web: www.unbs.go.ug

National foreword

Uganda National Bureau of Standards (UNBS) is a parastatal under the Ministry of Trade, Industry and Cooperatives established under Cap 327, of the Laws of Uganda, as amended. UNBS is mandated to co-ordinate the elaboration of standards and is

(a) a member of International Organisation for Standardisation (ISO) and

PUBLIC

(b) a contact point for the WHO/FAO Codex Alimentarius Commission on Food Standards, and

(c) the National Enquiry Point on TBT Agreement of the World Trade Organisation (WTO).

The work of preparing Uganda Standards is carried out through Technical Committees. A Technical Committee is established to deliberate on standards in a given field or area and consists of representatives of consumers, traders, academicians, manufacturers, government and other stakeholders.

Draft Uganda Standards adopted by the Technical Committee are widely circulated to stakeholders and the general public for comments. The committee reviews the comments before recommending the draft standards for approval and declaration as Uganda Standards by the National Standards Council.

This Draft Uganda Standard, DUS DEAS 909:2018, *Fertilizer — Calcium ammonium nitrate (CAN) — Specification,* is identical with and has been reproduced from a Draft East African Standard, DEAS 909: 2018, *Fertilizer — Calcium ammonium nitrate (CAN) — Specification,* and is being proposed for adoption as a Uganda Standard.

This standard was developed by the Food and agriculture Standards Technical Committee (UNBS/TC 2).

Wherever the words, "East African Standard" appear, they should be replaced by "Uganda Standard."

© UNBS 2018 - All rights reserved



DRAFT EAST AFRICAN STANDARD

Fertilizer — Calcium ammonium nitrate (CAN) — Specification

EAST AFRICAN COMMUNITY

ation which have

Foreword

Development of the East African Standards has been necessitated by the need for harmonizing requirements governing quality of products and services in the East African Community. It is envisaged that through harmonized standardization, trade barriers that are encountered when goods and services are exchanged within the Community will be removed.

In order to achieve this objective, the Community established an East African Standards Committee mandated to develop and issue East African Standards.

The Committee is composed of representatives of the National Standards Bodies in Partner States, together with the representatives from the private sectors and consumer organizations. Draft East African Standards are circulated to stakeholders through the National Standards Bodies in the Partner States. The comments received are discussed and incorporated before finalization of standards, in accordance with the procedures of the Community.

East African Standards are subject to review, to keep pace with technological advances. Users of the East African Standards are therefore expected to ensure that they always have the latest versions of the standards they are implementing.

Fertilizer — Calcium Ammonium Nitrate (CAN) — Specification

1 Scope

This Draft East African standard specifies requirements and methods of sampling and test for Calcium ammonium nitrate (CAN) fertilizer.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8157, Fertilizers and Soil Conditioners - Vocabulary

DEAS 913, Fertilizers - Methods of sampling

ISO 17318, Fertilizers and soil conditioners -- Determination of arsenic, cadmium, chromium, lead and mercury contents.

ISO 8397, Solid fertilizers and soil conditioners - Test sieving

ISO 5315, Fertilizers – Determination of total nitrogen content – Titrimetric method after distillation

ISO 5314, Fertilizers – Determination of ammoniacal nitrogen content – Titrimetric method after distillation

3 Terms and definitions

For the purpose of this standard, terms and definitions given in ISO 8157 shall apply.

4 Requirements

4.1 Physical

The fertilizer shall be free flowing and shall be in prill or granular form. It shall be free from lumps and foreign matter. CAN fertilizer shall be of uniform colour. When tested by ISO 8397, not less than 90 per cent by weight of the material shall be of particles in the size range of 1 mm to 4 mm for prills or 2mm to 5mm for granular form.

4.2 Chemical

The CAN fertilizer shall consist of homogeneous granules/ prills of ammonium nitrate with a limestone filler and shall comply with the requirements given in Table 1.

Characteristic	Requirement	Test method	
Total nitrogen as N, % by mass, min.	26.0	ISO 5315	
Nitrate nitrogen, % by mass of total nitrogen	50	Annex B	
Ammonical nitrogen, % by mass of total nitrogen	50	ISO 5314	1
Calcium oxide equiv. % by mass, min.	9		
Moisture, % by mass, max.	1.0	Annex A	

Table 1 — Requirements for calcium ammonium nitrate fertilizer

5 Heavy metal contaminants

Heavy metal contaminants in the fertilizers shall conform to the limits given in Table 2 when tested with the method specified therein

Heavy metal	Requirement	Method of test	
Arsenic, mg/kg, max	20		
Cadmium, mg/kg, max	7		
Mercury, mg/kg, max	0.1	ISO 17318	
Lead, mg/kg, max	30		
Chromium, mg/kg, max	500		

Table 2 — Requirements for heavy metal contaminants

6 Sampling

Sampling of fertilizer shall be carried out as prescribed in DEAS 913.

7 Packaging and labelling

7.1 Packaging

The fertilizer shall be packaged in materials that are clean and non-defective that protect the product from physical, chemical and moisture contamination and withstand multiple stages of handling (transportation and storage).

7.2 Labelling

Each package shall be indelibly labeled in English and/or any other language with the following information:

- a) name of the fertilizer i.e. "Calcium Ammonium Nitrate (CAN) fertilizer"
- b) name and address of the manufacturer and importer;

- nutrient content; C)
- d) net content by mass in kg;
- handling instructions including the words "Use No hooks"; e)
- production date and expiry date; f)
- country of origin g)
- batch number h)
- ROBANGERMINIA storage conditions i)

Annex A (normative)

Determination of moisture content

A.1 Oven dry method

A.1.1 General

The method does not apply to fertilizers that yield volatile substances other than water at drying temperature.

A.1.2 Procedure

A.1.2.1 Weigh accurately 2 g of the prepared sample in a pre-weighed, clean and dry weighing bottle or petridish.

A.1.2.2 Heat in an oven for about 5 hours at 105 + 2 C to constant weight. Cool in a desiccator and weigh. For urea, heat at 70 + 5 C for five hours to constant weight.

A.1.3 Calculation

Moisture per cent by weight (%) = $100 \times \frac{B}{100}$

where,

A is the weight in gram of the empty bottle;

B is the weight of the bottle plus the material in gram, before drying;

C is the weight of the bottle plus the material in gram, after drying;

A.2 Vacuum desiccator method

A.2.1 Genaral

The method is applicable to Ammonium Chloride, Calcium Ammonium Nitrate (CAN), Di-Ammonium Phosphate (DAP) and all types of complex and mixtures of NPK fertilizers.

A.2.2 Procedure

Weigh accurately in duplicate 5 g of prepared sample in a weighed shallow porcelain dish. Put the sample in a desiccator over concentrated sulphuric acid, close and introduce vacuum for about 10 minutes, then stop the vacuum pump and leave the sample for 24 hours, then release vacuum, remove the sample from the desiccator and weigh.

A.2.3 Calculation

Moisture per cent by weight = $100 \times \frac{(W_2 - W_3)}{(W_2 - W_1)}$

where,

- W_1 is the weight in gram of empty porcelain dish;
- W_2 is the weight in gram of porcelain dish with sample before putting the sample for 24 hours in the desiccator; and
- W_3 is the weight in gram of porcelain dish with sample after putting the sample for 24 hours in the desiccator;

A.3 Karl Fischer method

A.3.1 General

This method is applicable to fertilizers like CAN, Urea and urea based complexes. This method is not suitable for phosphate rock based fertilizers and fertilizers containing monocalcium phosphate, calcium sulphate, alkali carbonates as well as aldehydes and ketone groups.

A.3.2 Apparatus

Karl Fischer titrator

A.3.3 Reagents

- A.3.3.1 Karl Fischer reagent(KF) Karl Fischer solution (pyridine free) (single solution)
- A.3.3.2 Di-sodium tartarate dihydrate (Na₂C₄O₆2H₂O) analytical grade
- A.3.3.3 Methanol-KF grade/spectroscopy grade containing less than 0.05 % water

A.3.4 Procedure

Standardization of KF reagent.

- a) Set up the instrument as per manufacturer's manual.
- b) Add methanol to the titration vessel until the electrodes are dipped and titrate with Karl-Fischer reagent to a pre-set end point persists for 30 seconds.
- c) Add 100mg of the disodium tartarate dehydrate to the titration vessel carefully and titrate with Karl Fischer reagent to a pre-set end point (the pre-set end point should persist for 30 seconds). Note the volume of KF reagent used as V₁ ml.

A.4 Determination of moisture of sample

A.4.1 Weigh accurately 1 g of the prepared sample and transfer to the titration vessel carefully and stir until dispersed.

A.4.2 Titrate with KF reagent to the same pre-set end point as above and note the volume of KF reagent used as V_2 ml.

A.5 Calculation

 V_1

 $F \times V_2 \times 100$

Moisture per cent by weight = $\frac{1}{\text{Weight of sample (gram)} \times 1000}$

Annex B (normative)

Determination of nitrate nitrogen

B.1 Determination of total nitrogen

Total nitrogen shall be determined in accordance with ISO 5315

B.2 Determination of ammoniacal nitrogen

Ammoniacal nitrogen shall be determined in accordance with ISO 5314.

B.3 Calculation of nitrate nitrogen

Nitrate Nitrogen (%) = Total nitrogen (TN) - Ammoniacal nitrogen (N)