## Attachment

Amisulbrom(fungicide)

| Annisabioni(rangiciae)                           |                       |  |
|--|-----------------------|--|
| Commodity  | MRL<br>(draft)<br>ppm | Current<br>MRL<br>ppm  |
| Soybeans, dry                                    | 0.3                   | 0.3  |
| Beans, dry <sup>1</sup>                          | 0.2                   |  |
| Potato   | 0.05                  | 0.05   |
| Sugar beet                                       | 1                     |  |
| Japanese radish, roots (including radish)        | 0.3                   |  |
| Japanese radish, leaves (including radish)       | 25                    |  |
| Chinese cabbage                                  | 10                    |  |
| Cabbage  | 3                     |  |
| Kale   | 20                    |  |
| Komatsuna (Japanese mustard spinach)             | 15                    | Months and the state of the sta |
| Kyona  | 20                    |  |
| Qing-geng-cai                                    | 20                    |  |
| Broccoli   | 2                     |  |
| Other cruciferous vegetables <sup>2</sup>        | 20                    |  |
| Lettuce (including cos lettuce and leaf lettuce) | 10                    |  |
| Tomato   | 2                     | 2  |
| Pimiento (sweet pepper)                          | 3                     |  |
| Egg plant  | 1                     |  |
| Cucumber (including gherkin)                     | 0.7                   | 0.7  |
| Melons   | 0.05                  | 0.05   |
| Spinach  | 30                    |  |
| Green soybeans                                   | 10                    |  |
| Unshu orange, pulp                               | 0.1                   |  |
| Citrus <i>natsudaidai</i> , whole                | 2                     |  |
| Lemon  | 2                     |  |
| Orange (including navel orange)                  | 2                     |  |
| Grapefruit                                       | 2                     |  |
| Lime   | 2                     | ***************************************  |
| Other citrus fruits <sup>5</sup>                 | 2                     |  |
| Strawberry                                       | 0.05                  |  |
| Grape  | 5                     | 3  |
| Other spices <sup>8</sup>                        | 15                    |  |
| Other herbs <sup>9</sup>                         | 20                    |  |

The uniform limit (0.01 ppm) is applied to commodities not in this list.

Iprobenfos(fungicide)

| Commodity         | MRL<br>(draft) | Current<br>MRL |
|-------------------|----------------|----------------|
|                   | ppm            | ppm            |
| Rice (brown rice) | 0.2            | 0.2            |
| Fish and shelfish | 0.3            |                |

The uniform limit (0.01 ppm) is applied to commodities not in this list.

Tolylfluanid(fungicide)

| r orymaama(rangiolao)                            |                       |                       |
|--|-----------------------|-----------------------|
| Commodity  | MRL<br>(draft)<br>ppm | Current<br>MRL<br>ppm |
| Lettuce (including cos lettuce and leaf lettuce) | 15                    | 15                    |
| Welsh (including leek)                           | 2                     | 2                     |
| Tomato   | 3                     | 3                     |
| Pimiento (sweet pepper)                          | 2                     | 2                     |
| Other solanaceous vegetables <sup>3</sup>        | 1                     |                       |
| Cucumber (including gherkin)                     | 1                     | 1                     |
| Other vegetables <sup>4</sup>                    | 0.05                  |                       |
| Apple  | 5                     | 5                     |
| Japanese pear                                    | 5                     | 5                     |
| Pear   | 5                     | 5                     |
| Quince   | 5                     | 5                     |
| Loquat   | 5                     | 5                     |
| Strawberry                                       | 5                     | 5                     |
| Raspberry  | 5                     | 5                     |
| Blackberry                                       | 5                     | 5                     |
| Blueberry  |                       | 20                    |
| Cranberry  |                       | 20                    |
| Huckleberry                                      |                       | 20                    |
| Other berries <sup>6</sup>                       | 0.5                   | 5                     |
| Grape  | 3                     | 3                     |
| Other fruits <sup>7</sup>                        |                       | 0.5                   |
| Нор  | 50                    | 50                    |
| Other spices <sup>8</sup>                        |                       | 0.5                   |
| Pepper, dried                                    | 20                    |                       |

The uniform limit (0.01 ppm) is applied to commodities for which no numerical level is given in draft MRL.

The unimform limit is also applied to all other commodities not in this list.

Pyrifluquinazon(insecticide)

| Pyrinuquinazon(insecticide)                      |                       |                       |
|--|-----------------------|-----------------------|
| Commodity  | MRL<br>(draft)<br>ppm | Current<br>MRL<br>ppm |
| Potato   | 0.2                   |                       |
| Cabbage  | 0.5                   |                       |
| Lettuce (including cos lettuce and leaf lettuce) | 10                    |                       |
| Tomato   | 1                     |                       |
| Pimiento (sweet pepper)                          | 1                     |                       |
| Egg plant  | 0.3                   |                       |
| Cucumber (including gherkin)                     | 0.2                   |                       |
| Unshu orange, pulp                               | 0.2                   |                       |
| Citrus <i>natsudaidai</i> , whole                | 1                     |                       |
| Lemon  | 1                     |                       |
| Orange (including navel orange)                  | 1                     |                       |
| Grapefruit                                       | 1                     |                       |
| Lime   | 1                     |                       |
| Other citrus fruits <sup>5</sup>                 | 1                     |                       |
| Apple  | 0.5                   |                       |
| Japanese pear                                    | 1                     |                       |
| Pear   | 1                     |                       |
| Peach  | 0.2                   |                       |
| Nectarine  | 0.7                   |                       |
| Strawberry                                       | 2                     |                       |
| Grape  | 3                     |                       |
| Japanese persimmon                               | 0.5                   |                       |
| Tea (green,black,oolong and wulung tea)          | 20                    |                       |
| Other spices <sup>8</sup>                        | 5                     |                       |

The uniform limit (0.01 ppm) is applied to commodities not in this list.

The MRLs for pyrifluquinazon are established for the sum of residues of pyrifluquinazon and its metabolite B [1, 2, 3, 4-tetrahydro-3-[(3-pyridylmethyl)amino]-6-[1, 2, 2, 2-tetrafluoro-1-(trifluoromethyl)ethyl]quinazoline-2-one], calculated as pyrifluquinazon.

Fluacrypyrim(insecticide)

| Fluadi ypynini(insediidide)       |                       |                       |
|-----------------------------------|-----------------------|-----------------------|
| Commodity                         | MRL<br>(draft)<br>ppm | Current<br>MRL<br>ppm |
| Unshu orange, pulp                | 0.05                  | 0.1                   |
| Citrus <i>natsudaidai</i> , whole | 0.5                   | 0.5                   |
| Lemon                             | 0.5                   | 0.5                   |
| Orange (including navel orange)   | 0.5                   | 0.5                   |
| Grapefruit                        | 0.5                   | 0.5                   |
| Lime                              | 0.5                   | 0.5                   |
| Other citrus fruits <sup>5</sup>  | 0.5                   | 0.5                   |
| Apple                             | 2                     | 2                     |
| Japanese pear                     | 2                     | 2                     |
| Pear                              | 2                     | 2                     |
| Quince                            |                       | 2                     |
| Nectarine                         |                       | 2                     |
| Japanese persimmon                |                       | 2                     |
| Banana                            |                       | 2                     |
| Papaya                            |                       | 2                     |
| Avocado                           |                       | 2                     |
| Pineapple                         |                       | 2                     |
| Guava                             |                       | 2                     |
| Mango                             |                       | 2                     |
| Passion fruit                     |                       | 2                     |
| Other spices <sup>8</sup>         | 5                     | 0.5                   |

The uniform limit (0.01 ppm) is applied to commodities for which no numerical level is given in draft MRL.

The unimform limit is also applied to all other commodities not in this list.

Cefquinome (antimicrobial)

| Cerquinome (antimiorobiai)                       |                |                |
|--|----------------|----------------|
| Commodity  | MRL<br>(draft) | Current<br>MRL |
|  | ppm            | ppm            |
| Cattle, muscle                                   | 0.02           | 0.04           |
| Pig, muscle                                      | 0.05           | 0.05           |
| Other terrestrial mammals <sup>10</sup> , muscle | 0.05           | 0.05           |
| Cattle, fat                                      | 0.02           | 0.04           |
| Pig, fat   | 0.05           | 0.05           |
| Other terrestrial mammals, fat                   | 0.05           | 0.05           |
| Cattle, liver                                    | 0.02           | 0.04           |
| Pig, liver                                       | 0.1            | 0.1            |
| Other terrestrial mammals, liver                 | 0.1            | 0.1            |
| Cattle, kidney                                   | 0.02           | 0.04           |
| Pig, kidney                                      | 0.2            | 0.2            |
| Other terrestrial mammals, kidney                | 0.2            | 0.2            |
| Cattle, edible offal 11                          | 0.02           | 0.04           |
| Pig, edible offal                                | 0.2            | 0.1            |
| Other terrestrial mammals edible offal           | 0.2            | 0.1            |
| Milk   | 0.02           | 0.02           |

Cefquinome will not be permitted to remain in any food not in this list.

Olaquindox (synthetic antibacterial drug)

| Ciaquiriaex (cyrinicae ariaeaceriai arag) |                       |                       |
|---|-----------------------|-----------------------|
| Commodity                                 | MRL<br>(draft)<br>ppm | Current<br>MRL<br>ppm |
| Pig, muscle                               |                       | 0.3                   |
| Pig, fat                                  |                       | 0.3                   |
| Pig, liver                                |                       | 0.3                   |
| Pig, kidney                               |                       | 0.3                   |
| Pig, edible offal 11                      |                       | 0.3                   |
| Chicken, muscle                           |                       | 0.3                   |
| Other poultry animals 12, muscle          |                       | 0.3                   |
| Chicken, fat                              |                       | 0.3                   |
| Other poultry animals, fat                |                       | 0.3                   |
| Chicken, liver                            |                       | 0.3                   |
| Other poultry animals liver               |                       | 0.3                   |
| Chicken, kidney                           |                       | 0.3                   |
| Other poultry animals, kidney             |                       | 0.3                   |
| Chicken, edible offal                     |                       | 0.3                   |
| Other poultry animals, edible offal       |                       | 0.3                   |

Olaquindox shall not be included in food.

The metabolite 3-methylquinoxaline-2-carboxylic acid is the marker compound for residues of Olaquindox.

## Note:

- 1. "Beans (dry)" includes butter beans, cowbeans (red beans), lentil, lima beans, pegia, sultani, sultapya, and white beans.
- 2. "Other cruciferous vegetables" refers to all cruciferous vegetables, except Japanese radish roots and leaves (including radish), turnip roots and leaves, horseradish, watercress, Chinese cabbage, cabbage, brussels sprouts, kale, *komatsuna* (Japanese mustard spinach), *kyona*, qing-geng-cai, cauliflower, broccoli, and herbs.
- 3. "Other solanaceous vegetables" refers to all solanaceous vegetables, except tomato, pimiento (sweet pepper), and egg plant.
- 4. "Other vegetables" refers to all vegetables, except potatoes, sugar beet, sugarcane, cruciferous vegetables, composite vegetables, liliaceous vegetables, umbelliferous vegetables, solanaceous vegetables, cucurbitaceous vegetables, spinach, bamboo shoots, okra, ginger, peas (with pods, immature), kidney beans (with pods, immature), green soybeans, mushrooms, spices, and herbs.
- 5. "Other citrus fruits" refers to all citrus fruits, except *unshu* orange (pulp), citrus *natsudaidai* (pulp), citrus *natsudaidai* (peel), citrus *natsudaidai* (whole), lemon, orange (including navel orange), grapefruit, lime, and spices.
- 6. "Other berries" refers to all berries, except strawberry, raspberry, blackberry, blueberry, cranberry, and huckleberry.
- 7. "Other fruits" refers to all fruits, except citrus fruits, apple, Japanese pear, pear, quince, loquat, peach, nectarine, apricot, Japanese plum (including prune), mume plum, cherry, berries, grape, Japanese persimmon, banana, kiwifruit, papaya, avocado, pineapple, guava, mango, passion fruit, date and spices.
- 8. "Other spices" refers to all spices, except horseradish, *wasabi* (Japanese horseradish) rhizomes, garlic, peppers chili, paprika, ginger, lemon peels, orange peels (including navel orange), *yuzu* (Chinese citron) peels and sesame seeds.
- 9. "Other herbs" refers to all herbs, except watercress, *nira*, parsley stems and leaves, celery stems and leaves.
- 10. "Other terrestrial mammals" refers to all terrestrial mammals, except cattle and pig.

- 11. "Edible offal" refers to all edible parts, except muscle, fat, liver, and kidney.
- 12. "Other poultry" refers to all poultry, except chicken.