

Attachment

Azimsulfuron(herbicide)

Commodity	MRL (draft) ppm	Current MRL ppm
Rice (brown rice)	0.02	0.1
Wheat		0.02
Barley		0.02
Rye		0.02
Corn (maize, including pop corn and sweet corn)		0.02
Buckwheat		0.02
Other cereal grains		0.02
Soybeans, dry		0.1
Beans, dry (including butter beans, cowbeans (red beans), lentil, lima beans, pegia, sultani, sultapya, and white beans)		0.02
Peas		0.02
Broad beans		0.02
Peanuts, dry		0.1
Other legumes/pulses		0.02
Potato		0.02
Taro		0.02
Sweet potato		0.02
Yam		0.02
Konjac		0.02
Other potatoes		0.02
Sugar beet		0.02
Japanese radish, roots (including radish)		0.02
Japanese radish, leaves (including radish)		0.02
Turnip, roots (including rutabaga)		0.02
Turnip, leaves (including rutabaga)		0.02
Horseradish		0.02
Watercress		0.02
Chinese cabbage		0.02
Cabbage		0.02
Brussels sprouts		0.02
Kale		0.02
<i>Komatsuna</i> (Japanese mustard spinach)		0.02
<i>Kyona</i>		0.02
Qing-geng-cai		0.02
Cauliflower		0.02
Broccoli		0.02
Other cruciferous vegetables		0.02
Burdock		0.02
Salsify		0.02
Artichoke		0.02
Chicory		0.02
Endive		0.02
<i>Shungiku</i>		0.02
Lettuce (including cos lettuce and leaf lettuce)		0.02
Other composite vegetables		0.02

Azimsulfuron(continued)

Commodity	MRL (draft) ppm	Current MRL ppm
Onion		0.02
Welsh (including leek)		0.02
Garlic		0.02
<i>Nira</i>		0.02
Asparagus		0.02
Multiplying onion (including shallot)		0.02
Other liliaceous vegetables		0.02
Carrot		0.02
Parsnip		0.02
Parsley		0.02
Celery		0.02
<i>Mitsuba</i>		0.02
Other umbelliferous vegetables		0.02
Tomato		0.02
Pimiento (sweet pepper)		0.02
Egg plant		0.02
Other solanaceous vegetables		0.02
Cucumber (including gherkin)		0.02
Pumpkin (including squash)		0.02
Oriental pickling melon (vegetable)		0.02
Water melon		0.02
Melons		0.02
<i>Makuwauri</i> melon		0.02
Other cucurbitaceous vegetables		0.02
Spinach		0.02
Bamboo shoots		0.02
Okra		0.02
Ginger		0.02
Peas, immature (with pods)		0.02
Kidney beans, immature (with pods)		0.02
Green soybeans		0.02
Button mushroom		0.02
<i>Shiitake</i> mushroom		0.02
Other mushrooms		0.02
Other vegetables		0.02
<i>Unshu</i> orange, pulp		0.02
Citrus <i>natsudaikai</i> , whole		0.02
Lemon		0.02
Orange (including navel orange)		0.02
Grapefruit		0.02
Lime		0.02
Other citrus fruits		0.02
Apple		0.02
Japanese pear		0.02
Pear		0.02
Quince		0.02
Loquat		0.02

Azimsulfuron(continued)

Commodity	MRL (draft) ppm	Current MRL ppm
Peach		0.02
Nectarine		0.02
Apricot		0.02
Japanese plum (including prune)		0.02
Mume plum		0.02
Cherry		0.02
Strawberry		0.02
Raspberry		0.02
Blackberry		0.02
Blueberry		0.02
Cranberry		0.02
Huckleberry		0.02
Other berries		0.02
Grape		0.02
Japanese persimmon		0.02
Banana		0.02
Kiwifruit		0.02
Papaya		0.02
Avocado		0.02
Pineapple		0.02
Guava		0.02
Mango		0.02
Passion fruit		0.02
Date		0.02
Other fruits		0.02
Sunflower seeds		0.1
Sesame seeds		0.1
Safflower seeds		0.1
Cotton seeds		0.1
Rapeseeds		0.1
Other oil seeds		0.1
Ginkgo nut		0.02
Chestnut		0.02
Pecan		0.02
Almond		0.02
Walnut		0.02
Other nuts		0.02
Tea		0.1
Hop		0.1
Other spices		0.1
Other herbs		0.02

The uniform limit (0.01 ppm) is applied to commodities for which no numerical level is given in draft MRL. The uniform limit is also applied to all commodities not listed in this table.

In the "Commodity" column, the food categories to which the word *other* is added, refer to the Notes given in the last two pages.

Clofencet(plant growth regulators)

Commodity	MRL (draft) ppm	Current MRL ppm
Wheat		250
Cattle, muscle		0.2
Pig, muscle		0.2
Other terrestrial mammals, muscle		0.2
Cattle, fat		0.04
Pig, fat		0.04
Other terrestrial mammals, fat		0.04
Cattle, liver		0.5
Pig, liver		0.5
Other terrestrial mammals, liver		0.5
Cattle, kidney		10
Pig, kidney		10
Other terrestrial mammals, kidney		10
Cattle, edible offal (excludes muscle, fat, liver, and kidney)		0.5
Pig, edible offal		0.5
Other terrestrial mammals, edible offal		0.5
Milk		0.02
Chicken, muscle		0.2
Other poultry animals, muscle		0.2
Chicken, fat		0.04
Other poultry animals, fat		0.04
Chicken, liver		0.2
Other poultry animals, liver		0.2
Chicken, kidney		0.2
Other poultry animals, kidney		0.2
Chicken, edible offal		0.2
Other poultry animals, edible offal		0.2
Chicken, eggs		1
Other poultry, eggs		1

The uniform limit (0.01 ppm) is applied to all commodities for this substance.

In the "Commodity" column, the food categories to which the word *other* is added, refer to the Notes given in the last two pages.

Clomeprop(herbicide)

Commodity	MRL (draft) ppm	Current MRL ppm
Rice (brown rice)	0.02	0.1
Fish and shelfish	0.3	

MRLs for clomeprop are established for the sum of residues of clomeprop and its metabolites 2-(2,4-dichloro-m-tolyloxy) propionic acid, all calculated as clomeprop on aquatic products, and for the sum of the residue of clomeprop alone on other foods.

The uniform limit (0.01 ppm) is applied to commodities not listed in this table.

Pyriproxyfen(insecticide)

Commodity	MRL (draft) ppm	Current MRL ppm
Soybeans, dry	0.2	0.2
Beans, dry (including butter beans, cowbeans (red beans), lentil, lima beans, pegia, sultani, sultapya, and white beans)	0.2	0.2
Peas	0.2	0.2
Broad beans	0.2	0.2
Other legumes/pulses	0.2	0.2
Chinese cabbage	0.7	0.7
Cabbage	0.7	0.7
Brussels sprouts	0.7	0.7
Kale	2.0	2.0
<i>Komatsuna</i> (Japanese mustard spinach)	2.0	2.0
<i>Kyona</i>	2.0	2.0
Qing-geng-cai	2.0	2.0
Cauliflower	0.7	0.7
Broccoli	0.7	0.7
Other cruciferous vegetables	2.0	2.0
Onion	0.15	0.15
Tomato	1	1
Pimiento (sweet pepper)	3	3
Egg plant	1	1
Other solanaceous vegetables	2	2
Cucumber (including gherkin)	0.2	0.2
Pumpkin (including squash)	0.1	0.1
Oriental pickling melon (vegetable)	0.1	0.1
Water melon	0.1	0.1
Melons	0.1	0.1
<i>Makuwauri</i> melon	0.1	0.1
Other cucurbitaceous vegetables	0.1	0.1
Okra	0.02	0.02
Peas, immature (with pods)	0.2	0.2
Kidney beans, immature (with pods)	0.2	0.2
Green soybeans	0.2	0.2
Other vegetables	0.2	0.2
<i>Unshu</i> orange, pulp	0.5	0.5
Citrus <i>natsudaidai</i> , whole	0.5	0.5
Lemon	0.5	0.5
Orange (including navel orange)	0.5	0.5
Grapefruit	0.5	0.5
Lime	0.5	0.5
Other citrus fruits	0.5	0.5
Apple	0.2	0.2
Japanese pear	0.2	0.2
Pear	0.2	0.2
Quince	0.2	0.2
Loquat	0.2	0.2

Pyriproxyfen(continued)

Commodity	MRL (draft) ppm	Current MRL ppm
Peach	1.0	1.0
Nectarine	1.0	1.0
Apricot	1.0	1.0
Japanese plum (including prune)	1.0	1.0
Cherry	1.0	1.0
Strawberry	0.3	0.3
Blueberry	1.0	1.0
Cranberry	1.0	
Huckleberry	1.0	1.0
Other berries	1.0	1.0
Grape	0.5	0.5
Papaya	1.0	1.0
Avocado	1.0	1.0
Guava	0.1	0.1
Mango	1.0	1.0
Passion fruit	0.1	0.1
Other fruits	1.0	1.0
Cotton seeds	0.05	0.05
Chestnut	0.02	0.02
Pecan	0.02	0.02
Almond	0.02	0.02
Walnut	0.02	0.02
Other nuts	0.02	0.02
Tea	15	0.3
Other spices	1.0	1.0
Other herbs	2.0	2.0
Cattle, muscle	0.01	0.01
Other terrestrial mammals, muscle	0.01	0.01
Cattle, fat	0.01	0.01
Other terrestrial mammals, fat	0.01	0.01
Cattle, liver	0.01	0.01
Other terrestrial mammals, liver	0.01	0.01
Cattle, kidney	0.01	0.01
Other terrestrial mammals, kidney	0.01	0.01
Cattle, edible offal (excludes muscle, fat, liver, and kidney)	0.01	0.01
Other terrestrial mammals, edible offal	0.01	0.01
Cottonseeds oil (limited to products given in the footnote)*	0.01	0.01
Cottonseeds oil (except for products given in the footnote)*	0.01	0.01
Mineral waters (natural mineral waters and bottled/packageged drinking waters)	0.3	0.3

* Refined cottonseed oil and cottonseed salad oil that meet the JAS for Edible Vegetable Fats and Oils, and other edible oils that meet standards equivalent to or stricter than JAS.

The uniform limit (0.01 ppm) is applied to commodities not listed in this table.

In the "Commodity" column, the food categories to which the word *other* is added, refer to the Notes given in the last two pages.

Pyrimisulfan(herbicide)

Commodity	MRL (draft) ppm	Current MRL ppm
Rice (brown rice)	0.05	

The uniform limit (0.01 ppm) is applied to commodities not listed in this table.

Propamocarb(fungicide)

Commodity	MRL (draft) ppm	Current MRL ppm
Rice (brown rice)	0.1	0.1
Potato	0.3	0.5
Sugar beet	0.2	0.2
Japanese radish, roots (including radish)	1	5.0
Chinese cabbage	10	
Cabbage	0.1	0.1
Brussels sprouts	1.0	1.0
Qing-geng-cai	0.5	0.5
Cauliflower	0.2	0.2
Broccoli	0.5	0.5
Other cruciferous vegetables	0.5	0.5
Chicory	2	1.0
Lettuce (including cos lettuce and leaf lettuce)	10	10
Onion	0.05	
Welsh (including leek)	3.0	3.0
Celery	0.2	0.2
Tomato	2	1.0
Pimiento (sweet pepper)	3	1.0
Egg plant	0.3	0.1
Other solanaceous vegetables	2	2
Cucumber (including gherkin)	5	2.0
Pumpkin (including squash)	5	0.5
Oriental pickling melon (vegetable)	5	0.5
Water melon	0.5	0.5
Melons	0.5	0.5
<i>Makuwauri</i> melon	0.5	0.5
Other cucurbitaceous vegetables	5	0.5
Spinach	40	10
Bamboo shoots	0.2	0.2
Ginger	10	10
Other vegetables	0.2	0.2
Strawberry	0.1	0.1
Other spices		0.2
Other herbs		0.5
Cattle, muscle	0.01	
Pig, muscle	0.01	
Other terrestrial mammals, muscle	0.01	
Cattle, fat	0.01	
Pig, fat	0.01	
Other terrestrial mammals, fat	0.01	
Cattle, liver	0.01	
Pig, liver	0.01	
Other terrestrial mammals, liver	0.01	

Propamocarb(continued)

Commodity	MRL (draft) ppm	Current MRL ppm
Cattle, kidney	0.01	
Pig, kidney	0.01	
Other terrestrial mammals, kidney	0.01	
Cattle, edible offal	0.01	
Pig, edible offal	0.01	
Other terrestrial mammals, edible offal	0.01	
Milk	0.01	
Chicken, muscle	0.01	
Other poultry animals, muscle	0.01	
Chicken, fat	0.01	
Other poultry animals, fat	0.01	
Chicken, eggs	0.01	
Other poultry, eggs	0.01	
Pepper, dried	10	

The MRLs for propamocarb include residues of propamocarb and propamocarb hydrochloride.

The uniform limit (0.01 ppm) is applied to commodities for which no numerical level is given in draft MRL. The uniform limit is also applied to commodities not listed in this table.

In the "Commodity" column, the food categories to which the word *other* is added, refer to the Notes given in the last two pages.

Rafoxanide (antiparasitics)

Commodity	MRL (draft) ppm	Current MRL ppm
Cattle, muscle		0.03
Other terrestrial mammals, muscle		0.1
Cattle, fat		0.03
Other terrestrial mammals, fat		0.3
Cattle, liver		0.01
Other terrestrial mammals, liver		0.2
Cattle, kidney		0.04
Other terrestrial mammals, kidney		0.2
Cattle, edible offal (excludes muscle, fat, liver, and kidney)		0.01
Other terrestrial mammals edible offal		0.2

The uniform limit (0.01 ppm) is applied to commodities for which no numerical level is given in draft MRL. The uniform limit is also applied to commodities not listed in this table.

In the "Commodity" column, the food categories to which the word *other* is added, refer to the Notes given in the last two pages.

Colistin (antimicrobial)

Commodity	MRL (draft) ppm	Current MRL ppm
Cattle, muscle	0.15	0.3
Pig, muscle	0.15	0.3
Other terrestrial mammals, muscle	0.15	0.3
Cattle, fat	0.15	0.3
Pig, fat	0.15	0.3
Other terrestrial mammals, fat	0.15	0.2
Cattle, liver	0.15	0.3
Pig, liver	0.15	0.3
Other terrestrial mammals, liver	0.15	0.2
Cattle, kidney	0.2	0.3
Pig, kidney	0.2	0.3
Other terrestrial mammals, kidney	0.2	0.2
Cattle, edible offal (excludes muscle, fat, liver, and kidney)	0.2	0.3
Pig, edible offal	0.2	0.3
Other terrestrial mammals edible offal	0.2	0.2
Milk	0.05	0.05
Chicken, muscle	0.15	0.2
Other poultry animals, muscle	0.15	0.2
Chicken, fat	0.15	0.2
Other poultry animals, fat	0.15	0.2
Chicken, liver	0.15	0.2
Other poultry animals liver	0.15	0.2
Chicken, kidney	0.2	0.2
Other poultry animals, kidney	0.2	0.2
Chicken, edible offal	0.2	0.2
Other poultry animals, edible offal	0.2	0.2
Chicken, egg	0.3	0.3
Other poultry animals, egg		0.3
Salmoniformes		0.2
Anguilliformes		0.2
Perciformes		0.2
Other fish		0.2
Shelled molluscs		0.2
Crustaceans		0.2
Other aquatic animals		0.2

Colistin will not be permitted to remain in the commodities for which no draft MRL is established.

In the "Commodity" column, the food categories to which the word *other* is added, refer to the Notes given in the last two pages.

Cyflufenamid (fungicide)

Commodity	MRL (draft) ppm	Current MRL ppm
Wheat	0.3	0.5
Barley	0.7	1
Rye	0.7	1
Corn (maize, including pop corn and sweet corn)		1
Buckwheat		1
Other cereal grains	0.7	1
Tomato	0.5	0.5
Pimiento (sweet pepper)	1	1
Egg plant	0.3	0.5
Other solanaceous vegetables		1
Cucumber (including gherkin)	0.3	0.5
Pumpkin (including squash)	0.3	0.5
Oriental pickling melon (vegetable)	0.2	0.5
Water melon	0.02	0.1
Melons	0.02	0.1
Makuwauri melon		0.1
Other cucurbitaceous vegetables	0.5	0.5
Okra		1
Other vegetables		0.5
Other citrus fruits		5
Apple	0.7	1
Japanese pear		1
Pear		1
Quince		1
Loquat		0.1
Peach	0.05	0.1
Nectarine		1
Apricot		5
Japanese plum (including prune)	0.3	5
Mume plum		5
Cherry	5	5
Strawberry	0.7	5
Raspberry		5
Blackberry		5
Blueberry		5
Cranberry		5
Huckleberry		5
Other berries		5

Cyflufenamid (Continued)

Commodity	MRL (draft) ppm	Current MRL ppm
Grape		5
Japanese persimmon	0.5	1
Banana		1
Kiwifruit		0.1
Papaya		1
Avocado		1
Pineapple		1
Guava		1
Mango		1
Passion fruit		1
Date		5
Other fruits		5
Other spices		5
Other herbs		0.5

The uniform limit (0.01 ppm) is applied to commodities for which no numerical level is established in draft MRL. The uniform limit is also applied to commodities not listed in this table.

In the "Commodity" column, the food categories to which the word *other* is added, refer to the Notes given in the last two pages.

Spiromesifen (insecticide)

Commodity	MRL (draft) ppm	Current MRL ppm
Wheat	0.01	0.01
Barley	0.01	0.01
Corn (maize, including pop corn and sweet corn)	0.02	0.02
Other cereal grains	0.01	0.01
Potato	0.02	0.02
Taro	0.02	0.02
Sweet potato	0.02	0.02
Yam	0.02	0.02
Other potatoes	0.02	0.02
Sugar beet	0.01	0.01
Watercress	12	12
Cabbage	2.0	2.0
Brussels sprouts	2.0	2.0
Kale	12	12
Kyona	12	12
Qing-geng-cai	12	12
Cauliflower	2.0	2.0
Broccoli	2.0	2.0
Other cruciferous vegetables	12	12
Chicory	12	12
Endive	12	12
Shungiku	12	12
Lettuce (including cos lettuce and leaf lettuce)	12	12
Other composite vegetables	12	12
Parsley	12	12
Other umbelliferous vegetables	12	12
Tomato	3	0.7
Pimiento (sweet pepper)	3	0.45
Egg plant	2	0.45
Other solanaceous vegetables	0.45	0.45
Cucumber (including gherkin)	0.1	0.1
Pumpkin (including squash)	0.1	0.1
Oriental pickling melon (vegetable)	0.1	0.1
Water melon	0.3	0.1
Melons	0.1	0.1
Makuwauri melon	0.1	0.1
Other cucurbitaceous vegetables	0.1	0.1

Spiromesifen (Continued)

Commodity	MRL (draft) ppm	Current MRL ppm
Spinach	12	12
Ginger	0.02	0.02
Other vegetables	12	12
Apple	2	2
Japanese pear	2	2
Pear	2	2
Peach	0.2	
Nectarine	1	
Apricot	5	
Japanese plum (including prune)	0.7	
Mume plum	5	
Cherry	5	5
Strawberry	2.0	2.0
Other fruits	0.45	0.45
Cotton seeds	0.5	0.5
Tea	30	30
Other spices	10	10
Other herbs	10	10
Cattle, muscle	0.02	0.05
Other terrestrial mammals, muscle	0.02	0.05
Cattle, fat	0.1	0.05
Other terrestrial mammals, fat	0.1	0.05
Cattle, liver	0.2	0.05
Other terrestrial mammals, liver	0.2	0.05
Cattle, kidney	0.2	0.05
Other terrestrial mammals, kidney	0.2	0.05
Cattle, edible offal	0.2	0.05
Other terrestrial mammals, edible offal	0.2	0.05
Milk	0.01	0.01

The MRLs for spiromesifen are established for the sum of residues of spiromesifen and its metabolite M1 [4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxyaspiro[4,4]nona-3-en-2-one], calculated as spiromesifen.

The uniform limit (0.01 ppm) is applied to commodities not listed in this table.

In the "Commodity" column, the food categories to which the word other is added, refer to the Notes given in the last two pages.

Prothioconazole (fungicide)

Commodity	MRL (draft) ppm	Current MRL ppm
Wheat	0.07	
Barley	0.35	
Rye	0.05	
Other cereal grains	0.05	
Soybeans, dry	0.15	
Beans, dry	0.9	
Peas	0.9	
Peanuts, dry	0.02	
Other legumes/pulses	0.9	
Sugar beet	0.25	
Rapeseeds	0.15	
Cattle, muscle	0.02	
Pig, muscle	0.01	
Other terrestrial mammals, muscle	0.02	
Cattle, fat	0.1	
Pig, fat	0.01	
Other terrestrial mammals, fat	0.1	
Cattle, liver	0.2	
Pig, liver	0.2	
Other terrestrial mammals, liver	0.2	
Cattle, kidney	0.2	
Pig, kidney	0.2	
Other terrestrial mammals, kidney	0.2	
Cattle, edible offal	0.2	
Pig, edible offal	0.2	
Other terrestrial mammals, edible offal	0.2	
Milk	0.02	
Chicken, liver	0.02	
Other poultry animals, liver	0.02	

The MRLs for prothioconazole are established for the sum of residues of prothioconazole and its metabolites M17 [2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazole-1-yl)-2-propanol] and glucronic acid conjugates of prothioconazole and metabolite M17, calculated as prothioconazole on animal products, and for the sum of the residue of prothioconazole and metabolite M17, calculated as prothioconazole on other foods.

The uniform limit is applied to commodities not listed in this table.

In the "Commodity" column, the food categories to which the word *other* is added, refer to the Notes given in the last two pages.

Pentoxazone (herbicide)

Commodity	MRL (draft) ppm	Current MRL ppm
Rice (brown rice)	0.05	0.1
Other cereal grains	0.05	
Fish and shelfish	0.08	

The uniform limit is applied to commodities not listed in this table.

In the "Commodity" column, the food categories to which the word other is added, refer to the Notes given in the last two pages.

1-methylcyclopropene (plant growth regulators)

Commodity	MRL (draft) ppm	Current MRL ppm
Apple	0.01	
Japanese pear	0.01	
Pear	0.01	
Japanese persimmon	0.01	

The uniform limit is applied to commodities not listed in this table.

Lufenuron (insecticide)

Commodity	MRL (draft) ppm	Current MRL ppm
Rice (brown rice)		0.02
Wheat		0.02
Barley		0.02
Rye		0.02
Corn (maize, including pop corn and sweet corn)	0.05	0.05
Buckwheat		0.02
Other cereal grains		0.02
Soybeans, dry	0.05	0.02
Beans, dry (including butter beans, cowbeans (red beans), lentil, lima beans, pegia, sultani, sultapya, and white beans)		0.02
Peas		0.02
Broad beans		0.02
Peanuts, dry		0.02
Other legumes/pulses		0.02
Potato		0.02
Taro		0.02
Sweet potato	0.02	0.05
Yam		0.02
Konjac		0.02
Other potatoes		0.02
Sugar beet	0.2	0.2
Sugarcane		0.02
Japanese radish, roots (including radish)	0.02	0.05
Japanese radish, leaves (including radish)	3	3
Turnip, roots (including rutabaga)		0.02
Turnip, leaves (including rutabaga)		0.02
Horseradish		0.02
Watercress		0.02
Chinese cabbage	1	1
Cabbage	0.7	1
Brussels sprouts	0.5	1
Kale		0.02
<i>Komatsuna</i> (Japanese mustard spinach)		0.02
<i>Kyona</i>		0.02
Qing-geng-cai		0.02
Cauliflower		0.02
Broccoli	2	0.02
Other cruciferous vegetables		0.02

Lufenuron (Continued)

Commodity	MRL (draft) ppm	Current MRL ppm
Burdock		0.02
Salsify		0.02
Artichoke		0.02
Chicory		0.02
Endive		0.02
<i>Shungiku</i>		0.02
Lettuce (including cos lettuce and leaf lettuce)	1	0.02
Other composite vegetables		0.02
Onion		0.02
Welsh (including leek)	2	3
Garlic		0.02
<i>Nira</i>		0.02
Asparagus		0.02
Multiplying onion (including shallot)	1	3
Other liliaceous vegetables		0.02
Carrot		0.02
Parsnip		0.02
Parsley		0.02
Celery		0.02
<i>Mitsuba</i>		0.02
Other umbelliferous vegetables		0.02
Tomato	0.5	0.5
Pimiento (sweet pepper)	1	1
Egg plant	0.5	0.5
Other solanaceous vegetables	0.5	0.02
Cucumber (including gherkin)	0.3	0.02
Pumpkin (including squash)		0.02
Oriental pickling melon (vegetable)		0.02
Water melon		0.02
Melons		0.02
<i>Makuwauri</i> melon		0.02
Other cucurbitaceous vegetables		0.02
Spinach		0.02
Bamboo shoots		0.02
Okra		0.02
Ginger		0.02
Peas, immature (with pods)		0.02
Kidney beans, immature (with pods)		0.02
Green soybeans	3	0.02

Lufenuron (Continued)

Commodity	MRL (draft) ppm	Current MRL ppm
Button mushroom		0.02
<i>Shiitake</i> mushroom		0.02
Other mushrooms		0.02
Other vegetables		0.02
Unshu orange, pulp	0.02	0.3
Citrus <i>natsudaikai</i> , whole	0.3	0.3
Lemon	0.3	0.3
Orange (including navel orange)	0.3	0.3
Grapefruit	0.3	0.3
Lime	0.3	0.3
Other citrus fruits	0.3	0.3
Apple	0.7	1
Japanese pear	0.5	0.5
Pear	0.5	0.5
Quince		0.05
Loquat		0.05
Peach		0.02
Nectarine		0.02
Apricot		0.02
Japanese plum (including prune)		0.02
Mume plum		0.02
Cherry		0.02
Strawberry	1	1
Raspberry		0.02
Blackberry		0.02
Blueberry		0.02
Cranberry		0.02
Huckleberry		0.02
Other berries		0.02
Grape	1	1
Japanese persimmon		0.02
Banana		0.02
Kiwifruit		0.02
Papaya		0.02
Avocado		0.02
Pineapple		0.02
Guava		0.02
Mango		0.02
Passion fruit		0.02
Date		0.02

Lufenuron (Continued)

Commodity	MRL (draft) ppm	Current MRL ppm
Other fruits		0.02
Sunflower seeds		0.02
Sesame seeds		0.02
Safflower seeds		0.02
Cotton seeds		0.2
Rapeseeds		0.02
Other oil seeds		0.02
Ginkgo nut		0.02
Chestnut		0.02
Pecan		0.02
Almond		0.02
Walnut		0.02
Other nuts		0.02
Tea	10	10
Coffee beans		0.02
Cacao beans		0.02
Hop		0.02
Other spices	3	0.3
Other herbs		0.02
Cattle, muscle	0.1	0.01
Pig, muscle	0.1	0.01
Other terrestrial mammals, muscle	0.1	0.01
Cattle, fat	0.3	1
Pig, fat	0.3	1
Other terrestrial mammals, fat	0.3	1
Cattle, liver	0.02	0.01
Pig, liver	0.02	0.01
Other terrestrial mammals, liver	0.02	0.01
Cattle, kidney	0.01	0.01
Pig, kidney	0.01	0.01
Other terrestrial mammals, kidney	0.01	0.01
Cattle, edible offal	0.02	0.01
Pig, edible offal	0.02	0.01
Other terrestrial mammals, edible offal	0.02	0.01

Lufenuron (Continued)

Commodity	MRL (draft) ppm	Current MRL ppm
Milk	0.05	0.2
Chicken, muscle	0.01	0.01
Other poultry animals, muscle	0.01	0.01
Chicken, fat	0.2	1
Other poultry animals, fat	0.2	1
Chicken, liver	0.03	0.01
Other poultry animals, liver	0.03	0.01
Chicken, kidney	0.02	0.01
Other poultry animals, kidney	0.02	0.01
Chicken, edible offal	0.03	0.01
Other poultry animals, edible offal	0.03	0.01
Chicken, eggs	0.3	0.05
Other poultry, eggs	0.3	0.05

The uniform limit (0.01 ppm) is applied to commodities for which no numerical level is established in draft MRL. The uniform limit is also applied to commodities not listed in this table.

In the "Commodity" column, the food categories to which the word *other* is added, refer to the Notes given in the last two pages.

Oxibendazole (antiparasitics)

Commodity	MRL (draft) ppm	Current MRL ppm
Cattle, muscle		0.03
Pig, muscle		0.1
Other terrestrial mammals, muscle		0.03
Cattle, fat		0.03
Pig, fat		0.5
Other terrestrial mammals, fat		0.03
Cattle, liver		0.03
Pig, liver		0.2
Other terrestrial mammals, liver		0.03
Cattle, kidney		0.03
Pig, kidney		0.1
Other terrestrial mammals, kidney		0.03
Cattle, edible offal		0.03
Pig, edible offal		0.1
Other terrestrial mammals edible offal		0.03
Milk		0.03
Chicken, muscle		0.03
Other poultry animals, muscle		0.03
Chicken, fat		0.03
Other poultry animals, fat		0.03
Chicken, liver		0.03
Other poultry animals liver		0.03
Chicken, kidney		0.03
Other poultry animals, kidney		0.03
Chicken, edible offal		0.03
Other poultry animals, edible offal		0.03
Chicken, egg		0.03
Other poultry animals, egg		0.03
Salmoniformes		0.03
Anguilliformes		0.03
Perciformes		0.03
Other fish		0.03
Shelled molluscas		0.03
Crustaceans		0.03
Other aquatic animals		0.03
Honey		0.03

The uniform limit (0.01 ppm) is applied to commodities for which no numerical level is established in draft MRL. The uniform limit is also applied to commodities not listed in this table.

In the "Commodity" column, the food categories to which the word other is added, refer to the Notes given in the last two pages.

Note:

“Other cereal grains” refers to all cereal grains, except rice (brown rice), wheat, barley, rye, corn (maize), and buckwheat.

“Other legumes/pulses” refers to all legumes/pulses, except soybeans (dry), beans (dry), peas, broad beans, peanuts (dry), and spices.

“Other potatoes” refers to all potatoes, except potato, taro, sweet potato, yam, and konjac.

“Other cruciferous vegetables” refers to all cruciferous vegetables, except Japanese radish roots and leaves (including radish), turnip roots and leaves, horseradish, watercress, Chinese cabbage, cabbage, brussels sprouts, kale, *komatsuna* (Japanese mustard spinach), *kyona*, qing-geng-cai, cauliflower, broccoli, and herbs.

“Other composite vegetables” refers to all composite vegetables, except burdock, salsify, artichoke, chicory, endive, *shungiku*, lettuce (including cos lettuce and leaf lettuce), and herbs.

“Other liliaceous vegetables” refers to all liliaceous vegetables, except onion, welsh (including leek), garlic, *nira*, asparagus, multiplying onion, and herbs.

“Other umbelliferous vegetables” refers to all umbelliferous vegetables, except carrot, parsnip, parsley, celery, *mitsuba*, spices, and herbs.

“Other solanaceous vegetables” refers to all solanaceous vegetables, except tomato, pimiento (sweet pepper), and egg plant.

“Other cucurbitaceous vegetables” refers to all cucurbitaceous vegetables, except cucumber (including gherkin), pumpkin (including squash), oriental pickling melon (vegetable), watermelon, melons, and *makuwauri* melon.

“Other mushrooms” refers to all mushrooms, except button mushroom, and *shiitake* mushroom.

“Other vegetables” refers to all vegetables, except potatoes, sugar beet, sugarcane, cruciferous vegetables, composite vegetables, liliaceous vegetables, umbelliferous vegetables, solanaceous vegetables, cucurbitaceous vegetables, spinach, bamboo shoots, okra, ginger, peas (with pods, immature), kidney beans (with pods, immature), green soybeans, mushrooms, spices, and herbs.

“Other citrus fruits” refers to all citrus fruits, except *unshu* orange (pulp), citrus *natsudaidai* (pulp), citrus *natsudaidai* (peel), citrus *natsudaidai* (whole), lemon, orange (including navel orange), grapefruit, lime, and spices.

“Other berries” refers to all berries, except strawberry, raspberry, blackberry, blueberry, cranberry, and huckleberry.

“Other fruits” refers to all fruits, except citrus fruits, apple, Japanese pear, pear, quince, loquat, peach, nectarine, apricot, Japanese plum (including prune), mume plum, cherry, berries, grape, Japanese persimmon, banana, kiwifruit, papaya, avocado, pineapple, guava, mango, passion fruit, date and spices.

“Other oil seeds” refers to all oil seeds, except sunflower seeds, sesame seeds, safflower seeds, cotton seeds, rapeseeds and spices.

“Other nuts” refers to all nuts, except ginkgo nut, chestnut, pecan, almond and walnut.

“Other spices” refers to all spices, except horseradish, *wasabi* (Japanese horseradish) rhizomes, garlic, peppers chili, paprika, ginger, lemon peels, orange peels (including navel orange), *yuzu* (Chinese citron) peels and sesame seeds.

“Other herbs” refers to all herbs, except watercress, *nira*, parsley stems and leaves, celery stems and leaves.

“Other terrestrial mammals” refers to all terrestrial mammals, except cattle and pig.

“Other poultry animals” refers to all poultry, except chicken.

“Other fish” refers to all fish, except salmoniformes, anguilliformes, and perciformes.

“Other aquatic animals” refers to all aquatic animal, except fish, shelled molluscs and crustaceans.