

Azinphos-methyl

Commodity	MRL (Draft) ppm	MRL (Current) ppm
Corn (maize, including pop corn and sweet corn)		2
Soybeans, dry		0.05
Beans, dry (including butter beans, cowbeans (red beans), lentil, lima beans, pegia, sultani, sultapya, and white beans.		0.5
Peas		0.5
Broad beans		0.5
Peanuts, dry		0.05
Other legumes/pulses		0.5
Potato		0.05
Taro		0.5
Sweet potato		0.5
Yam		0.5
Konjac		0.5
Other potatoes		0.5
Sugar beet		0.5
Sugarcane		0.2
Japanese radish, roots (including radish)		0.5
Japanese radish, leaves (including radish)		0.5
Turnip, roots (including rutabaga)		0.5
Turnip, leaves (including rutabaga)		0.5
Horseradish		0.5
Watercress		0.5
Chinese cabbage		0.5
Cabbage		0.5
Brussels sprouts		0.5
Kale		0.5
<i>Komatsuna</i> (Japanese mustard spinach)		0.5
<i>Kyona</i>		0.5
Qing-geng-cai		0.5
Cauliflower		0.5
Broccoli		1
Other cruciferous vegetables		0.5
Burdock		0.5
Salsify		0.5
Artichoke		0.5
Chicory		0.5
Endive		0.5
<i>Shungiku</i>		0.5
Lettuce (including cos lettuce and leaf lettuce)		0.5
Other composite vegetables		0.5
Onion		0.5
Welsh (including leek)		0.5
Garlic		0.5
<i>Nira</i>		0.5
Asparagus		0.5
Multiplying onion (including shallot)		0.5
Other liliaceous vegetables		0.5

Azinphos-methyl

Commodity	MRL (Draft) ppm	MRL (Current) ppm
Carrot		0.5
Parsnip		0.5
Parsley		5
Celery		0.5
<i>Mitsuba</i>		0.5
Other umbelliferous vegetables		0.5
Tomato		1
Pimiento (sweet pepper)		1
Egg plant		0.5
Other solanaceous vegetables		0.5
Cucumber (including gherkin)		0.2
Pumpkin (including squash)		0.5
Oriental pickling melon (vegetable)		0.5
Water melon		0.2
Melons		0.2
<i>Makuwauri</i> melon		0.2
Other cucurbitaceous vegetables		0.5
Spinach		0.5
Bamboo shoots		0.5
Okra		0.5
Ginger		0.5
Peas, immature (with pods)		0.5
Kidney beans, immature (with pods)		0.5
Green soybeans		0.5
Button mushroom		0.5
<i>Shiitake</i> mushroom		0.5
Other mushrooms		0.5
Other vegetables		0.5
<i>Unshu</i> orange, pulp		1
Citrus <i>natsudaidai</i> , whole	2	1
Lemon	2	1
Orange (including navel orange)	2	1
Grapefruit	2	1
Lime	2	1
Other citrus fruits	2	1
Apple		2
Japanese pear		2
Pear		2
Quince		1
Loquat		1
Peach		2
Nectarine	2	2
Apricot	2	1
Japanese plum (including prune)	2	2
Mume plum	2	1
Cherry	2	2

Azinphos-methyl

Commodity	MRL (Draft) ppm	MRL (Current) ppm
Strawberry		1
Raspberry		1
Blackberry		1
Blueberry	1	5
Cranberry		0.1
Huckleberry		5
Other berries		1
Grape	2	1
Japanese persimmon		1
Banana		1
Kiwifruit		1
Papaya		1
Avocado		1
Pineapple		1
Guava		1
Mango		1
Passion fruit		1
Date		1
Other fruits		1
Sunflower seeds		0.05
Sesame seeds		0.05
Safflower seeds		0.05
Cotton seeds		0.2
Rapeseeds		0.05
Other oil seeds		0.05
Ginkgo nut		0.5
Chestnut		0.5
Pecan		0.3
Almond		0.05
Walnut		0.3
Other nuts	0.05	0.3
Other herbs		0.5
Cattle, muscle		0.05
Pig, muscle		0.05
Other terrestrial mammals, muscle		0.05
Cattle, fat		0.05
Pig, fat		0.05
Other terrestrial mammals, fat		0.05
Cattle, liver		0.05
Pig, liver		0.05
Other terrestrial mammals, liver		0.05
Cattle, kidney		0.05
Pig, kidney		0.05
Other terrestrial mammals, kidney		0.2
Cattle, edible offal ("Edible offal" refers to all edible parts, except muscle, fat, liver, and kidney)		0.05
Pig, edible offal		0.05
Other terrestrial mammals, edible offal		0.05

Azinphos-methyl

Commodity	MRL (Draft) ppm	MRL (Current) ppm
Milk		0.05
Other spices, dry		0.5

* Shaded figures indicate provisional MRLs.

* The uniform limit 0.01 ppm will be applied to commodities for which draft MRLs are not given in this table and to commodities not listed above.

* In the "Commodity" column, for the food categories to which the word *other* is added, refer to the Notes given in the last two pages of the Attachment.

Cyazofamid

Commodity	MRL (Draft) ppm	MRL (Current) ppm
Wheat	0.05	0.05
Soybeans, dry	0.3	0.3
Beans, dry (including butter beans, cowbeans (red beans), lentil, lima beans, pegia, sultani, sultapya, and white beans.	0.1	0.1
Potato	0.05	0.05
Japanese radish, roots (including radish)	0.05	0.05
Japanese radish, leaves (including radish)	10	10
Turnip, roots (including rutabaga)	0.3	0.3
Turnip, leaves (including rutabaga)	20	20
Chinese cabbage	2	1
Cabbage	0.7	0.05
Kale	15	15
<i>Komatsuna</i> (Japanese mustard spinach)	15	15
<i>Kyona</i>	10	10
Qing-geng-cai	3	3
Broccoli	1	1
Other cruciferous vegetables	15	15
Lettuce (including cos lettuce and leaf lettuce)	10	10
Onion	0.05	0.05
Welsh (including leek)	2	2
Multiplying onion (including shallot)	5	5
Other liliaceous vegetables	3	3
Carrot	0.09	
<i>Mitsuba</i>	10	10
Tomato	2	2
Pimiento (sweet pepper)	1	1
Egg plant	0.5	0.5
Other solanaceous vegetables	2	2
Cucumber (including gherkin)	0.7	0.7
Pumpkin (including squash)	0.1	0.1
Oriental pickling melon (vegetable)	0.1	0.1
Water melon	0.05	0.05
Melons	0.05	0.05
<i>Makuwauri</i> melon	0.1	0.1
Other cucurbitaceous vegetables	0.1	0.1
Spinach	25	25
Ginger	3	3
Green soybeans	5	5
Other vegetables	10	10
<i>Unshu</i> orange, pulp	0.7	0.7
Citrus <i>natsudaidai</i> , whole	2	2
Lemon	5	5
Orange (including navel orange)	5	5
Grapefruit	5	5
Lime	5	5
Other citrus fruits	5	5

Cyazofamid

Commodity	MRL (Draft) ppm	MRL (Current) ppm
Strawberry	0.7	0.7
Grape	10	10
Papaya	0.5	
Other fruits	1	1
Other spices	10	10
Other herbs	15	15

* The uniform limit 0.01 ppm will be applied to commodities not listed above.

* In the "Commodity" column, for the food categories to which the word *other* is added, refer to the Notes given in the last two pages of the Attachment.

Etofenprox

Commodity	MRL (Draft) ppm	MRL (Current) ppm
Rice (brown rice)	0.5	0.5
Wheat	0.5	0.5
Barley	0.5	0.5
Rye	0.5	0.5
Corn (maize, including pop corn and sweet corn)	0.5	0.5
Buckwheat	0.5	0.5
Other cereal grains	0.5	0.5
Soybeans, dry	0.2	0.2
Beans, dry (including butter beans, cowbeans (red beans), lentil, lima beans, pegia, sultani, sultapya, and white beans)	0.2	0.2
Peas	0.1	0.1
Broad beans	0.1	0.1
Peanuts, dry	0.1	0.1
Other legumes/pulses	0.1	0.1
Potato	0.1	0.1
Taro	0.1	0.1
Sweet potato	0.1	0.1
Yam	0.1	0.1
Konjac	0.1	0.1
Other potatoes	0.1	0.1
Sugar beet	0.5	0.5
Sugarcane	0.1	0.1
Japanese radish, roots (including radish)	2	2
Japanese radish, leaves (including radish)	10	10
Turnip, roots (including rutabaga)	2	2
Turnip, leaves (including rutabaga)	10	10
Horseradish	0.5	0.5
Watercress	2	2
Chinese cabbage	5	5
Cabbage	2	2
Brussels sprouts	2	2
Kale	2	2
<i>Komatsuna</i> (Japanese mustard spinach)	2	2
<i>Kyona</i>	2	2
Qing-geng-cai	2	2
Cauliflower	2	2
Broccoli	2	2
Other cruciferous vegetables	2	2
Burdock	0.5	0.5
Salsify	0.5	0.5
Artichoke	2	2
Chicory	2	2
Endive	2	2
<i>Shungiku</i>	2	2
Lettuce (including cos lettuce and leaf lettuce)	2	2
Other composite vegetables	2	2

Etofenprox

Commodity	MRL (Draft) ppm	MRL (Current) ppm
Welsh (including leek)	2	2
<i>Nira</i>	2	2
Asparagus	2	2
Multiplying onion (including shallot)	2	2
Other liliaceous vegetables	2	2
Carrot	0.5	0.5
Parsnip	0.5	0.5
Parsley	2	2
Celery	2	2
<i>Mitsuba</i>	2	2
Other umbelliferous vegetables	2	2
Tomato	2	2
Pimiento (sweet pepper)	5	5
Egg plant	2	2
Other solanaceous vegetables	5	5
Cucumber (including gherkin)	2	2
Pumpkin (including squash)	2	2
Oriental pickling melon (vegetable)	2	2
Water melon	2	2
Melons	2	2
<i>Makuwauri</i> melon	2	2
Other cucurbitaceous vegetables	2	2
Spinach	2	2
Bamboo shoots	0.5	0.5
Okra	5	5
Ginger	2	2
Peas, immature (with pods)	2	2
Kidney beans, immature (with pods)	5	5
Green soybeans	5	5
Other vegetables	5	5
<i>Unshu</i> orange, pulp	2	2
Citrus <i>natsudaidai</i> , whole	5	5
Lemon	5	5
Orange (including navel orange)	5	5
Grapefruit	5	5
Lime	5	5
Other citrus fruits	5	5
Apple	2	2
Japanese pear	2	2
Pear	2	2
Quince	2	2
Loquat	1	1

Etofenprox

Commodity	MRL (Draft) ppm	MRL (Current) ppm
Peach	2	2
Nectarine	2	2
Japanese persimmon	2	2
Banana	2	2
Kiwifruit	0.2	0.2
Papaya	2	2
Avocado	2	2
Pineapple	2	2
Guava	2	2
Mango	2	2
Passion fruit	2	2
Ginkgo nut	0.1	0.1
Chestnut	2	2
Pecan	0.1	0.1
Almond	0.1	0.1
Walnut	0.1	0.1
Other nuts	0.1	0.1
Tea	10	10
Other spices	5	5
Other herbs	5	5
Cattle, muscle	0.5	
Pig, muscle	0.5	
Other terrestrial mammals, muscle	0.5	
Cattle, fat	7	
Pig, fat	7	
Other terrestrial mammals, fat	7	
Cattle, liver	0.5	
Pig, liver	0.5	
Other terrestrial mammals, liver	0.5	
Cattle, kidney	0.5	
Pig, kidney	0.5	
Other terrestrial mammals, kidney	0.5	
Cattle, edible offal ("Edible offal" refers to all edible parts, except muscle, fat, liver, and kidney)	0.5	
Pig, edible offal	0.5	
Other terrestrial mammals, edible offal	0.5	
Milk	0.5	
Chicken, muscle	0.01	
Other poultry animals, muscle	0.01	
Chicken, fat	0.5	
Other poultry animals, fat	0.5	
Chicken, liver	0.02	
Other poultry animals, liver	0.02	
Chicken, kidney	0.02	
Other poultry animals, kidney	0.02	
Chicken, edible offal	0.02	
Other poultry animals, edible offal	0.02	

Etofenprox

Commodity	MRL (Draft) ppm	MRL (Current) ppm
Chicken, eggs	0.1	
Other poultry, eggs	0.1	
Fish and shellfish	0.8	

* Shaded figures indicate provisional MRLs.

* The uniform limit 0.01 ppm will be applied to commodities not listed above.

* In the "Commodity" column, for the food categories to which the word *other* is added, refer to the Notes given in the last two pages of the Attachment

Glufosinate

Commodity	MRL (Draft) ppm	MRL (Current) ppm
Rice (brown rice)	0.3	0.50
Wheat	0.2	0.20
Barley	0.5	5.0
Corn (maize, including pop corn and sweet corn)	0.1	0.10
Buckwheat	0.3	
Soybeans, dry	2	2.0
Beans, dry (including butter beans, cowbeans (red beans), lentil, lima beans, pegia, sultani, sultapya, and	2	2.0
Peas	3	2.0
Broad beans	2	2.0
Peanuts, dry	0.1	
Other legumes/pulses	3	3.0
Potato	0.2	0.50
Taro	0.2	0.10
Sweet potato	0.1	0.10
Yam	0.2	0.10
Konjac	0.2	0.10
Sugar beet	0.9	0.90
Japanese radish, roots (including radish)	0.3	0.50
Japanese radish, leaves (including radish)	0.3	0.50
Turnip, roots (including rutabaga)	0.1	0.50
Turnip, leaves (including rutabaga)	0.1	0.50
Horseradish		0.50
Watercress	0.3	0.50
Chinese cabbage	0.2	0.20
Cabbage	0.2	0.50
Brussels sprouts		0.50
Kale		0.50
Qing-geng-cai		0.50
Cauliflower		0.50
Broccoli	0.2	0.50
Other cruciferous vegetables	0.2	0.50
Burdock	0.2	
Salsify		0.50
Artichoke		0.50
Chicory		0.50
Endive		0.50
Lettuce (including cos lettuce and leaf lettuce)	0.2	0.50
Other composite vegetables	0.5	0.50
Onion	0.2	0.20
Welsh (including leek)	0.2	0.20
Garlic	0.3	0.50
<i>Nira</i>	0.2	0.50
Asparagus	0.2	0.20
Other liliaceous vegetables		0.50

Glufosinate

Commodity	MRL (Draft) ppm	MRL (Current) ppm
Carrot	0.1	0.20
Parsnip		0.50
Parsley	0.7	0.50
Celery	0.2	0.50
Other umbelliferous vegetables	0.3	0.50
Tomato	0.2	0.20
Pimiento (sweet pepper)	0.2	0.20
Egg plant	0.2	0.20
Other solanaceous vegetables	0.2	0.50
Cucumber (including gherkin)	0.2	0.20
Pumpkin (including squash)	0.2	0.20
Oriental pickling melon (vegetable)	0.3	
Water melon	0.1	0.30
Melons	0.3	0.30
Other cucurbitaceous vegetables	0.2	0.50
Spinach	0.1	0.50
Okra	0.1	0.1
Ginger	0.3	0.50
Peas, immature (with pods)	0.2	0.50
Kidney beans, immature (with pods)	0.05	0.05
Green soybeans	0.2	0.20
Button mushroom		0.50
Other vegetables	0.3	0.05
<i>Unshu</i> orange, pulp	0.2	0.30
Citrus <i>natsudaidai</i> , whole	0.2	0.30
Lemon	0.2	0.30
Orange (including navel orange)	0.2	0.30
Grapefruit	0.2	0.30
Lime	0.2	0.30
Other citrus fruits	0.2	0.30
Apple	0.2	0.30
Japanese pear	0.2	0.30
Pear	0.1	0.30
Quince	0.1	0.05
Loquat	0.2	0.30
Peach	0.2	0.30
Nectarine	0.1	0.05
Apricot	0.3	0.05
Japanese plum (including prune)	0.1	0.05
Mume plum	0.3	0.30
Cherry	0.3	0.30

Glufosinate

Commodity	MRL (Draft) ppm	MRL (Current) ppm
Strawberry	0.5	0.30
Raspberry	0.1	0.10
Blackberry	0.1	0.10
Blueberry	0.1	0.10
Cranberry	0.1	0.10
Huckleberry	0.1	0.10
Other berries	0.1	0.10
Grape	0.2	0.30
Japanese persimmon	0.1	0.30
Banana	0.2	0.20
Kiwifruit	0.2	0.05
Papaya	0.1	0.05
Avocado	0.1	0.05
Pineapple	0.1	0.05
Guava	0.1	0.05
Mango	0.1	0.05
Passion fruit	0.1	0.05
Date	0.1	
Other fruits	0.2	0.50
Sunflower seeds	5	5.0
Cotton seeds	4	4
Rapeseeds	5	5.0
Ginkgo nut	0.1	0.10
Chestnut	0.2	0.30
Pecan	0.1	0.10
Almond	0.1	0.10
Walnut	0.1	0.10
Other nuts	0.1	0.10
Tea	0.3	0.50
Coffee beans		0.05
Other spices	0.5	3
Other herbs	0.5	0.5
Cattle, muscle	0.05	0.05
Pig, muscle	0.05	0.05
Other terrestrial mammals, muscle	0.05	0.05
Cattle, fat	0.4	0.4
Pig, fat	0.4	0.4
Other terrestrial mammals, fat	0.4	0.4
Cattle, liver	6	0.1
Pig, liver	6	0.1
Other terrestrial mammals, liver	6	0.1
Cattle, kidney	4	0.1
Pig, kidney	4	0.1
Other terrestrial mammals, kidney	4	0.1
Cattle, edible offal (" Edible offal " refers to all edible parts, except muscle, fat, liver, and kidney)	6	0.1
Pig, edible offal	6	0.1
Other terrestrial mammals, edible offal	6	0.1
Milk	0.02	0.02

Glufosinate

Commodity	MRL (Draft) ppm	MRL (Current) ppm
Chicken, muscle	0.05	0.05
Other poultry animals, muscle	0.05	0.05
Chicken, fat	0.05	0.2
Other poultry animals, fat	0.05	0.2
Chicken, liver	0.1	0.1
Other poultry animals, liver	0.1	0.1
Chicken, kidney	0.5	0.1
Other poultry animals, kidney	0.5	0.1
Chicken, edible offal	0.1	0.1
Other poultry animals, edible offal	0.1	0.1
Chicken, eggs	0.05	0.05
Other poultry, eggs	0.05	0.05
Sunflower oil (excluding edible sunflower oil specified in the Japan Agricultural Standards for edible vegetable oils and other sunflower oil considered to meet standards equivalent to or stricter than JAS.)	0.05	0.05
Canola oil (excluding refined canola oil and canola salada oil specified in the Japan Agricultural Standards for edible vegetable oils, and other canola oil considered to meet standards equivalent to or stricter than JAS.)	0.05	0.05

* Glufosinate targeted for standard setting refers to the three compounds: glufosinate, glufosinate-ammonium, and glufosinate-P. For cereal grains, legumes, nuts, and sugar beets, the MRLs are set as the sum of glufosinate, metabolite B (3-methylphosphinico propionic acid), and metabolite Z (N-acetyl-glufosinate), each expressed as glufosinate ammonium. For other commodities, they are set as the sum of glufosinate and metabolite B, both expressed as glufosinate ammonium.

* Shaded figures indicate provisional MRLs.

* The uniform limit 0.01 ppm will be applied to commodities for which draft MRLs are not given in this table and to commodities not listed above.

* In the "Commodity" column, for the food categories to which the word *other* is added, refer to the Notes given in the last two pages of the Attachment.

Clorsulon

Commodity	MRL (Draft) ppm	MRL (Current) ppm
Cattle, muscle		0.08
Pig, muscle		0.02
Other terrestrial mammals, muscle		0.02
Cattle, fat		0.08
Pig, fat		0.02
Other terrestrial mammals, fat		0.02
Cattle, liver		0.1
Pig, liver		0.02
Other terrestrial mammals, liver		0.02
Cattle, kidney		0.4
Pig, kidney		0.02
Other terrestrial mammals, kidney		0.02
Cattle, edible offal ("Edible offal" refers to all edible parts, except muscle, fat, liver, and kidney)		0.1
Pig, edible offal		0.02
Other terrestrial mammals, edible offal		0.02
Milk		2
Chicken, muscle		0.02
Other poultry animals, muscle		0.02
Chicken, fat		0.02
Other poultry animals, fat		0.02
Chicken, liver		0.02
Other poultry animals, liver		0.02
Chicken, kidney		0.02
Other poultry animals, kidney		0.02
Chicken, edible offal		0.02
Other poultry animals, edible offal		0.02
Chicken, eggs		0.02
Other poultry, eggs		0.02
Salmoniformes (such as salmon and trout)		0.02
Anguilliformes (such as eel)		0.02
Perciformes (such as bonito, horse mackerel, mackerel, sea bass, sea bream and tuna)		0.02
Other fish		0.02
Shelled molluscas		0.02
Crustaceans		0.02
Other aquatic animals		0.02
Honey (including royal-jelly)		0.02

* Shaded figures indicate provisional MRLs.

* This compound shall not be contained in any commodity.

* In the "Commodity" column, for the food categories to which the word *other* is added, refer to the Notes given in the last two pages of the Attachment.

Notes:

“Other cereal grains” refers to all cereal grains, except rice (brown rice), wheat, barley, rye, corn (maize), and buckwheat.

“Other legumes/pulses” refers to all legumes/pulses, except soybeans (dry), beans (dry), peas, broad beans, peanuts (dry), and spices.

“Other potatoes” refers to all potatoes, except potato, taro, sweet potato, yam, and konjac.

“Other cruciferous vegetables” refers to all cruciferous vegetables, except Japanese radish roots and leaves (including radish), turnip roots and leaves, horseradish, watercress, Chinese cabbage, cabbage, brussels sprouts, kale, *komatsuna* (Japanese mustard spinach), *kyona*, qing-geng-cai, cauliflower, broccoli, and herbs.

“Other composite vegetables” refers to all composite vegetables, except burdock, salsify, artichoke, chicory, endive, *shungiku*, lettuce (including cos lettuce and leaf lettuce), and herbs.

“Other liliaceous vegetables” refers to all liliaceous vegetables, except onion, welsh (including leek), garlic, *nira*, asparagus, multiplying onion, and herbs.

“Other umbelliferous vegetables” refers to all umbelliferous vegetables, except carrot, parsnip, parsley, celery, *mitsuba*, spices, and herbs.

“Other solanaceous vegetables” refers to all solanaceous vegetables, except tomato, pimiento (sweet pepper), and egg plant.

“Other cucurbitaceous vegetables” refers to all cucurbitaceous vegetables, except cucumber (including gherkin), pumpkin (including squash), oriental pickling melon (vegetable), watermelon, melons, and *makuwauri* melon.

“Other mushrooms” refers to all mushrooms, except button mushroom, and *shiitake* mushroom.

“Other vegetables” refers to all vegetables, except potatoes, sugar beet, sugarcane, cruciferous vegetables, composite vegetables, liliaceous vegetables, umbelliferous vegetables, solanaceous vegetables, cucurbitaceous vegetables, spinach, bamboo shoots, okra, ginger, peas (with pods, immature), kidney beans (with pods, immature), green soybeans, mushrooms, spices, and herbs.

“Other citrus fruits” refers to all citrus fruits, except *unshu* orange (pulp), citrus *natsudaidai* (pulp), citrus *natsudaidai* (peel), citrus *natsudaidai* (whole), lemon, orange (including navel orange), grapefruit, lime, and spices.

“Other berries” refers to all berries, except strawberry, raspberry, blackberry, blueberry, cranberry, and huckleberry.

“Other fruits” refers to all fruits, except citrus fruits, apple, Japanese pear, pear, quince, loquat, peach, nectarine, apricot, Japanese plum (including prune), mume plum, cherry, berries, grape, Japanese persimmon, banana, kiwifruit, papaya, avocado, pineapple, guava, mango, passion fruit, date and spices.

“Other oil seeds” refers to all oil seeds, except sunflower seeds, sesame seeds, safflower seeds, cotton seeds, rapeseeds and spices.

“Other nuts” refers to all nuts, except ginkgo nut, chestnut, pecan, almond and walnut.

“Other spices” refers to all spices, except horseradish, *wasabi* (Japanese horseradish) rhizomes, garlic, peppers chili, paprika, ginger, lemon peels, orange peels (including navel orange), *yuzu* (Chinese citron) peels and sesame seeds.

“Other herbs” refers to all herbs, except watercress, *nira*, parsley stems and leaves, celery stems and leaves.

“Other terrestrial mammals” refers to all terrestrial mammals, except cattle and pig.

“Other poultry animals” refers to all poultry, except chicken.

“Other fish” refers to all fish, except salmoniformes, anguilliformes, and perciformes.

“Other aquatic animals” refers to all aquatic animal, except fish, shelled molluscs and crustaceans.