

## Ethiprole

| Commodity                         | MRL draft ppm | MRL current ppm |
|-----------------------------------|---------------|-----------------|
| Rice (brown rice)                 | 0.2           | 0.2             |
| Soybeans, dry                     | 0.2           | 0.2             |
| Green soybeans                    | 0.5           | 0.5             |
| <i>Unshu</i> orange, pulp         | 0.1           |                 |
| Citrus <i>natsudaidai</i> , whole | 0.7           |                 |
| Lemon                             | 0.7           |                 |
| Orange (including navel orange)   | 0.7           |                 |
| Grapefruit                        | 0.7           |                 |
| Lime                              | 0.7           |                 |
| Other citrus fruits               | 0.7           |                 |
| Apple                             | 1             | 1               |
| Japanese persimmon                | 0.2           |                 |
| Tea                               | 10            | 10              |
| Other spices                      | 3             |                 |
| Fish and shellfish                | 0.09          | 0.09            |

\* The uniform limit 0.01 ppm will be applied to commodities not listed above.

\* In the "Commodity" column, for the food categories to which the word "other" is added, refer to the Notes given in the last two pages of the Attachment.

## Fenthion

| Commodity  | MRL draft ppm | MRL current ppm |
|--|---------------|-----------------|
| Rice (brown rice)  | 0.3           | 0.05            |
| Corn (maize, including pop corn and sweet corn)  |               | 5               |
| Soybeans, dry  | 0.05          | 0.02            |
| Beans, dry (including butter beans, cowbeans (red beans), lentil, lima beans, pegia, sultani, sultapya, and white beans. | 0.1           | 0.02            |
| Potato   | 0.05          | 0.05            |
| Sweet potato   | 0.1           | 0.02            |
| Yam  | 0.2           | 0.02            |
| Sugarcane  | 0.3           | 0.02            |
| Tomato   |               | 5               |
| Pimiento (sweet pepper)  |               | 5               |
| Egg plant  |               | 5               |
| Other solanaceous vegetables   |               | 5               |
| Cucumber (including gherkin)   |               | 3               |
| Pumpkin (including squash)   |               | 3               |
| Oriental pickling melon (vegetable)  |               | 3               |
| Water melon  |               | 3               |
| Melons   |               | 3               |
| <i>Makuwauri</i> melon   |               | 3               |
| Other cucurbitaceous vegetables  |               | 3               |
| Okra   |               | 5               |
| Button mushroom  |               | 5               |
| <i>Shiitake</i> mushroom   |               | 5               |
| Other mushrooms  |               | 5               |
| <i>Unshu</i> orange, pulp  |               | 2               |
| Citrus <i>natsudaidai</i> , whole  | 2             | 2               |
| Lemon  | 2             | 2               |
| Orange (including navel orange)  | 2             | 2               |
| Grapefruit   | 2             | 2               |
| Lime   | 2             | 2               |
| Other citrus fruits  | 2             | 2               |
| Apple  |               | 2               |
| Japanese pear  |               | 2               |
| Pear   |               | 2               |
| Quince   |               | 2               |
| Loquat   |               | 2               |
| Peach  |               | 5               |
| Nectarine  | 1             | 5               |
| Apricot  |               | 5               |
| Japanese plum (including prune)  | 3             | 5               |
| Mume plum  |               | 5               |
| Cherry   | 2             | 2               |
| Grape  |               | 2               |
| Japanese persimmon   | 1             | 5               |
| Banana   |               | 3               |
| Kiwifruit  | 5             | 5               |
| Papaya   |               | 5               |
| Avocado  | 0.05          | 5               |
| Pineapple  |               | 5               |
| Guava  |               | 2               |
| Mango  | 0.7           | 5               |
| Passion fruit  |               | 5               |

## Fenthion

| Commodity   | MRL draft ppm | MRL current ppm |
|---|---------------|-----------------|
| Other fruits  | 1             | 1               |
| Other spices  |               | 2               |
| Cattle, muscle  |               | 0.6             |
| Pig, muscle   |               | 0.5             |
| Other terrestrial mammals, muscle   |               | 0.2             |
| Cattle, fat   |               | 0.1             |
| Pig, fat  |               | 0.1             |
| Other terrestrial mammals, fat  |               | 0.2             |
| Cattle, liver   |               | 0.6             |
| Pig, liver  |               | 0.5             |
| Other terrestrial mammals, liver  |               | 0.2             |
| Cattle, kidney  |               | 0.6             |
| Pig, kidney   |               | 0.5             |
| Other terrestrial mammals, kidney   |               | 0.2             |
| Cattle, edible offal ("Edible offal" refers to all edible parts, except muscle, fat, liver, and kidney) |               | 0.6             |
| Pig, edible offal   |               | 0.5             |
| Other terrestrial mammals, edible offal   |               | 0.2             |
| Milk  |               | 0.2             |
| Chicken, muscle   |               | 0.05            |
| Other poultry animals, muscle   |               | 0.05            |
| Chicken, fat  |               | 0.05            |
| Other poultry animals, fat  |               | 0.05            |
| Chicken, liver  |               | 0.05            |
| Other poultry animals, liver  |               | 0.05            |
| Chicken, kidney   |               | 0.05            |
| Other poultry animals, kidney   |               | 0.05            |
| Chicken, edible offal   |               | 0.05            |
| Other poultry animals, edible offal   |               | 0.05            |
| Chicken, eggs   |               | 0.05            |
| Other poultry, eggs   |               | 0.05            |
| Fish and shellfish  | 0.08          |                 |
| Edible olive oil (virgin oil only)  | 1             | 1               |

The MRLs are expressed as the sum of fenthion, its oxygen analogue and their sulfoxides and sulfones, expressed as fenthion.

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to commodities for which draft MRLs are not given in this table and to commodities not listed above.

\* In the "Commodity" column, for the food categories to which the word "other" is added, refer to the Notes given in the last two pages of the Attachment.

## Flubendiamide

| Commodity  | MRL draft ppm | MRL current ppm |
|--|---------------|-----------------|
| Corn (maize, including pop corn and sweet corn)  | 0.02          |                 |
| Soybeans, dry                                    | 0.3           | 0.3             |
| Potato   | 0.05          |                 |
| Taro   | 0.05          |                 |
| Sweet potato                                     | 0.05          |                 |
| Japanese radish, roots (including radish)        | 0.1           | 0.03            |
| Japanese radish, leaves (including radish)       | 10            | 10              |
| Chinese cabbage                                  | 5             | 5               |
| Cabbage  | 3             | 3               |
| Cauliflower                                      | 0.6           |                 |
| Broccoli   | 5             |                 |
| Lettuce (including cos lettuce and leaf lettuce) | 15            | 15              |
| Welsh (including leek)                           | 3             | 3               |
| Asparagus  | 1             |                 |
| Celery   | 5             |                 |
| Tomato   | 1             | 0.7             |
| Pimiento (sweet pepper)                          | 3             | 3               |
| Egg plant  | 1             | 1               |
| Cucumber (including gherkin)                     | 0.7           | 0.7             |
| Pumpkin (including squash)                       | 0.2           |                 |
| Water melon                                      | 0.05          |                 |
| Melons   | 0.02          |                 |
| Green soybeans                                   | 5             |                 |
| Apple  | 1             | 1               |
| Japanese pear                                    | 1             | 1               |
| Pear   | 1             | 1               |
| Peach  | 0.05          | 0.05            |
| Nectarine  | 1             | 1               |
| Apricot  | 2             |                 |
| Japanese plum (including prune)                  | 2             |                 |
| Cherry   | 2             | 2               |
| Strawberry                                       | 2             | 2               |
| Grape  | 2             | 2               |
| Japanese persimmon                               | 0.3           |                 |
| Cotton seeds                                     | 0.9           |                 |
| Chestnut   | 0.06          |                 |
| Pecan  | 0.06          |                 |
| Almond   | 0.06          |                 |
| Walnut   | 0.06          |                 |
| Tea  | 40            | 40              |
| Other herbs                                      | 5             |                 |

\* The uniform limit 0.01 ppm will be applied to commodities not listed above.

\* In the "Commodity" column, for the food categories to which the word "other" is added, refer to the Notes given in the last two pages of the Attachment.

## Isoprothiolane

| <b>Commodity</b>  | <b>MRL<br/>draft<br/>ppm</b> | <b>MRL<br/>current<br/>ppm</b> |
|---|------------------------------|--------------------------------|
| Rice (brown rice)   | 10                           | 2                              |
| Apple   | 0.05                         | 0.05                           |
| Japanese pear   | 0.05                         | 0.05                           |
| Pear  | 0.05                         | 0.05                           |
| Loquat  | 0.02                         | 0.02                           |
| Peach   | 0.02                         | 0.02                           |
| Mume plum   | 0.03                         | 0.03                           |
| Grape   | 0.02                         | 0.02                           |
| Cattle, muscle  | 0.02                         | 0.02                           |
| Cattle, fat   | 0.02                         | 0.02                           |
| Cattle, liver   | 0.02                         | 0.02                           |
| Cattle, kidney  | 0.02                         | 0.02                           |
| Cattle, edible offal ("Edible offal" refers to all edible parts, except muscle, fat, liver, and kidney) | 0.02                         | 0.02                           |
| Milk  | 0.02                         | 0.02                           |
| Fish and shellfish  | 3                            | 3                              |

\* The uniform limit 0.01 ppm will be applied to commodities not listed above.

## Mefenpyr-diethyl

| Commodity   | MRL draft ppm | MRL current ppm |
|---|---------------|-----------------|
| Rice (brown rice)   |               | 0.01            |
| Wheat   | 0.05          | 0.03            |
| Barley  | 0.05          | 0.03            |
| Rye   | 0.01          | 0.01            |
| Corn (maize, including pop corn and sweet corn)   | 0.01          | 0.01            |
| Buckwheat   | 0.01          | 0.01            |
| Other cereal grains   | 0.01          | 0.01            |
| Cattle, muscle  |               | 0.05            |
| Pig, muscle   |               | 0.05            |
| Other terrestrial mammals, muscle   |               | 0.05            |
| Cattle, fat   |               | 0.05            |
| Pig, fat  |               | 0.05            |
| Other terrestrial mammals, fat  |               | 0.05            |
| Cattle, liver   |               | 0.08            |
| Pig, liver  |               | 0.08            |
| Other terrestrial mammals, liver  |               | 0.08            |
| Cattle, kidney  |               | 0.08            |
| Pig, kidney   |               | 0.08            |
| Other terrestrial mammals, kidney   |               | 0.08            |
| Cattle, edible offal ("Edible offal" refers to all edible parts, except muscle, fat, liver, and kidney) |               | 0.08            |
| Pig, edible offal   |               | 0.08            |
| Other terrestrial mammals, edible offal   |               | 0.08            |
| Milk  |               | 0.01            |
| Chicken, muscle   |               | 0.05            |
| Other poultry animals, muscle   |               | 0.05            |
| Chicken, fat  |               | 0.05            |
| Other poultry animals, fat  |               | 0.05            |
| Chicken, liver  |               | 0.05            |
| Other poultry animals, liver  |               | 0.05            |
| Chicken, kidney   |               | 0.05            |
| Other poultry animals, kidney   |               | 0.05            |
| Chicken, edible offal   |               | 0.05            |
| Other poultry animals, edible offal   |               | 0.05            |
| Chicken, eggs   |               | 0.01            |
| Other poultry, eggs   |               | 0.01            |

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to commodities for which draft MRLs are not given in this table and to commodities not listed above.

\* In the "Commodity" column, for the food categories to which the word "other" is added, refer to the Notes given in the last two pages of the Attachment.

## Thiobencarb

| Commodity  | MRL draft ppm | MRL current ppm |
|--|---------------|-----------------|
| Rice (brown rice)  | 0.2           | 0.2             |
| Wheat  | 0.05          | 0.05            |
| Barley   | 0.05          | 0.05            |
| Rye  | 0.05          | 0.05            |
| Corn (maize, including pop corn and sweet corn)  | 0.03          | 0.03            |
| Other cereal grains  | 0.05          | 0.05            |
| Soybeans, dry  | 0.02          | 0.02            |
| Beans, dry (including butter beans, cowbeans (red beans), lentil, lima beans, pedia, sultani, sultapya, and white beans. | 0.1           | 0.1             |
| Peanuts, dry   | 0.05          | 0.05            |
| Potato   | 0.02          | 0.02            |
| Taro   | 0.05          | 0.05            |
| Endive   | 0.05          | 0.05            |
| Lettuce (including cos lettuce and leaf lettuce)   | 0.2           | 0.2             |
| Onion  | 0.02          | 0.02            |
| Welsh (including leek)   | 0.02          | 0.02            |
| Carrot   | 0.02          | 0.02            |
| Celery   | 0.2           | 0.2             |
| Green soy beans  | 0.03          | 0.03            |
| Cattle, muscle   | 0.01          | 0.01            |
| Pig, muscle  | 0.01          | 0.01            |
| Other terrestrial mammals, muscle  | 0.01          | 0.01            |
| Cattle, fat  | 0.01          | 0.01            |
| Pig, fat   | 0.01          | 0.01            |
| Other terrestrial mammals, fat   | 0.01          | 0.01            |
| Cattle, liver  | 0.01          | 0.01            |
| Pig, liver   | 0.01          | 0.01            |
| Other terrestrial mammals, liver   | 0.01          | 0.01            |
| Cattle, kidney   | 0.01          | 0.01            |
| Pig, kidney  | 0.01          | 0.01            |
| Other terrestrial mammals, kidney  | 0.01          | 0.01            |
| Cattle, edible offal ("Edible offal" refers to all edible parts, except muscle, fat, liver, and kidney)                  | 0.01          | 0.01            |
| Pig, edible offal  | 0.01          | 0.01            |
| Other terrestrial mammals, edible offal  | 0.01          | 0.01            |
| Milk   | 0.01          | 0.01            |
| Chicken, muscle  | 0.03          | 0.03            |
| Other poultry animals, muscle  | 0.03          | 0.03            |
| Chicken, fat   | 0.03          | 0.03            |
| Other poultry animals, fat   | 0.03          | 0.03            |
| Chicken, liver   | 0.03          | 0.03            |
| Other poultry animals, liver   | 0.03          | 0.03            |
| Chicken, kidney  | 0.03          | 0.03            |
| Other poultry animals, kidney  | 0.03          | 0.03            |
| Chicken, edible offal  | 0.03          | 0.03            |
| Other poultry animals, edible offal  | 0.03          | 0.03            |
| Chicken, eggs  | 0.03          | 0.03            |
| Other poultry, eggs  | 0.03          | 0.03            |
| Shelled molluscas  | 9             | 0.5             |
| Fish   | 0.3           | 0.02            |

\* The uniform limit 0.01 ppm will be applied to commodities not listed above.

\* In the "Commodity" column, for the food categories to which the word "other" is added, refer to the Notes given in the last two pages of the Attachment.

## Carazolol

| Commodity   | MRL draft ppm | MRL current ppm |
|---|---------------|-----------------|
| Cattle, muscle  | 0.005         | 0.005           |
| Pig, muscle   | 0.005         | 0.005           |
| Other terrestrial mammals, muscle   |               | 0.001           |
| Cattle, fat   | 0.005         | 0.005           |
| Pig, fat  | 0.005         | 0.005           |
| Other terrestrial mammals, fat  |               | 0.001           |
| Cattle, liver   |               | 0.02            |
| Pig, liver  | 0.025         | 0.025           |
| Other terrestrial mammals, liver  |               | 0.001           |
| Cattle, kidney  |               | 0.02            |
| Pig, kidney   | 0.025         | 0.025           |
| Other terrestrial mammals, kidney   |               | 0.001           |
| Cattle, edible offal ("Edible offal" refers to all edible parts, except muscle, fat, liver, and kidney) |               | 0.02            |
| Pig, edible offal   | 0.025         | 0.03            |
| Other terrestrial mammals, edible offal   |               | 0.001           |
| Milk  | 0.001         | 0.001           |
| Chicken, muscle   |               | 0.001           |
| Other poultry animals, muscle   |               | 0.001           |
| Chicken, fat  |               | 0.001           |
| Other poultry animals, fat  |               | 0.001           |
| Chicken, liver  |               | 0.001           |
| Other poultry animal, liver   |               | 0.001           |
| Chicken, kidney   |               | 0.001           |
| Other poultry animal, kidney  |               | 0.001           |
| Chicken, edible offal   |               | 0.001           |
| Other poultry animal, edible offal  |               | 0.001           |
| Chicken, eggs   |               | 0.001           |
| Other poultry, eggs   |               | 0.001           |
| Salmoniformes (such as salmon and trout)  |               | 0.001           |
| Anguilliformes (such as eel)  |               | 0.001           |
| Perciformes (such as bonito, horse mackerel, mackerel, sea bass, sea bream and tuna)                    |               | 0.001           |
| Other fish  |               | 0.001           |
| Shelled molluscas   |               | 0.001           |
| Crustaceans   |               | 0.001           |
| Other aquatic animals   |               | 0.001           |
| Honey (including royal-jelly)   |               | 0.001           |

\* Shaded figures indicate provisional MRLs.

\* The uniform limit 0.01 ppm will be applied to commodities for which draft MRLs are not given in this table and to commodities not listed above.

\* In the "Commodity" column, for the food categories to which the word "other" is added, refer to the Notes given in the last two pages of the Attachment.



## Notes:

“Other cereal grains” refers to all cereal grains, except rice (brown rice), wheat, barley, rye, corn (maize), and buckwheat.

“Other legumes/pulses” refers to all legumes/pulses, except soybeans (dry), beans (dry), peas, broad beans, peanuts (dry), and spices.

“Other potatoes” refers to all potatoes, except potato, taro, sweet potato, yam, and konjac.

“Other cruciferous vegetables” refers to all cruciferous vegetables, except Japanese radish roots and leaves (including radish), turnip roots and leaves, horseradish, watercress, Chinese cabbage, cabbage, brussels sprouts, kale, *komatsuna* (Japanese mustard spinach), *kyona*, qing-geng-cai, cauliflower, broccoli, and herbs.

“Other composite vegetables” refers to all composite vegetables, except burdock, salsify, artichoke, chicory, endive, *shungiku*, lettuce (including cos lettuce and leaf lettuce), and herbs.

“Other liliaceous vegetables” refers to all liliaceous vegetables, except onion, welsh (including leek), garlic, *nira*, asparagus, multiplying onion, and herbs.

“Other umbelliferous vegetables” refers to all umbelliferous vegetables, except carrot, parsnip, parsley, celery, *mitsuba*, spices, and herbs.

“Other solanaceous vegetables” refers to all solanaceous vegetables, except tomato, pimiento (sweet pepper), and egg plant.

“Other cucurbitaceous vegetables” refers to all cucurbitaceous vegetables, except cucumber (including gherkin), pumpkin (including squash), oriental pickling melon (vegetable), watermelon, melons, and *makuwauri* melon.

“Other mushrooms” refers to all mushrooms, except button mushroom, and *shiitake* mushroom.

“Other vegetables” refers to all vegetables, except potatoes, sugar beet, sugarcane, cruciferous vegetables, composite vegetables, liliaceous vegetables, umbelliferous vegetables, solanaceous vegetables, cucurbitaceous vegetables, spinach, bamboo shoots, okra, ginger, peas (with pods, immature), kidney beans (with pods, immature), green soybeans, mushrooms, spices, and herbs.

“Other citrus fruits” refers to all citrus fruits, except *unshu* orange (pulp), citrus *natsudaidai* (pulp), citrus *natsudaidai* (peel), citrus *natsudaidai* (whole), lemon, orange (including navel orange), grapefruit, lime, and spices.

“Other berries” refers to all berries, except strawberry, raspberry, blackberry, blueberry, cranberry, and huckleberry.

“Other fruits” refers to all fruits, except citrus fruits, apple, Japanese pear, pear, quince, loquat, peach, nectarine, apricot, Japanese plum (including prune), mume plum, cherry, berries, grape, Japanese persimmon, banana, kiwifruit, papaya, avocado, pineapple, guava, mango, passion fruit, date and spices.

“Other oil seeds” refers to all oil seeds, except sunflower seeds, sesame seeds, safflower seeds, cotton seeds, rapeseeds and spices.

“Other nuts” refers to all nuts, except ginkgo nut, chestnut, pecan, almond and walnut.

“Other spices” refers to all spices, except horseradish, *wasabi* (Japanese horseradish) rhizomes, garlic, peppers chili, paprika, ginger, lemon peels, orange peels (including navel orange), *yuzu* (Chinese citron) peels and sesame seeds.

“Other herbs” refers to all herbs, except watercress, *nira*, parsley stems and leaves, celery stems and leaves.

“Other terrestrial mammals” refers to all terrestrial mammals, except cattle and pig.

“Other poultry animals” refers to all poultry, except chicken.

“Other fish” refers to all fish, except salmoniformes, anguilliformes, and perciformes.

“Other aquatic animals” refers to all aquatic animal, except fish, shelled molluscs and crustaceans.