

REGULATIONS

COMMISSION REGULATION (EU) No 508/2011

of 24 May 2011

amending Annexes II and III to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for abamectin, acetamiprid, cyprodinil, difenoconazole, dimethomorph, fenhexamid, proquinazid, prothioconazole, pyraclostrobin, spirotetramat, thiacloprid, thiamethoxam and trifloxystrobin in or on certain products

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EC) No 396/2005 of the European Parliament and of the Council of 23 February 2005 on maximum residue levels of pesticides in or on food and feed of plant and animal origin and amending Council Directive 91/414/EEC ⁽¹⁾, and in particular Article 14(1)(a) thereof,

Whereas:

(1) For abamectin, acetamiprid, fenhexamid, pyraclostrobin, thiacloprid and trifloxystrobin maximum residue levels (MRLs) were set in Annex II and Part B of Annex III to Regulation (EC) No 396/2005. For cyprodinil, difenoconazole, dimethomorph, proquinazid, prothioconazole, spirotetramat, and thiamethoxam, MRLs were set in Part A of Annex III to Regulation (EC) No 396/2005.

(2) In the context of a procedure, in accordance with Council Directive 91/414/EEC of 15 July 1991 concerning the placing of plant protection products on the market ⁽²⁾, for the authorisation of the use of a plant protection product containing the active substance fenhexamid on onions an application was made under Article 6(1) of Regulation (EC) No 396/2005 for modification of the existing MRLs.

(3) As regards abamectin, such an application was made for the use on apricots and peaches. As regards acetamiprid, such an application was made for the use on land cress and red mustard. As regards cyprodinil, such application was made for the use in fresh lentils. As regards difenoconazole, such an application was made for the use on peppers and aubergines. As regards dimethomorph, such an application was made for the use in garlic, onions, shallots, aubergines and globe artichokes. As regards proquinazid, such an application was made for the use on strawberries. As regards prothioconazole, such an application was made for the use on various root vegetables. As regards pyraclostrobin, such an application was made for the use on tomatoes, aubergines, globe

artichokes and celeriac. As regards spirotetramat, such an application was made for the use in various crops outside the European Union. As regards thiacloprid, such an application was made for the use on cotton seed and figs. As regards thiamethoxam, such an application was made for the use in strawberries and beans (with pods). As regards trifloxystrobin, such an application was made for the use on leafy brassica.

(4) Regarding trifloxystrobin, the European Food Safety Authority, hereinafter 'the Authority' has reviewed not only the use on leafy brassica but also the animal feeding studies and has concluded that it is necessary to set MRLs for products of animal origin with an amended residue definition at the limit of determination for enforcement purposes.

(5) In accordance with Article 8 of Regulation (EC) No 396/2005, these applications were evaluated by the Member States concerned and the evaluation reports were forwarded to the Commission.

(6) The Authority, assessed the applications and the evaluation reports, examining in particular the risks to the consumer and where relevant to animals and gave reasoned opinions on the proposed MRLs ⁽³⁾. It forwarded these opinions to the Commission and the Member States and made them available to the public.

(7) The Authority concluded in its reasoned opinions that all requirements with respect to data were met and that the modifications to the MRLs as recommended by the Authority were acceptable with regard to consumer safety on the basis of a consumer exposure assessment for 27 specific European consumer groups. It took into account the most recent information on the toxicological properties of the substances. Neither the lifetime exposure to these substances via consumption of all food products that may contain these substances, nor the short term exposure due to extreme consumption of the relevant crops showed that there is a risk that the acceptable daily intake (ADI) or the acute reference dose (ARfD) is exceeded.

- (8) Based on the reasoned opinions and statement of the Authority and taking into account the factors relevant to the matter under consideration, the appropriate modifications to the MRLs fulfil the requirements of Article 14(2)(a) of Regulation (EC) No 396/2005.
- (9) Annex II and III to Regulation (EC) No 396/2005 should therefore be amended accordingly.
- (10) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on the Food Chain and Animal Health and neither the European Parliament nor the Council has opposed them,

HAS ADOPTED THIS REGULATION:

Article 1

Annexes II and III to Regulation (EC) No 396/2005 are amended in accordance with the Annex to this Regulation.

Article 2

This Regulation shall enter into force on the day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 24 May 2011.

For the Commission
The President
José Manuel BARROSO

(¹) OJ L 70, 16.3.2005, p. 1.

(²) OJ L 230, 19.8.1991, p. 1.

(³) EFSA scientific reports available on <http://www.efsa.europa.eu>:

Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of existing MRL for abamectin in apricots and peaches (including nectarines), EFSA Journal 2010; 8(7):1683. Published: 13 July 2010 Adopted: 12 July 2010.

Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of existing MRL for acetamiprid in land cress and red mustard, EFSA Journal 2010; 8(6):1643. Published: 7 June 2010 Adopted: 3 June 2010.

Reasoned opinion of EFSA: Modification of the existing MRL for cyprodinil in fresh lentils EFSA Journal 2010; 8(3):1529. Published: 10 March 2010 Adopted: 8 March 2010.

Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of existing MRL for difenoconazole in peppers and aubergines, EFSA Journal 2010; 8(6):1651. Published: 25 June 2010 Adopted: 24 June 2010.

Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of existing MRL for dimethomorph in various crops, EFSA Journal 2010; 8(5):1622. Published: 21 May 2010 Adopted: 20 May 2010.

Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of existing MRL for fenhexamid in onions, EFSA Journal 2010; 8(7):1696. Published: 13 July 2010 Adopted: 12 July 2010.

Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of existing MRL for proquinazid in strawberries, EFSA Journal 2010; 8(8):1712. Published: 26 July 2010 Adopted: 20 July 2010.

Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of existing MRL for prothioconazole in various root vegetables, EFSA Journal 2010; 8(7):1675. Published: 8 July 2010 Adopted: 7 July 2010.

Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of existing MRL for pyraclostrobin in tomatoes, aubergines, globe artichokes and celeriac EFSA Journal 2010; 8(6):1630. Published: 7 June 2010 Adopted: 28 May 2010.

Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of existing MRL for spirotetramat in various crops, EFSA Journal 2010; 8(7):1665. Published: 1 July 2010 Adopted: 29 June 2010.

Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of existing MRL for thiacloprid in figs and various crops, EFSA Journal 2010; 8(7):1668. Published: 1 July 2010 Adopted: 29 June 2010.

Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of existing MRL for thiacloprid in cotton seed, EFSA Journal 2010; 8(8):1713. Published: 27 August 2010 Adopted: 26 August 2010.

Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of existing MRL for thiamethoxam in strawberries and beans (with pods), EFSA Journal 2010; 8(6):1647. Published: 24 June 2010 Adopted: 22 June 2010.

Reasoned opinion of EFSA prepared by the Pesticides Unit (PRAPeR) on the modification of existing MRL for trifloxystrobin in leafy brassica, EFSA Journal 2010; 8(6):1648. Published: 28 June 2010 Adopted: 23 June 2010.

ANNEX

Annexes II and III to Regulation (EC) No 396/2005 are amended as follows:

- (1) In Annex II the columns for abamectin, fenhexamid, pyraclostrobin, thiacloprid and trifloxystrobin are replaced by the following:

Pesticide residues and maximum residue levels (mg/kg)

| Code number | Groups and examples of individual products to which the MRLs apply (*) | Abamectin (sum of avermectin B1a, avermectinB1b and delta-8,9 isomer of avermectin B1a) (F) | Fenhexamid | Pyraclostrobin (F) | Thiacloprid (F) | Trifloxystrobin (F) |
|-------------|---|---|------------|--------------------|-----------------|---------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 0100000 | 1. FRUIT FRESH OR FROZEN; NUTS | | | | | |
| 0110000 | (i) Citrus fruit | 0,01 (*) | 0,05 (*) | 1 | 0,02 (*) | 0,3 |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | | | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | | | | |
| 0110030 | Lemons (Citron, lemon) | | | | | |
| 0110040 | Limes | | | | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids) | | | | | |
| 0110990 | Others | | | | | |
| 0120000 | (ii) Tree nuts (shelled or unshelled) | 0,01 (*) | 0,05 (*) | | 0,02 (*) | 0,02 (*) |
| 0120010 | Almonds | | | 0,02 (*) | | |
| 0120020 | Brazil nuts | | | 0,02 (*) | | |
| 0120030 | Cashew nuts | | | 0,02 (*) | | |
| 0120040 | Chestnuts | | | 0,02 (*) | | |
| 0120050 | Coconuts | | | 0,02 (*) | | |
| 0120060 | Hazelnuts (Filbert) | | | 0,02 (*) | | |
| 0120070 | Macadamia | | | 0,02 (*) | | |
| 0120080 | Pecans | | | 0,02 (*) | | |
| 0120090 | Pine nuts | | | 0,02 (*) | | |
| 0120100 | Pistachios | | | 1 | | |
| 0120110 | Walnuts | | | 0,02 (*) | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|---|-------------|----------|----------|----------|----------|
| 0120990 | Others | | | 0,02 (*) | | |
| 0130000 | (iii) Pome fruit | 0,01 (*) | 0,05 (*) | 0,3 | 0,3 | 0,5 |
| 0130010 | Apples (Crab apple) | | | | | |
| 0130020 | Pears (Oriental pear) | | | | | |
| 0130030 | Quinces | | | | | |
| 0130040 | Medlar | (**) | (**) | (**) | (**) | (**) |
| 0130050 | Loquat | (**) | (**) | (**) | (**) | (**) |
| 0130990 | Others | | | | | |
| 0140000 | (iv) Stone fruit | | | | | |
| 0140010 | Apricots | 0,02 | 5 | 0,2 | 0,3 | 1 |
| 0140020 | Cherries (sweet cherries, sour cherries) | 0,01 (*) | 5 | 2 | 0,3 | 1 |
| 0140030 | Peaches (Nectarines and similar hybrids) | 0,02 | 5 | 0,2 | 0,3 | 1 |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe) | 0,01 (*) | 1 | 0,5 | 0,1 | 0,2 |
| 0140990 | Others | 0,01 (*) | 0,05 (*) | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0150000 | (v) Berries & small fruit | | | | | |
| 0151000 | (a) <i>Table and wine grapes</i> | 0,01 (*) | 5 | | 0,02 (*) | 5 |
| 0151010 | Table grapes | | | 1 | | |
| 0151020 | Wine grapes | | | 2 | | |
| 0152000 | (b) <i>Strawberries</i> | 0,1 | 5 | 1 | 1 | 0,5 |
| 0153000 | (c) <i>Cane fruit</i> | | 10 | 2 | | 0,02 (*) |
| 0153010 | Blackberries | 0,1 | | | 3 | |
| 0153020 | Dewberries (Loganberries, boysenberries, and cloudberrries) | 0,01 (*) | | | 1 | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|--|----------|----------|----------|------------|----------|
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (<i>Rubus arcticus</i>), nectar raspberries (<i>Rubus arcticus</i> x <i>idaeus</i>)) | 0,1 | | | 3 | |
| 0153990 | Others | 0,01 (*) | | | 1 | |
| 0154000 | (d) <i>Other small fruit & berries</i> | 0,01 (*) | | 3 | 1 | |
| 0154010 | Blueberries (Bilberries) | | 5 | | | 2 |
| 0154020 | Cranberries (Cowberries (red bilberries)) | | 5 | | | 0,02 (*) |
| 0154030 | Currants (red, black and white) | | 5 | | | 1 |
| 0154040 | Gooseberries (Including hybrids with other ribes species) | | 5 | | | 1 |
| 0154050 | Rose hips | (**) | (**) | (**) | (**) | (**) |
| 0154060 | Mulberries (arbutus berry) | (**) | (**) | (**) | (**) | (**) |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (<i>Actinidia arguta</i>)) | (**) | (**) | (**) | (**) | (**) |
| 0154080 | Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea sallowthorn), hawthorn, service berries, and other treeberries) | (**) | (**) | (**) | (**) | (**) |
| 0154990 | Others | | 5 | | | 0,02 (*) |
| 0160000 | (vi) Miscellaneous fruit | | | | | |
| 0161000 | (a) <i>Edible peel</i> | 0,01 (*) | 0,05 (*) | 0,02 (*) | | |
| 0161010 | Dates | | | | 0,02 (*) | 0,02 (*) |
| 0161020 | Figs | | | | 0,4 | 0,02 (*) |
| 0161030 | Table olives | | | | 4 | 0,3 |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (<i>Citrus aurantifolia</i> x <i>Fortunella</i> spp.)) | | | | 0,02 (*) | 0,02 (*) |
| 0161050 | Carambola (Bilimbi) | (**) | (**) | (**) | (**) | (**) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|---|----------|----------|----------|----------|----------|
| 0161060 | Persimmon | (**) | (**) | (**) | (**) | (**) |
| 0161070 | Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilian cherry Surinam cherry (grumichama Eugenia uniflora),) | (**) | (**) | (**) | (**) | (**) |
| 0161990 | Others | | | | 0,02 (*) | 0,02 (*) |
| 0162000 | (b) <i>Inedible peel, small</i> | 0,01 (*) | | 0,02 (*) | 0,02 (*) | |
| 0162010 | Kiwi | | 10 | | | 0,02 (*) |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen) | | 0,05 (*) | | | 0,02 (*) |
| 0162030 | Passion fruit | | 0,05 (*) | | | 4 |
| 0162040 | Prickly pear (cactus fruit) | (**) | (**) | (**) | (**) | (**) |
| 0162050 | Star apple | (**) | (**) | (**) | (**) | (**) |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote) | (**) | (**) | (**) | (**) | (**) |
| 0162990 | Others | | 0,05 (*) | | | 0,02 (*) |
| 0163000 | (c) <i>Inedible peel, large</i> | | 0,05 (*) | | | |
| 0163010 | Avocados | 0,01 (*) | | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | 0,01 (*) | | 0,02 (*) | 0,02 (*) | 0,05 |
| 0163030 | Mangoes | 0,01 (*) | | 0,05 | 0,02 (*) | 0,5 |
| 0163040 | Papaya | 0,05 | | 0,05 | 0,5 | 1 |
| 0163050 | Pomegranate | 0,01 (*) | | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0163060 | Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae) | (**) | (**) | (**) | (**) | (**) |
| 0163070 | Guava (Red pitaya or dragon fruit (Hylocereus undatus)) | (**) | (**) | (**) | (**) | (**) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|--|----------|----------|------------|----------|----------|
| 0163080 | Pineapples | 0,01 (*) | | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0163090 | Bread fruit (Jackfruit) | (**) | (**) | (**) | (**) | (**) |
| 0163100 | Durian | (**) | (**) | (**) | (**) | (**) |
| 0163110 | Soursop (guanabana) | (**) | (**) | (**) | (**) | (**) |
| 0163990 | Others | 0,01 (*) | | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0200000 | 2. VEGETABLES FRESH OR FROZEN | | | | | |
| 0210000 | (i) Root and tuber vegetables | 0,01 (*) | 0,05 (*) | | | |
| 0211000 | <i>(a) Potatoes</i> | | | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0212000 | <i>(b) Tropical root and tuber vegetables</i> | | | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0212010 | Cassava (Dasheen, eddoe (Japanese taro), tannia) | | | | | |
| 0212020 | Sweet potatoes | | | | | |
| 0212030 | Yams (Potato bean (yam bean), Mexican yam bean) | | | | | |
| 0212040 | Arrowroot | (**) | (**) | (**) | (**) | (**) |
| 0212990 | Others | | | | | |
| 0213000 | <i>(c) Other root and tuber vegetables except sugar beet</i> | | | | | |
| 0213010 | Beetroot | | | 0,1 | 0,05 | 0,02 (*) |
| 0213020 | Carrots | | | 0,1 | 0,05 | 0,05 |
| 0213030 | Celeriac | | | 0,3 | 0,1 | 0,02 (*) |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots,) | | | 0,3 | 0,05 | 0,02 (*) |
| 0213050 | Jerusalem artichokes | | | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0213060 | Parsnips | | | 0,3 | 0,05 | 0,04 |
| 0213070 | Parsley root | | | 0,1 | 0,05 | 0,04 |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|--|----------|------------|------------|----------|----------|
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (<i>Cyperus esculentus</i>)) | | | 0,2 | 0,02 (*) | 0,02 (*) |
| 0213090 | Salsify (<i>Scorzonera</i> , Spanish salsify (<i>Spanish oysterplant</i>)) | | | 0,1 | 0,05 | 0,04 |
| 0213100 | Swedes | | | 0,02 (*) | 0,02 (*) | 0,04 |
| 0213110 | Turnips | | | 0,02 (*) | 0,02 (*) | 0,04 |
| 0213990 | Others | | | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0220000 | (ii) Bulb vegetables | 0,01 (*) | | | | 0,02 (*) |
| 0220010 | Garlic | | 0,05 (*) | 0,2 | 0,02 (*) | |
| 0220020 | Onions (<i>Silverskin onions</i>) | | 0,6 | 0,2 | 0,02 (*) | |
| 0220030 | Shallots | | 0,05 (*) | 0,2 | 0,02 (*) | |
| 0220040 | Spring onions (<i>Welsh onion</i> and similar varieties) | | 0,05 (*) | 1,5 | 0,1 | |
| 0220990 | Others | | 0,05 (*) | 0,02 (*) | 0,02 (*) | |
| 0230000 | (iii) Fruiting vegetables | | | | | |
| 0231000 | (a) Solanacea | | | | | |
| 0231010 | Tomatoes (<i>Cherry tomatoes</i> , tree tomato, <i>Physalis</i> , gojiberry, wolfberry (<i>Lycium barbarum</i> and <i>L. chinense</i>)) | 0,02 | 1 | 0,3 | 0,5 | 0,5 |
| 0231020 | Peppers (<i>Chilli peppers</i>) | 0,05 | 2 | 0,5 | 1 | 0,3 |
| 0231030 | Aubergines (<i>egg plants</i>) (<i>Pepino</i>) | 0,02 | 1 | 0,3 | 0,5 | 0,02 (*) |
| 0231040 | Okra, lady's fingers | 0,01 (*) | 0,05 (*) | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0231990 | Others | 0,01 (*) | 0,05 (*) | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0232000 | (b) Cucurbits - edible peel | 0,02 | 1 | | 0,3 | 0,2 |
| 0232010 | Cucumbers | | | 0,3 | | |
| 0232020 | Gherkins | | | 0,5 | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|---|----------|----------|----------|----------|----------|
| 0232030 | Courgettes (Summer squash, marrow (patisson)) | | | 0,5 | | |
| 0232990 | Others | | | 0,02 (*) | | |
| 0233000 | (c) <i>Cucurbits-inedible peel</i> | 0,01 (*) | 0,05 (*) | 0,5 | | |
| 0233010 | Melons (Kiwano) | | | | 0,2 | 0,3 |
| 0233020 | Pumpkins (Winter squash) | | | | 0,02 (*) | 0,2 |
| 0233030 | Watermelons | | | | 0,2 | 0,2 |
| 0233990 | Others | | | | 0,02 (*) | 0,02 (*) |
| 0234000 | (d) <i>Sweet corn</i> | 0,01 (*) | 0,05 (*) | 0,02 (*) | 0,1 | 0,02 (*) |
| 0239000 | (e) <i>Other fruiting vegetables</i> | 0,01 (*) | 0,05 (*) | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0240000 | (iv) Brassica vegetables | 0,01 (*) | 0,05 (*) | | | |
| 0241000 | (a) <i>Flowering brassica</i> | | | 0,1 | 0,1 | |
| 0241010 | Broccoli (Calabrese, Chinese broccoli, broccoli raab) | | | | | 0,05 |
| 0241020 | Cauliflower | | | | | 0,05 |
| 0241990 | Others | | | | | 0,02 (*) |
| 0242000 | (b) <i>Head brassica</i> | | | | | |
| 0242010 | Brussels sprouts | | | 0,2 | 0,05 | 0,5 |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | | 0,2 | 0,2 | 0,3 |
| 0242990 | Others | | | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0243000 | (c) <i>Leafy brassica</i> | | | 0,02 (*) | 1 | 3 |
| 0243010 | Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),) | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|--|----------|----------|----------|----------|----------|
| 0243020 | Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | | | | |
| 0243990 | Others | | | | | |
| 0244000 | (d) <i>Kohlrabi</i> | | | 0,02 (*) | 0,05 | 0,5 |
| 0250000 | (v) Leaf vegetables & fresh herbs | | | | | |
| 0251000 | (a) <i>Lettuce and other salad plants including Brassicacea</i> | 0,1 | | | | |
| 0251010 | Lamb's lettuce (Italian cornsalad) | | 30 | 10 | 5 | 0,02 (*) |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | 40 | 2 | 2 | 10 |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf) | | 30 | 2 | 2 | 10 |
| 0251040 | Cress | | 30 | 2 | 2 | 0,02 (*) |
| 0251050 | Land cress | (**) | (**) | (**) | (**) | (**) |
| 0251060 | Rocket, Rucola (Wild rocket) | | 30 | 2 | 3 | 0,02 (*) |
| 0251070 | Red mustard | (**) | (**) | (**) | (**) | (**) |
| 0251080 | Leaves and sprouts of Brassica spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage)) | | 30 | 2 | 2 | 0,02 (*) |
| 0251990 | Others | | 30 | 2 | 2 | 0,02 (*) |
| 0252000 | (b) <i>Spinach & similar (leaves)</i> | 0,01 (*) | 0,05 (*) | | 0,02 (*) | 0,02 (*) |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach) | | | 0,5 | | |
| 0252020 | Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda)) | (**) | (**) | (**) | (**) | (**) |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | | | 0,5 | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|---|----------|----------|----------|----------|----------|
| 0252990 | Others | | | 0,5 | | |
| 0253000 | (c) <i>Vine leaves (grape leaves)</i> | (**) | (**) | (**) | (**) | (**) |
| 0254000 | (d) <i>Water cress</i> | 0,01 (*) | 0,05 (*) | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0255000 | (e) <i>Witloof</i> | 0,01 (*) | 0,05 (*) | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0256000 | (f) <i>Herbs</i> | 1 | 30 | 2 | 5 | 10 |
| 0256010 | Chervil | | | | | |
| 0256020 | Chives | | | | | |
| 0256030 | Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves) | | | | | |
| 0256040 | Parsley | | | | | |
| 0256050 | Sage (Winter savory, summer savory,) | (**) | (**) | (**) | (**) | (**) |
| 0256060 | Rosemary | (**) | (**) | (**) | (**) | (**) |
| 0256070 | Thyme (Marjoram, oregano) | (**) | (**) | (**) | (**) | (**) |
| 0256080 | Basil (Balm leaves, mint, peppermint) | (**) | (**) | (**) | (**) | (**) |
| 0256090 | Bay leaves (laurel) | (**) | (**) | (**) | (**) | (**) |
| 0256100 | Tarragon (Hyssop) | (**) | (**) | (**) | (**) | (**) |
| 0256990 | Others (Edible flowers) | | | | | |
| 0260000 | (vi) Legume vegetables (fresh) | 0,01 (*) | | 0,02 (*) | | |
| 0260010 | Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans) | | 2 | | 1 | 0,5 |
| 0260020 | Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea) | | 0,05 (*) | | 0,02 (*) | 0,02 (*) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|---|----------|----------|----------|----------|----------|
| 0260030 | Peas (with pods) (Mangetout (sugar peas, snow peas)) | | 0,05 (*) | | 0,02 (*) | 0,02 (*) |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | | 0,05 (*) | | 0,2 | 0,02 (*) |
| 0260050 | Lentils | | 0,05 (*) | | 0,02 (*) | 0,02 (*) |
| 0260990 | Others | | 0,05 (*) | | 0,02 (*) | 0,02 (*) |
| 0270000 | (vii) Stem vegetables (fresh) | 0,01 (*) | 0,05 (*) | | | |
| 0270010 | Asparagus | | | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0270020 | Cardoons | | | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0270030 | Celery | | | 0,02 (*) | 0,5 | 1 |
| 0270040 | Fennel | | | 0,02 (*) | 0,5 | 0,02 (*) |
| 0270050 | Globe artichokes | | | 2 | 0,02 (*) | 0,02 (*) |
| 0270060 | Leek | | | 0,5 | 0,1 | 0,2 |
| 0270070 | Rhubarb | | | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0270080 | Bamboo shoots | (**) | (**) | (**) | (**) | (**) |
| 0270090 | Palm hearts | (**) | (**) | (**) | (**) | (**) |
| 0270990 | Others | | | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0280000 | (viii) Fungi | 0,01 (*) | 0,05 (*) | 0,02 (*) | 0,02 (*) | 0,02 (*) |
| 0280010 | Cultivated (Common mushroom, Oyster mushroom, Shi-take) | | | | | |
| 0280020 | Wild (Chanterelle, Truffle, Morel, Cep) | | | | | |
| 0280990 | Others | | | | | |
| 0290000 | (ix) Sea weeds | (**) | (**) | (**) | (**) | (**) |
| 0300000 | 3. PULSES, DRY | 0,01 (*) | 0,05 (*) | 0,3 | 0,1 | 0,02 (*) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|---|----------|---------|----------|-------------|----------|
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | | | | |
| 0300020 | Lentils | | | | | |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | | | | |
| 0300040 | Lupins | | | | | |
| 0300990 | Others | | | | | |
| 0400000 | 4. OILSEEDS AND OILFRUITS | | | | | |
| 0401000 | (i) Oilseeds | 0,02 (*) | 0,1 (*) | | | 0,05 (*) |
| 0401010 | Linseed | | | 0,02 (*) | 0,05 (*) | |
| 0401020 | Peanuts | | | 0,02 (*) | 0,05 (*) | |
| 0401030 | Poppy seed | | | 0,02 (*) | 0,3 | |
| 0401040 | Sesame seed | | | 0,02 (*) | 0,05 (*) | |
| 0401050 | Sunflower seed | | | 0,3 | 0,05 (*) | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | | 0,02 (*) | 0,3 | |
| 0401070 | Soya bean | | | 0,02 (*) | 0,05 (*) | |
| 0401080 | Mustard seed | | | 0,02 (*) | 0,2 | |
| 0401090 | Cotton seed | | | 0,02 (*) | 0,15 | |
| 0401100 | Pumpkin seeds (Other seeds of cucurbitacea) | | | 0,02 (*) | 0,05 (*) | |
| 0401110 | Safflower | (**) | (**) | (**) | (**) | (**) |
| 0401120 | Borage | (**) | (**) | (**) | (**) | (**) |
| 0401130 | Gold of pleasure | (**) | (**) | (**) | (**) | (**) |
| 0401140 | Hempseed | | | 0,02 (*) | 0,05 (*) | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|---|----------|----------|----------|----------|----------|
| 0401150 | Castor bean | (**) | (**) | (**) | (**) | (**) |
| 0401990 | Others | | | 0,02 (*) | 0,05 (*) | |
| 0402000 | (ii) Oilfruits | | | 0,02 (*) | | |
| 0402010 | Olives for oil production | 0,01 (*) | 0,05 (*) | | 4 | 0,3 |
| 0402020 | Palm nuts (palmoil kernels) | (**) | (**) | (**) | (**) | (**) |
| 0402030 | Palmfruit | (**) | (**) | (**) | (**) | (**) |
| 0402040 | Kapok | (**) | (**) | (**) | (**) | (**) |
| 0402990 | Others | 0,02 (*) | 0,1 (*) | | 0,05 (*) | 0,05 (*) |
| 0500000 | 5. CEREALS | 0,01 (*) | 0,05 (*) | | | |
| 0500010 | Barley | | | 0,3 | 1 | 0,3 |
| 0500020 | Buckwheat (Amaranthus, quinoa) | | | 0,02 (*) | 0,05 | 0,02 (*) |
| 0500030 | Maize | | | 0,02 (*) | 0,05 | 0,02 (*) |
| 0500040 | Millet (Foxtail millet, teff) | | | 0,02 (*) | 0,05 | 0,02 (*) |
| 0500050 | Oats | | | 0,3 | 1 | 0,02 (*) |
| 0500060 | Rice | | | 0,02 (*) | 0,05 | 0,02 (*) |
| 0500070 | Rye | | | 0,1 | 0,05 | 0,05 |
| 0500080 | Sorghum | | | 0,02 (*) | 0,05 | 0,02 (*) |
| 0500090 | Wheat (Spelt, triticale) | | | 0,1 | 0,1 | 0,05 |
| 0500990 | Others | | | 0,02 (*) | 0,05 | 0,02 (*) |
| 0600000 | 6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA | 0,02 (*) | 0,1 (*) | | | 0,05 (*) |
| 0610000 | (i) Tea (dried leaves and stalks, fermented or otherwise of Camellia sinensis) | | | 0,05 (*) | 10 | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|---|------|------|------|------|------|
| 0620000 | (ii) Coffee beans | (**) | (**) | (**) | (**) | (**) |
| 0630000 | (iii) Herbal infusions (dried) | (**) | (**) | (**) | (**) | (**) |
| 0631000 | (a) <i>Flowers</i> | (**) | (**) | (**) | (**) | (**) |
| 0631010 | Camomille flowers | (**) | (**) | (**) | (**) | (**) |
| 0631020 | Hybiscus flowers | (**) | (**) | (**) | (**) | (**) |
| 0631030 | Rose petals | (**) | (**) | (**) | (**) | (**) |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra) | (**) | (**) | (**) | (**) | (**) |
| 0631050 | Lime (linden) | (**) | (**) | (**) | (**) | (**) |
| 0631990 | Others | (**) | (**) | (**) | (**) | (**) |
| 0632000 | (b) <i>Leaves</i> | (**) | (**) | (**) | (**) | (**) |
| 0632010 | Strawberry leaves | (**) | (**) | (**) | (**) | (**) |
| 0632020 | Rooibos leaves (Ginkgo leaves) | (**) | (**) | (**) | (**) | (**) |
| 0632030 | Maté | (**) | (**) | (**) | (**) | (**) |
| 0632990 | Others | (**) | (**) | (**) | (**) | (**) |
| 0633000 | (c) <i>Roots</i> | (**) | (**) | (**) | (**) | (**) |
| 0633010 | Valerian root | (**) | (**) | (**) | (**) | (**) |
| 0633020 | Ginseng root | (**) | (**) | (**) | (**) | (**) |
| 0633990 | Others | (**) | (**) | (**) | (**) | (**) |
| 0639000 | (d) <i>Other herbal infusions</i> | (**) | (**) | (**) | (**) | (**) |
| 0640000 | (iv) Cocoa (fermented beans) | (**) | (**) | (**) | (**) | (**) |
| 0650000 | (v) Carob (st johns bread) | (**) | (**) | (**) | (**) | (**) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|--|------|---------|------|------|------|
| 0700000 | 7. HOPS (dried) , including hop pellets and unconcentrated powder | 0,05 | 0,1 (*) | 10 | 0,1 | 30 |
| 0800000 | 8. SPICES | (**) | (**) | (**) | (**) | (**) |
| 0810000 | (i) Seeds | (**) | (**) | (**) | (**) | (**) |
| 0810010 | Anise | (**) | (**) | (**) | (**) | (**) |
| 0810020 | Black caraway | (**) | (**) | (**) | (**) | (**) |
| 0810030 | Celery seed (Lovage seed) | (**) | (**) | (**) | (**) | (**) |
| 0810040 | Coriander seed | (**) | (**) | (**) | (**) | (**) |
| 0810050 | Cumin seed | (**) | (**) | (**) | (**) | (**) |
| 0810060 | Dill seed | (**) | (**) | (**) | (**) | (**) |
| 0810070 | Fennel seed | (**) | (**) | (**) | (**) | (**) |
| 0810080 | Fenugreek | (**) | (**) | (**) | (**) | (**) |
| 0810090 | Nutmeg | (**) | (**) | (**) | (**) | (**) |
| 0810990 | Others | (**) | (**) | (**) | (**) | (**) |
| 0820000 | (ii) Fruits and berries | (**) | (**) | (**) | (**) | (**) |
| 0820010 | Allspice | (**) | (**) | (**) | (**) | (**) |
| 0820020 | Anise pepper (Japan pepper) | (**) | (**) | (**) | (**) | (**) |
| 0820030 | Caraway | (**) | (**) | (**) | (**) | (**) |
| 0820040 | Cardamom | (**) | (**) | (**) | (**) | (**) |
| 0820050 | Juniper berries | (**) | (**) | (**) | (**) | (**) |
| 0820060 | Pepper, black and white (Long pepper, pink pepper) | (**) | (**) | (**) | (**) | (**) |
| 0820070 | Vanilla pods | (**) | (**) | (**) | (**) | (**) |
| 0820080 | Tamarind | (**) | (**) | (**) | (**) | (**) |
| 0820990 | Others | (**) | (**) | (**) | (**) | (**) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|------------------------------|------|------|------|------|------|
| 0830000 | (iii) Bark | (**) | (**) | (**) | (**) | (**) |
| 0830010 | Cinnamon (Cassia) | (**) | (**) | (**) | (**) | (**) |
| 0830990 | Others | (**) | (**) | (**) | (**) | (**) |
| 0840000 | (iv) Roots or rhizome | (**) | (**) | (**) | (**) | (**) |
| 0840010 | Liquorice | (**) | (**) | (**) | (**) | (**) |
| 0840020 | Ginger | (**) | (**) | (**) | (**) | (**) |
| 0840030 | Turmeric (Curcuma) | (**) | (**) | (**) | (**) | (**) |
| 0840040 | Horseradish | (**) | (**) | (**) | (**) | (**) |
| 0840990 | Others | (**) | (**) | (**) | (**) | (**) |
| 0850000 | (v) Buds | (**) | (**) | (**) | (**) | (**) |
| 0850010 | Cloves | (**) | (**) | (**) | (**) | (**) |
| 0850020 | Capers | (**) | (**) | (**) | (**) | (**) |
| 0850990 | Others | (**) | (**) | (**) | (**) | (**) |
| 0860000 | (vi) Flower stigma | (**) | (**) | (**) | (**) | (**) |
| 0860010 | Saffron | (**) | (**) | (**) | (**) | (**) |
| 0860990 | Others | (**) | (**) | (**) | (**) | (**) |
| 0870000 | (vii) Aril | (**) | (**) | (**) | (**) | (**) |
| 0870010 | Mace | (**) | (**) | (**) | (**) | (**) |
| 0870990 | Others | (**) | (**) | (**) | (**) | (**) |
| 0900000 | 9. SUGAR PLANTS | (**) | (**) | (**) | (**) | (**) |
| 0900010 | Sugar beet (root) | (**) | (**) | (**) | (**) | (**) |
| 0900020 | Sugar cane | (**) | (**) | (**) | (**) | (**) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|---|----------|-----------------|----------|----------|-----------------|
| 0900030 | Chicory roots | (**) | (**) | (**) | (**) | (**) |
| 0900990 | Others | (**) | (**) | (**) | (**) | (**) |
| 1000000 | 10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS | | 0,05 (*) | | | |
| 1010000 | (i) Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these | | | 0,05 (*) | | 0,04 (*) |
| 1011000 | (a) <i>Swine</i> | 0,01 (*) | | | | |
| 1011010 | Meat | | | | 0,05 | |
| 1011020 | Fat free of lean meat | | | | 0,05 | |
| 1011030 | Liver | | | | 0,3 | |
| 1011040 | Kidney | | | | 0,3 | |
| 1011050 | Edible offal | | | | 0,01 (*) | |
| 1011990 | Others | | | | 0,01 (*) | |
| 1012000 | (b) <i>Bovine</i> | | | | | |
| 1012010 | Meat | 0,01 (*) | | | 0,05 | |
| 1012020 | Fat | 0,01 (*) | | | 0,05 | |
| 1012030 | Liver | 0,02 | | | 0,3 | |
| 1012040 | Kidney | 0,01 (*) | | | 0,3 | |
| 1012050 | Edible offal | 0,01 (*) | | | 0,01 (*) | |
| 1012990 | Others | 0,01 (*) | | | 0,01 (*) | |
| 1013000 | (c) <i>Sheep</i> | 0,01 (*) | | | | |
| 1013010 | Meat | | | | 0,05 | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|--|----------|------|------|----------|------|
| 1013020 | Fat | | | | 0,05 | |
| 1013030 | Liver | | | | 0,3 | |
| 1013040 | Kidney | | | | 0,3 | |
| 1013050 | Edible offal | | | | 0,01 (*) | |
| 1013990 | Others | | | | 0,01 (*) | |
| 1014000 | (d) <i>Goat</i> | 0,01 (*) | | | | |
| 1014010 | Meat | | | | 0,05 | |
| 1014020 | Fat | | | | 0,05 | |
| 1014030 | Liver | | | | 0,3 | |
| 1014040 | Kidney | | | | 0,3 | |
| 1014050 | Edible offal | | | | 0,01 (*) | |
| 1014990 | Others | | | | 0,01 (*) | |
| 1015000 | (e) <i>Horses, asses, mules or hinnies</i> | (**) | (**) | (**) | (**) | (**) |
| 1015010 | Meat | (**) | (**) | (**) | (**) | (**) |
| 1015020 | Fat | (**) | (**) | (**) | (**) | (**) |
| 1015030 | Liver | (**) | (**) | (**) | (**) | (**) |
| 1015040 | Kidney | (**) | (**) | (**) | (**) | (**) |
| 1015050 | Edible offal | (**) | (**) | (**) | (**) | (**) |
| 1015990 | Others | (**) | (**) | (**) | (**) | (**) |
| 1016000 | (f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i> | 0,01 (*) | | | | |
| 1016010 | Meat | | | | 0,05 | |
| 1016020 | Fat | | | | 0,05 | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|--|-----------|------|----------|----------|-----------------|
| 1016030 | Liver | | | | 0,3 | |
| 1016040 | Kidney | | | | 0,3 | |
| 1016050 | Edible offal | | | | 0,01 (*) | |
| 1016990 | Others | | | | 0,01 (*) | |
| 1017000 | (g) <i>Other farm animals (Rabbit, Kangaroo)</i> | (**) | (**) | (**) | (**) | (**) |
| 1017010 | Meat | (**) | (**) | (**) | (**) | (**) |
| 1017020 | Fat | (**) | (**) | (**) | (**) | (**) |
| 1017030 | Liver | (**) | (**) | (**) | (**) | (**) |
| 1017040 | Kidney | (**) | (**) | (**) | (**) | (**) |
| 1017050 | Edible offal | (**) | (**) | (**) | (**) | (**) |
| 1017990 | Others | (**) | (**) | (**) | (**) | (**) |
| 1020000 | (ii) Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd | 0,005 (*) | | 0,01 (*) | 0,03 | 0,02 (*) |
| 1020010 | Cattle | | | | | |
| 1020020 | Sheep | | | | | |
| 1020030 | Goat | | | | | |
| 1020040 | Horse | | | | | |
| 1020990 | Others | | | | | |
| 1030000 | (iii) Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter | 0,01 (*) | | 0,05 (*) | 0,01 (*) | 0,04 (*) |
| 1030010 | Chicken | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------|--|------|------|------|------|------|
| 1030020 | Duck | (**) | (**) | (**) | (**) | (**) |
| 1030030 | Goose | (**) | (**) | (**) | (**) | (**) |
| 1030040 | Quail | (**) | (**) | (**) | (**) | (**) |
| 1030990 | Others | (**) | (**) | (**) | (**) | (**) |
| 1040000 | (iv) Honey (Royal jelly, pollen) | (**) | (**) | (**) | (**) | (**) |
| 1050000 | (v) Amphibians and reptiles (Frog legs, crocodiles) | (**) | (**) | (**) | (**) | (**) |
| 1060000 | (vi) Snails | (**) | (**) | (**) | (**) | (**) |
| 1070000 | (vii) Other terrestrial animal products | (**) | (**) | (**) | (**) | (**) |

(⁴) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(*) Indicates lower limit of analytical determination

(**) Pesticide-code combination for which the MRL as set in Annex III Part B applies.

(F) = Fat soluble

Trifloxystrobin- code 1000000: the sum of trifloxystrobin and its metabolite (E, E)-methoxyimino- {2-[1-(3-trifluoromethyl-phenyl)-ethylideneamino-oxymethyl]-phenyl}-acetic acid (CGA 321113)'

(2) In part A of Annex III, the columns for cyprodinil, difenoconazole, dimethomorph, proquinazid, prothioconazole, spirotetramat, and thiamethoxam are replaced by the following:

Pesticide residues and maximum residue levels (mg/kg)

| Code number | Groups and examples of individual products to which the MRLs apply (*) | Cyprodinil (F) (R) | Difenoconazole | Dimethomorph | Proquinazid | Prothioconazole (Prothioconazole-desthio) (R) | Spirotetramat and its 4 metabolites BY108330-enol, BY108330-ketohydroxy, BY108330-monohydroxy, and BY108330-enol-glucoside, expressed as spirotetramat (R) | Thiamethoxam (sum of thiamethoxam and clothianidin expressed as thiamethoxam) |
|-------------|---|--------------------|----------------|--------------|-------------|---|--|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 0100000 | 1. FRUIT FRESH OR FROZEN; NUTS | | | | | 0,02 (*) | | |
| 0110000 | (i) Citrus fruit | 0,05 (*) | 0,1 | 0,05 (*) | 0,02 (*) | | 1 | 0,2 |
| 0110010 | Grapefruit (Shaddocks, pomelos, sweeties, tangelo (except mineola), ugli and other hybrids) | | | | | | | |
| 0110020 | Oranges (Bergamot, bitter orange, chinotto and other hybrids) | | | | | | | |
| 0110030 | Lemons (Citron, lemon) | | | | | | | |
| 0110040 | Limes | | | | | | | |
| 0110050 | Mandarins (Clementine, tangerine, mineola and other hybrids) | | | | | | | |
| 0110990 | Others | | | | | | | |
| 0120000 | (ii) Tree nuts (shelled or unshelled) | 0,05 (*) | 0,05 (*) | 0,05 (*) | 0,02 (*) | | 0,1 (*) | 0,05 (*) |
| 0120010 | Almonds | | | | | | | |
| 0120020 | Brazil nuts | | | | | | | |
| 0120030 | Cashew nuts | | | | | | | |
| 0120040 | Chestnuts | | | | | | | |
| 0120050 | Coconuts | | | | | | | |
| 0120060 | Hazelnuts (Filbert) | | | | | | | |
| 0120070 | Macadamia | | | | | | | |
| 0120080 | Pecans | | | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|--|-----|-----|----------|----------|---|---|-----|
| 0120090 | Pine nuts | | | | | | | |
| 0120100 | Pistachios | | | | | | | |
| 0120110 | Walnuts | | | | | | | |
| 0120990 | Others | | | | | | | |
| 0130000 | (iii) Pome fruit | 1 | | 0,05 (*) | 0,02 (*) | | 1 | |
| 0130010 | Apples (Crab apple) | | 0,5 | | | | | 0,2 |
| 0130020 | Pears (Oriental pear) | | 0,5 | | | | | 0,2 |
| 0130030 | Quinces | | 0,2 | | | | | 0,1 |
| 0130040 | Medlar | | 0,5 | | | | | 0,1 |
| 0130050 | Loquat | | 0,5 | | | | | 0,1 |
| 0130990 | Others | | 0,2 | | | | | 0,1 |
| 0140000 | (iv) Stone fruit | | | 0,05 (*) | 0,02 (*) | | 3 | |
| 0140010 | Apricots | 2 | 0,5 | | | | | 0,3 |
| 0140020 | Cherries (sweet cherries, sour cherries) | 1 | 0,3 | | | | | 0,5 |
| 0140030 | Peaches (Nectarines and similar hybrids) | 2 | 0,5 | | | | | 0,3 |
| 0140040 | Plums (Damson, greengage, mirabelle, sloe) | 2 | 0,5 | | | | | 0,3 |
| 0140990 | Others | 0,5 | 0,1 | | | | | 0,3 |
| 0150000 | (v) Berries & small fruit | | | | | | | |
| 0151000 | (a) Table and wine grapes | 5 | 0,5 | 3 | 0,5 | | 2 | 0,5 |
| 0151010 | Table grapes | | | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|--|----------|-----|----------|------------|---|---------|------------|
| 0151020 | Wine grapes | | | | | | | |
| 0152000 | (b) <i>Strawberries</i> | 5 | 0,1 | 0,05 (*) | 1,5 | | 0,1 (*) | 0,3 |
| 0153000 | (c) <i>Cane fruit</i> | | | 0,05 (*) | 0,02 (*) | | 0,1 (*) | 0,05 (*) |
| 0153010 | Blackberries | 10 | 0,3 | | | | | |
| 0153020 | Dewberries (Loganberries, boysenberries, and cloudberrys) | 0,05 (*) | 0,1 | | | | | |
| 0153030 | Raspberries (Wineberries, arctic bramble/raspberry, (<i>Rubus arcticus</i>), nectar raspberries (<i>Rubus arcticus</i> x <i>idaeus</i>)) | 10 | 0,3 | | | | | |
| 0153990 | Others | 0,05 (*) | 0,1 | | | | | |
| 0154000 | (d) <i>Other small fruit & berries</i> | | | 0,05 (*) | 0,02 (*) | | 0,1 (*) | 0,05 (*) |
| 0154010 | Blueberries (Bilberries) | 5 | 0,1 | | | | | |
| 0154020 | Cranberries (Cowberries (red bilberries)) | 2 | 0,1 | | | | | |
| 0154030 | Currants (red, black and white) | 5 | 0,2 | | | | | |
| 0154040 | Gooseberries (Including hybrids with other ribes species) | 5 | 0,1 | | | | | |
| 0154050 | Rose hips | 2 | 0,1 | | | | | |
| 0154060 | Mulberries (arbutus berry) | 2 | 0,1 | | | | | |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (<i>Actinidia arguta</i>)) | 2 | 0,1 | | | | | |
| 0154080 | Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea shallowthorn), hawthorn, service berries, and other treeberries) | 2 | 0,1 | | | | | |
| 0154990 | Others | 2 | 0,1 | | | | | |
| 0160000 | (vi) Miscellaneous fruit | 0,05 (*) | | 0,05 (*) | 0,02 (*) | | | |
| 0161000 | (a) <i>Edible peel</i> | | | | | | 0,1 (*) | 0,05 (*) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|---|---|-----|---|---|---|------------|----------|
| 0161010 | Dates | | 0,1 | | | | | |
| 0161020 | Figs | | 0,1 | | | | | |
| 0161030 | Table olives | | 2 | | | | | |
| 0161040 | Kumquats (Marumi kumquats, nagami kumquats, limequats (Citrus aurantifolia x Fortunella spp.)) | | 0,1 | | | | | |
| 0161050 | Carambola (Bilimbi) | | 0,1 | | | | | |
| 0161060 | Persimmon | | 0,1 | | | | | |
| 0161070 | Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilian cherry Surinam cherry (grumichama Eugenia uniflora),) | | 0,1 | | | | | |
| 0161990 | Others | | 0,1 | | | | | |
| 0162000 | (b) <i>Inedible peel, small</i> | | 0,1 | | | | | |
| 0162010 | Kiwi | | | | | | 0,3 | 0,2 |
| 0162020 | Lychee (Litchi) (Pulasan, rambutan (hairy litchi), mangosteen) | | | | | | 15 | 0,05 (*) |
| 0162030 | Passion fruit | | | | | | 0,1 (*) | 0,05 (*) |
| 0162040 | Prickly pear (cactus fruit) | | | | | | 0,1 (*) | 0,05 (*) |
| 0162050 | Star apple | | | | | | 0,1 (*) | 0,05 (*) |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote) | | | | | | 0,1 (*) | 0,05 (*) |
| 0162990 | Others | | | | | | 0,1 (*) | 0,05 (*) |
| 0163000 | (c) <i>Inedible peel, large</i> | | 0,1 | | | | | |
| 0163010 | Avocados | | | | | | 0,7 | 0,05 (*) |
| 0163020 | Bananas (Dwarf banana, plantain, apple banana) | | | | | | 0,1 (*) | 0,05 (*) |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|--|----------|-----|----------|----------|----------|------------|----------|
| 0163030 | Mangoes | | | | | | 0,2 | 0,5 |
| 0163040 | Papaya | | | | | | 0,4 | 0,05 (*) |
| 0163050 | Pomegranate | | | | | | 0,1 (*) | 0,05 (*) |
| 0163060 | Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae) | | | | | | 0,1 (*) | 0,05 (*) |
| 0163070 | Guava (Red pitaya or dragon fruit (Hylocereus undatus)) | | | | | | 0,1 (*) | 0,05 (*) |
| 0163080 | Pineapples | | | | | | 0,1 (*) | 0,05 (*) |
| 0163090 | Bread fruit (Jackfruit) | | | | | | 0,1 (*) | 0,05 (*) |
| 0163100 | Durian | | | | | | 0,1 (*) | 0,05 (*) |
| 0163110 | Soursop (guanabana) | | | | | | 0,1 (*) | 0,05 (*) |
| 0163990 | Others | | | | | | 0,1 (*) | 0,05 (*) |
| 0200000 | 2. VEGETABLES FRESH OR FROZEN | | | | 0,02 (*) | | | |
| 0210000 | (i) Root and tuber vegetables | | | | | | | |
| 0211000 | (a) Potatoes | 0,05 (*) | 0,1 | 0,5 | | 0,02 (*) | 0,8 | 0,1 |
| 0212000 | (b) Tropical root and tuber vegetables | 0,05 (*) | 0,1 | 0,05 (*) | | 0,02 (*) | 0,1 (*) | 0,05 (*) |
| 0212010 | Cassava (Dasheen, eddoe (Japanese taro), tannia) | | | | | | | |
| 0212020 | Sweet potatoes | | | | | | | |
| 0212030 | Yams (Potato bean (yam bean), Mexican yam bean) | | | | | | | |
| 0212040 | Arrowroot | | | | | | | |
| 0212990 | Others | | | | | | | |
| 0213000 | (c) Other root and tuber vegetables except sugar beet | | | | | | 0,1 (*) | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|--|----------|----------|-------------|---|------------|---------|----------|
| 0213010 | Beetroot | 1 | 0,2 | 0,05 (*) | | 0,1 | | 0,05 (*) |
| 0213020 | Carrots | 2 | 0,3 | 0,05 (*) | | 0,1 | | 0,3 |
| 0213030 | Celeriac | 0,3 | 2 | 0,05 (*) | | 0,02 (*) | | 0,05 (*) |
| 0213040 | Horseradish (Angelica roots, lovage roots, gentiana roots,) | 2 | 0,2 | 0,05 (*) | | 0,1 | | 0,05 (*) |
| 0213050 | Jerusalem artichokes | 0,05 (*) | 0,1 | 0,05 (*) | | 0,02 (*) | | 0,05 (*) |
| 0213060 | Parsnips | 2 | 0,3 | 0,05 (*) | | 0,1 | | 0,05 (*) |
| 0213070 | Parsley root | 2 | 0,2 | 0,05 (*) | | 0,1 | | 0,05 (*) |
| 0213080 | Radishes (Black radish, Japanese radish, small radish and similar varieties, tiger nut (Cyperus esculentus)) | 0,05 (*) | 0,05 (*) | 1 | | 0,02 (*) | | 0,05 (*) |
| 0213090 | Salsify (Scorzoneria, Spanish salsify (Spanish oysterplant)) | 2 | 0,2 | 0,05 (*) | | 0,1 | | 0,05 (*) |
| 0213100 | Swedes | 0,05 (*) | 0,4 | 0,05 (*) | | 0,1 | | 0,05 (*) |
| 0213110 | Turnips | 0,05 (*) | 0,4 | 0,05 (*) | | 0,1 | | 0,05 (*) |
| 0213990 | Others | 0,05 (*) | 0,05 (*) | 0,05 (*) | | 0,02 (*) | | 0,05 (*) |
| 0220000 | (ii) Bulb vegetables | | | | | 0,02 (*) | | |
| 0220010 | Garlic | 0,3 | 0,05 (*) | 0,15 | | | 0,1 (*) | 0,05 (*) |
| 0220020 | Onions (Silverskin onions) | 0,3 | 0,05 (*) | 0,15 | | | 0,3 | 0,1 |
| 0220030 | Shallots | 0,3 | 0,05 (*) | 0,15 | | | 0,1 (*) | 0,05 (*) |
| 0220040 | Spring onions (Welsh onion and similar varieties) | 1 | 0,1 | 0,3 | | | 0,1 (*) | 0,05 (*) |
| 0220990 | Others | 0,05 (*) | 0,05 (*) | 0,1 | | | 0,1 (*) | 0,05 (*) |
| 0230000 | (iii) Fruiting vegetables | | | | | 0,02 (*) | | |
| 0231000 | (a) Solanacea | | | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|---|----------|------------|------------|---|------|---------|----------|
| 0231010 | Tomatoes (Cherry tomatoes, tree tomato, Physalis, gojiberry, wolfberry (Lycium barbarum and L. chinense)) | 1 | 2 | 1 | | | 2 | 0,2 |
| 0231020 | Peppers (Chilli peppers) | 1 | 0,5 | 0,5 | | | 2 | 0,5 |
| 0231030 | Aubergines (egg plants) (Pepino) | 1 | 0,4 | 0,3 | | | 2 | 0,2 |
| 0231040 | Okra, lady's fingers | 0,5 | 0,05 (*) | 0,05 (*) | | | 1 | 0,05 (*) |
| 0231990 | Others | 0,5 | 0,05 (*) | 0,05 (*) | | | 1 | 0,05 (*) |
| 0232000 | (b) <i>Cucurbits - edible peel</i> | 0,5 | 0,1 | 1 | | | 0,2 | |
| 0232010 | Cucumbers | | | | | | | 0,3 |
| 0232020 | Gherkins | | | | | | | 0,2 |
| 0232030 | Courgettes (Summer squash, marrow (patisson)) | | | | | | | 0,3 |
| 0232990 | Others | | | | | | | 0,1 |
| 0233000 | (c) <i>Cucurbits-inedible peel</i> | 0,05 (*) | 0,05 (*) | | | | 0,2 | |
| 0233010 | Melons (Kiwano) | | | 1 | | | | 0,2 |
| 0233020 | Pumpkins (Winter squash) | | | 0,05 (*) | | | | 0,1 |
| 0233030 | Watermelons | | | 0,05 (*) | | | | 0,2 |
| 0233990 | Others | | | 0,05 (*) | | | | 0,1 |
| 0234000 | (d) <i>Sweet corn</i> | 0,05 (*) | 0,05 (*) | 0,05 (*) | | | 0,1 (*) | 0,05 (*) |
| 0239000 | (e) <i>Other fruiting vegetables</i> | 0,05 (*) | 0,05 (*) | 0,05 (*) | | | 0,1 (*) | 0,05 (*) |
| 0240000 | (iv) Brassica vegetables | 0,05 (*) | | 0,05 (*) | | | | 0,2 |
| 0241000 | (a) <i>Flowering brassica</i> | | | | | | 1 | |
| 0241010 | Broccoli (Calabrese, Chinese broccoli, broccoli raab) | | 0,2 | | | 0,03 | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|---|----|----------|----|---|----------|---------|---|
| 0241020 | Cauliflower | | 0,2 | | | 0,03 | | |
| 0241990 | Others | | 0,05 (*) | | | 0,02 (*) | | |
| 0242000 | (b) <i>Head brassica</i> | | 0,2 | | | | | |
| 0242010 | Brussels sprouts | | | | | 0,1 | 0,3 | |
| 0242020 | Head cabbage (Pointed head cabbage, red cabbage, savoy cabbage, white cabbage) | | | | | 0,1 | 2 | |
| 0242990 | Others | | | | | 0,02 (*) | 0,1 (*) | |
| 0243000 | (c) <i>Leafy brassica</i> | | 2 | | | 0,02 (*) | 7 | |
| 0243010 | Chinese cabbage (Indian (Chinese) mustard, pak choi, Chinese flat cabbage (tai goo choi), choi sum, peking cabbage (pe-tsai),) | | | | | | | |
| 0243020 | Kale (Borecole (curly kale), collards, Portuguese Kale, Portuguese cabbage, cow cabbage) | | | | | | | |
| 0243990 | Others | | | | | | | |
| 0244000 | (d) <i>Kohlrabi</i> | | 0,05 (*) | | | 0,02 (*) | 2 | |
| 0250000 | (v) Leaf vegetables & fresh herbs | | | | | 0,02 (*) | | |
| 0251000 | (a) <i>Lettuce and other salad plants including Brassicacea</i> | 10 | | | | | 7 | 5 |
| 0251010 | Lamb's lettuce (Italian cornsalad) | | 0,05 (*) | 1 | | | | |
| 0251020 | Lettuce (Head lettuce, lollo rosso (cutting lettuce), iceberg lettuce, romaine (cos) lettuce) | | 3 | 10 | | | | |
| 0251030 | Scarole (broad-leaf endive) (Wild chicory, red-leaved chicory, radicchio, curld leave endive, sugar loaf) | | 0,05 (*) | 1 | | | | |
| 0251040 | Cress | | 0,05 (*) | 1 | | | | |
| 0251050 | Land cress | | 0,05 (*) | 1 | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|--|-----------|----------|----------|---|---|---------|----------|
| 0251060 | Rocket, Rucola (Wild rocket) | | 2 | 10 | | | | |
| 0251070 | Red mustard | | 0,05 (*) | 1 | | | | |
| 0251080 | Leaves and sprouts of Brassica spp (Mizuna, leaves of peas and radish and other babyleaf brassica crops (crops harvested up to 8 true leaf stage)) | | 0,05 (*) | 1 | | | | |
| 0251990 | Others | | 0,05 (*) | 1 | | | | |
| 0252000 | (b) Spinach & similar (leaves) | | | | | | 7 | 0,05 (*) |
| 0252010 | Spinach (New Zealand spinach, amaranthus spinach) | 8 | 2 | 0,1 | | | | |
| 0252020 | Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glassworth, Agretti (Salsola soda)) | 10 | 2 | 1 | | | | |
| 0252030 | Beet leaves (chard) (Leaves of beetroot) | 10 | 0,05 (*) | 0,05 (*) | | | | |
| 0252990 | Others | 0,05 (*) | 0,05 (*) | 0,05 (*) | | | | |
| 0253000 | (c) Vine leaves (grape leaves) | 0,05 (*) | 0,05 (*) | 10 | | | 0,1 (*) | 0,05 (*) |
| 0254000 | (d) Water cress | 0,05 (*) | 0,5 | 10 | | | 7 | 0,05 (*) |
| 0255000 | (e) Witloof | 0,05 (*) | 0,05 (*) | 10 | | | 0,1 (*) | 0,05 (*) |
| 0256000 | (f) Herbs | 10 | | 10 | | | 0,1 (*) | 0,05 (*) |
| 0256010 | Chervil | | 10 | | | | | |
| 0256020 | Chives | | 2 | | | | | |
| 0256030 | Celery leaves (Fennel leaves, Coriander leaves, dill leaves, Caraway leaves, lovage, angelica, sweet cicely and other Apiacea leaves) | | 10 | | | | | |
| 0256040 | Parsley | | 10 | | | | | |
| 0256050 | Sage (Winter savory, summer savory,) | | 2 | | | | | |
| 0256060 | Rosemary | | 2 | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|--|------------|----------|----------|---|----------|------------|------------|
| 0256070 | Thyme (Marjoram, oregano) | | 2 | | | | | |
| 0256080 | Basil (Balm leaves, mint, peppermint) | | 2 | | | | | |
| 0256090 | Bay leaves (laurel) | | 2 | | | | | |
| 0256100 | Tarragon (Hyssop) | | 2 | | | | | |
| 0256990 | Others (Edible flowers) | | 2 | | | | | |
| 0260000 | (vi) Legume vegetables (fresh) | | | | | 0,02 (*) | | |
| 0260010 | Beans (with pods) (Green bean (french beans, snap beans), scarlet runner bean, slicing bean, yardlong beans) | 2 | 1 | 0,05 (*) | | | 1,5 | 0,5 |
| 0260020 | Beans (without pods) (Broad beans, Flageolets, jack bean, lima bean, cowpea) | 0,5 | 1 | 0,05 (*) | | | 0,7 | 0,05 (*) |
| 0260030 | Peas (with pods) (Mangetout (sugar peas, snow peas)) | 2 | 1 | 0,05 (*) | | | 1,5 | 0,2 |
| 0260040 | Peas (without pods) (Garden pea, green pea, chickpea) | 0,1 | 1 | 0,1 | | | 0,1 (*) | 0,2 |
| 0260050 | Lentils | 0,2 | 0,05 (*) | 0,05 (*) | | | 0,1 (*) | 0,05 (*) |
| 0260990 | Others | 0,05 (*) | 0,05 (*) | 0,05 (*) | | | 0,1 (*) | 0,05 (*) |
| 0270000 | (vii) Stem vegetables (fresh) | | | | | | | 0,05 (*) |
| 0270010 | Asparagus | 0,05 (*) | 0,05 (*) | 0,05 (*) | | 0,02 (*) | 0,1 (*) | |
| 0270020 | Cardoons | 0,05 (*) | 0,3 | 0,05 (*) | | 0,02 (*) | 0,1 (*) | |
| 0270030 | Celery | 5 | 5 | 0,05 (*) | | 0,02 (*) | 4 | |
| 0270040 | Fennel | 0,2 | 5 | 0,05 (*) | | 0,02 (*) | 0,1 (*) | |
| 0270050 | Globe artichokes | 0,05 (*) | 0,05 (*) | 2 | | 0,02 (*) | 0,1 (*) | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|---|----------|----------|----------|----------|----------|---------|----------|
| 0270060 | Leek | 0,05 (*) | 0,5 | 1,5 | | 0,05 | 0,1 (*) | |
| 0270070 | Rhubarb | 0,05 (*) | 0,3 | 0,05 (*) | | 0,02 (*) | 0,1 (*) | |
| 0270080 | Bamboo shoots | 0,05 (*) | 0,05 (*) | 0,05 (*) | | 0,02 (*) | 0,1 (*) | |
| 0270090 | Palm hearts | 0,05 (*) | 0,05 (*) | 0,05 (*) | | 0,02 (*) | 0,1 (*) | |
| 0270990 | Others | 0,05 (*) | 0,05 (*) | 0,05 (*) | | 0,02 (*) | 0,1 (*) | |
| 0280000 | (viii) Fungi | 0,05 (*) | 0,05 (*) | 0,05 (*) | | 0,02 (*) | 0,1 (*) | 0,05 (*) |
| 0280010 | Cultivated (Common mushroom, Oyster mushroom, Shi-take) | | | | | | | |
| 0280020 | Wild (Chanterelle, Truffle, Morel, Cep) | | | | | | | |
| 0280990 | Others | | | | | | | |
| 0290000 | (ix) Sea weeds | 0,05 (*) | 0,05 (*) | 0,05 (*) | | 0,02 (*) | 0,1 (*) | 0,05 (*) |
| 0300000 | 3. PULSES, DRY | 0,2 | | 0,05 (*) | 0,02 (*) | 0,02 (*) | | |
| 0300010 | Beans (Broad beans, navy beans, flageolets, jack beans, lima beans, field beans, cowpeas) | | 0,05 (*) | | | | 1,5 | 0,05 (*) |
| 0300020 | Lentils | | 0,05 (*) | | | | 0,1 (*) | 0,05 (*) |
| 0300030 | Peas (Chickpeas, field peas, chickling vetch) | | 0,1 | | | | 1,5 | 0,2 |
| 0300040 | Lupins | | 0,05 (*) | | | | 0,1 (*) | 0,05 (*) |
| 0300990 | Others | | 0,05 (*) | | | | 0,1 (*) | 0,05 (*) |
| 0400000 | 4. OILSEEDS AND OILFRUITS | 0,05 (*) | | 0,05 (*) | 0,02 (*) | | | 0,05 (*) |
| 0401000 | (i) Oilseeds | | | | | 0,05 | | |
| 0401010 | Linseed | | 0,2 | | | | 0,1 (*) | |
| 0401020 | Peanuts | | 0,05 (*) | | | | 0,1 (*) | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|---|---|----------|---|---|----------|------------|---|
| 0401030 | Poppy seed | | 0,05 (*) | | | | 0,1 (*) | |
| 0401040 | Sesame seed | | 0,05 (*) | | | | 0,1 (*) | |
| 0401050 | Sunflower seed | | 0,05 (*) | | | | 0,1 (*) | |
| 0401060 | Rape seed (Bird rapeseed, turnip rape) | | 0,5 | | | | 0,1 (*) | |
| 0401070 | Soya bean | | 0,05 (*) | | | | 3 | |
| 0401080 | Mustard seed | | 0,2 | | | | 0,1 (*) | |
| 0401090 | Cotton seed | | 0,05 (*) | | | | 0,3 | |
| 0401100 | Pumpkin seeds (Other seeds of cucurbitacea) | | 0,05 (*) | | | | 0,1 (*) | |
| 0401110 | Safflower | | 0,05 (*) | | | | 0,1 (*) | |
| 0401120 | Borage | | 0,05 (*) | | | | 0,1 (*) | |
| 0401130 | Gold of pleasure | | 0,05 (*) | | | | 0,1 (*) | |
| 0401140 | Hempseed | | 0,05 (*) | | | | 0,1 (*) | |
| 0401150 | Castor bean | | 0,05 (*) | | | | 0,1 (*) | |
| 0401990 | Others | | 0,05 (*) | | | | 0,1 (*) | |
| 0402000 | (ii) Oilfruits | | | | | 0,02 (*) | 0,1 (*) | |
| 0402010 | Olives for oil production | | 2 | | | | | |
| 0402020 | Palm nuts (palmoil kernels) | | 0,05 (*) | | | | | |
| 0402030 | Palmfruit | | 0,05 (*) | | | | | |
| 0402040 | Kapok | | 0,05 (*) | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|--|----------|----------|----------|----------|----------|---------|----------|
| 0402990 | Others | | 0,05 (*) | | | | | |
| 0500000 | 5. CEREALS | | | 0,05 (*) | 0,02 (*) | | 0,1 (*) | 0,05 (*) |
| 0500010 | Barley | 3 | 0,05 (*) | | | 0,3 | | |
| 0500020 | Buckwheat (Amaranthus, quinoa) | 0,05 (*) | 0,05 (*) | | | 0,02 (*) | | |
| 0500030 | Maize | 0,05 (*) | 0,05 (*) | | | 0,02 (*) | | |
| 0500040 | Millet (Foxtail millet, teff) | 0,05 (*) | 0,05 (*) | | | 0,02 (*) | | |
| 0500050 | Oats | 2 | 0,05 (*) | | | 0,05 | | |
| 0500060 | Rice | 0,05 (*) | 0,05 (*) | | | 0,02 (*) | | |
| 0500070 | Rye | 0,5 | 0,1 | | | 0,1 | | |
| 0500080 | Sorghum | 0,05 (*) | 0,05 (*) | | | 0,02 (*) | | |
| 0500090 | Wheat (Spelt, triticale) | 0,5 | 0,1 | | | 0,1 | | |
| 0500990 | Others | 0,05 (*) | 0,05 (*) | | | 0,02 (*) | | |
| 0600000 | 6. TEA, COFFEE, HERBAL INFUSIONS AND COCOA | | | 0,05 (*) | 0,05 (*) | 0,02 (*) | 0,1 (*) | |
| 0610000 | (i) Tea (dried leaves and stalks, fermented or otherwise of <i>Camellia sinensis</i>) | 0,05 (*) | 0,05 (*) | | | | | 0,1 |
| 0620000 | (ii) Coffee beans | 0,05 (*) | 0,05 (*) | | | | | 0,05 (*) |
| 0630000 | (iii) Herbal infusions (dried) | | 20 | | | | | 0,1 |
| 0631000 | (a) <i>Flowers</i> | 0,05 (*) | | | | | | |
| 0631010 | Camomille flowers | | | | | | | |
| 0631020 | Hybiscus flowers | | | | | | | |
| 0631030 | Rose petals | | | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|--|----------|----------|----------|----------|----------|---------|----------|
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | | | | | | | |
| 0631050 | Lime (linden) | | | | | | | |
| 0631990 | Others | | | | | | | |
| 0632000 | (b) <i>Leaves</i> | 0,05 (*) | | | | | | |
| 0632010 | Strawberry leaves | | | | | | | |
| 0632020 | Rooibos leaves (Ginkgo leaves) | | | | | | | |
| 0632030 | Maté | | | | | | | |
| 0632990 | Others | | | | | | | |
| 0633000 | (c) <i>Roots</i> | 1 | | | | | | |
| 0633010 | Valerian root | | | | | | | |
| 0633020 | Ginseng root | | | | | | | |
| 0633990 | Others | | | | | | | |
| 0639000 | (d) <i>Other herbal infusions</i> | 0,05 (*) | | | | | | |
| 0640000 | (iv) Cocoa (fermented beans) | 0,05 (*) | 0,05 (*) | | | | | 0,05 (*) |
| 0650000 | (v) Carob (st johns bread) | 0,05 (*) | 0,05 (*) | | | | | 0,05 (*) |
| 0700000 | 7. HOPS (dried) , including hop pellets and unconcentrated powder | 0,05 (*) | 0,05 (*) | 50 | 0,05 | 0,02 (*) | 15 | 0,1 |
| 0800000 | 8. SPICES | | 0,3 | 0,05 (*) | 0,05 (*) | 0,02 (*) | 0,1 (*) | 0,05 (*) |
| 0810000 | (i) Seeds | 0,05 (*) | | | | | | |
| 0810010 | Anise | | | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|--|----------|---|---|---|---|---|---|
| 0810020 | Black caraway | | | | | | | |
| 0810030 | Celery seed (Lovage seed) | | | | | | | |
| 0810040 | Coriander seed | | | | | | | |
| 0810050 | Cumin seed | | | | | | | |
| 0810060 | Dill seed | | | | | | | |
| 0810070 | Fennel seed | | | | | | | |
| 0810080 | Fenugreek | | | | | | | |
| 0810090 | Nutmeg | | | | | | | |
| 0810990 | Others | | | | | | | |
| 0820000 | (ii) Fruits and berries | 0,05 (*) | | | | | | |
| 0820010 | Allspice | | | | | | | |
| 0820020 | Anise pepper (Japan pepper) | | | | | | | |
| 0820030 | Caraway | | | | | | | |
| 0820040 | Cardamom | | | | | | | |
| 0820050 | Juniper berries | | | | | | | |
| 0820060 | Pepper, black and white (Long pepper, pink pepper) | | | | | | | |
| 0820070 | Vanilla pods | | | | | | | |
| 0820080 | Tamarind | | | | | | | |
| 0820990 | Others | | | | | | | |
| 0830000 | (iii) Bark | 0,05 (*) | | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|------------------------------|----------|-----|----------|----------|----------|---------|----------|
| 0830010 | Cinnamon (Cassia) | | | | | | | |
| 0830990 | Others | | | | | | | |
| 0840000 | (iv) Roots or rhizome | 1 | | | | | | |
| 0840010 | Liquorice | | | | | | | |
| 0840020 | Ginger | | | | | | | |
| 0840030 | Turmeric (Curcuma) | | | | | | | |
| 0840040 | Horseradish | | | | | | | |
| 0840990 | Others | | | | | | | |
| 0850000 | (v) Buds | 0,05 (*) | | | | | | |
| 0850010 | Cloves | | | | | | | |
| 0850020 | Capers | | | | | | | |
| 0850990 | Others | | | | | | | |
| 0860000 | (vi) Flower stigma | 0,05 (*) | | | | | | |
| 0860010 | Saffron | | | | | | | |
| 0860990 | Others | | | | | | | |
| 0870000 | (vii) Aril | 0,05 (*) | | | | | | |
| 0870010 | Mace | | | | | | | |
| 0870990 | Others | | | | | | | |
| 0900000 | 9. SUGAR PLANTS | 0,05 (*) | | 0,05 (*) | 0,02 (*) | 0,02 (*) | 0,1 (*) | 0,05 (*) |
| 0900010 | Sugar beet (root) | | 0,2 | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|---|----------|----------|----------|---|----------|----------|----------|
| 0900020 | Sugar cane | | 0,05 (*) | | | | | |
| 0900030 | Chicory roots | | 0,1 | | | | | |
| 0900990 | Others | | 0,05 (*) | | | | | |
| 1000000 | 10. PRODUCTS OF ANIMAL ORIGIN-TERRESTRIAL ANIMALS | 0,05 (*) | | 0,05 (*) | | | | |
| 1010000 | (i) Meat, preparations of meat, offals, blood, animal fats fresh chilled or frozen, salted, in brine, dried or smoked or processed as flours or meals other processed products such as sausages and food preparations based on these | | | | | | | 0,01 (*) |
| 1011000 | (a) Swine | | | | | | | |
| 1011010 | Meat | | 0,02 (*) | | | 0,05 | 0,01 (*) | |
| 1011020 | Fat free of lean meat | | 0,05 | | | 0,05 | 0,01 (*) | |
| 1011030 | Liver | | 0,2 | | | 0,2 | 0,03 | |
| 1011040 | Kidney | | 0,05 | | | 0,2 | 0,03 | |
| 1011050 | Edible offal | | 0,1 | | | 0,2 | 0,03 | |
| 1011990 | Others | | 0,1 | | | 0,01 (*) | 0,01 (*) | |
| 1012000 | (b) Bovine | | | | | | | |
| 1012010 | Meat | | 0,02 (*) | | | 0,05 | 0,01 (*) | |
| 1012020 | Fat | | 0,05 | | | 0,05 | 0,01 (*) | |
| 1012030 | Liver | | 0,2 | | | 0,2 | 0,03 | |
| 1012040 | Kidney | | 0,05 | | | 0,2 | 0,03 | |
| 1012050 | Edible offal | | 0,1 | | | 0,2 | 0,03 | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|--|---|----------|---|---|----------|----------|---|
| 1012990 | Others | | 0,1 | | | 0,05 | 0,01 (*) | |
| 1013000 | (c) <i>Sheep</i> | | | | | | | |
| 1013010 | Meat | | 0,02 (*) | | | 0,05 | 0,01 (*) | |
| 1013020 | Fat | | 0,05 | | | 0,05 | 0,01 (*) | |
| 1013030 | Liver | | 0,2 | | | 0,2 | 0,03 | |
| 1013040 | Kidney | | 0,05 | | | 0,2 | 0,03 | |
| 1013050 | Edible offal | | 0,1 | | | 0,2 | 0,03 | |
| 1013990 | Others | | 0,1 | | | 0,01 (*) | 0,01 (*) | |
| 1014000 | (d) <i>Goat</i> | | | | | | | |
| 1014010 | Meat | | 0,02 (*) | | | 0,05 | 0,01 (*) | |
| 1014020 | Fat | | 0,05 | | | 0,05 | 0,01 (*) | |
| 1014030 | Liver | | 0,2 | | | 0,2 | 0,03 | |
| 1014040 | Kidney | | 0,05 | | | 0,2 | 0,03 | |
| 1014050 | Edible offal | | 0,1 | | | 0,2 | 0,03 | |
| 1014990 | Others | | 0,1 | | | 0,01 (*) | 0,01 (*) | |
| 1015000 | (e) <i>Horses, asses, mules or hinnies</i> | | | | | | | |
| 1015010 | Meat | | 0,02 (*) | | | 0,05 | 0,01 (*) | |
| 1015020 | Fat | | 0,05 | | | 0,05 | 0,01 (*) | |
| 1015030 | Liver | | 0,2 | | | 0,2 | 0,03 | |
| 1015040 | Kidney | | 0,05 | | | 0,2 | 0,03 | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|---|---|----------|---|---|----------|-----------|------|
| 1015050 | Edible offal | | 0,1 | | | 0,2 | 0,03 | |
| 1015990 | Others | | 0,1 | | | 0,01 (*) | 0,01 (*) | |
| 1016000 | (f) <i>Poultry -chicken, geese, duck, turkey and Guinea fowl-, ostrich, pigeon</i> | | 0,1 | | | | 0,01 (*) | |
| 1016010 | Meat | | | | | 0,05 | | |
| 1016020 | Fat | | | | | 0,05 | | |
| 1016030 | Liver | | | | | 0,05 | | |
| 1016040 | Kidney | | | | | 0,05 | | |
| 1016050 | Edible offal | | | | | 0,01 (*) | | |
| 1016990 | Others | | | | | 0,01 (*) | | |
| 1017000 | (g) <i>Other farm animals (Rabbit, Kangaroo)</i> | | 0,1 | | | | | |
| 1017010 | Meat | | | | | 0,05 | 0,01 (*) | |
| 1017020 | Fat | | | | | 0,05 | 0,01 (*) | |
| 1017030 | Liver | | | | | 0,2 | 0,03 | |
| 1017040 | Kidney | | | | | 0,2 | 0,03 | |
| 1017050 | Edible offal | | | | | 0,2 | 0,03 | |
| 1017990 | Others | | | | | 0,01 (*) | 0,01 (*) | |
| 1020000 | (ii) Milk and cream, not concentrated, nor containing added sugar or sweetening matter, butter and other fats derived from milk, cheese and curd | | 0,01 (*) | | | 0,01 (*) | 0,005 (*) | 0,02 |
| 1020010 | Cattle | | | | | | | |
| 1020020 | Sheep | | | | | | | |

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---------|--|---|----------|---|---|----------|----------|----------|
| 1020030 | Goat | | | | | | | |
| 1020040 | Horse | | | | | | | |
| 1020990 | Others | | | | | | | |
| 1030000 | (iii) Birds' eggs, fresh preserved or cooked Shelled eggs and egg yolks fresh, dried, cooked by steaming or boiling in water, moulded, frozen or otherwise preserved whether or not containing added sugar or sweetening matter | | 0,05 (*) | | | 0,05 | 0,01 (*) | 0,01 (*) |
| 1030010 | Chicken | | | | | | | |
| 1030020 | Duck | | | | | | | |
| 1030030 | Goose | | | | | | | |
| 1030040 | Quail | | | | | | | |
| 1030990 | Others | | | | | | | |
| 1040000 | (iv) Honey (Royal jelly, pollen) | | 0,05 (*) | | | 0,01 (*) | 0,01 (*) | 0,01 (*) |
| 1050000 | (v) Amphibians and reptiles (Frog legs, crocodiles) | | 0,05 (*) | | | 0,01 (*) | 0,01 (*) | 0,01 (*) |
| 1060000 | (vi) Snails | | 0,05 (*) | | | 0,01 (*) | 0,01 (*) | 0,01 (*) |
| 1070000 | (vii) Other terrestrial animal products | | 0,05 (*) | | | 0,01 (*) | 0,01 (*) | 0,01 (*) |

(^e) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(*) Indicates lower limit of analytical determination

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:

Cyprodinil — code 1000000: Sum cyprodinil and metabolite CGA 304075

Prothioconazole — code 1000000: Sum of prothioconazole-desthio and its glucuronide conjugate, expressed as prothioconazoledesthio.

Spirotetramat — Code 1000000: Spirotetramat and its metabolite BYI08330-enol expressed as spirotetramat'

(3) In Part B of Annex III the column for abamectin, acetamiprid, fenhexamid and trifloxystrobin is replaced by the following:

Pesticide residues and maximum residue levels (mg/kg)

| Code number | Groups and examples of individual products to which the MRLs apply ⁽⁴⁾ | Abamectin (sum of avermectin B1a, avermectinB1b and delta-8,9 isomer of avermectin B1a) (F) | Acetamiprid (R) | Fenhexamid | Trifloxystrobin (F) |
|-------------|--|---|-----------------|------------|---------------------|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 0130040 | Medlar | 0,01 (*) | 0,1 | 0,05 (*) | 0,5 |
| 0130050 | Loquat | 0,01 (*) | 0,1 | 0,05 (*) | 0,5 |
| 0154050 | Rose hips | 0,01 (*) | 0,01 (*) | 5 | 0,02 (*) |
| 0154060 | Mulberries (arbutus berry) | 0,01 (*) | 0,01 (*) | 10 | 0,02 (*) |
| 0154070 | Azarole (mediteranean medlar) (Kiwiberry (Actinidia arguta)) | 0,01 (*) | 0,01 (*) | 5 | 0,02 (*) |
| 0154080 | Elderberries (Black chokeberry (appleberry), mountain ash, buckthorn (sea allowthorn), hawthorn, service berries, and other treeberries) | 0,01 (*) | 0,01 (*) | 5 | 2 |
| 0161050 | Carambola (Bilimbi) | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0161060 | Persimmon | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0161070 | Jambolan (java plum) (Java apple (water apple), pomerac, rose apple, Brazilian cherry Surinam cherry (grumichama Eugenia uniflora),) | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0162040 | Prickly pear (cactus fruit) | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0162050 | Star apple | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0162060 | American persimmon (Virginia kaki) (Black sapote, white sapote, green sapote, canistel (yellow sapote), and mammey sapote) | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0163060 | Cherimoya (Custard apple, sugar apple (sweetsop), llama and other medium sized Annonaceae) | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0163070 | Guava (Red pitaya or dragon fruit (Hylocereus undatus)) | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0163090 | Bread fruit (Jackfruit) | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---------|---|-----------------|----------|-----------------|----------|
| 0163100 | Durian | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0163110 | Soursop (guanabana) | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0212040 | Arrowroot | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0251050 | Land cress | 0,1 | 3 | 30 | 0,02 (*) |
| 0251070 | Red mustard | 0,1 | 3 | 30 | 0,02 (*) |
| 0252020 | Purslane (Winter purslane (miner's lettuce), garden purslane, common purslane, sorrel, glasswort, Agretti (Salsola soda)) | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0253000 | (c) <i>Vine leaves (grape leaves)</i> | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0256050 | Sage (Winter savory, summer savory,) | 1 | 3 | 30 | 10 |
| 0256060 | Rosemary | 1 | 3 | 30 | 10 |
| 0256070 | Thyme (Marjoram, oregano) | 1 | 3 | 30 | 10 |
| 0256080 | Basil (Balm leaves, mint, peppermint) | 1 | 3 | 30 | 10 |
| 0256090 | Bay leaves (laurel) | 1 | 3 | 30 | 10 |
| 0256100 | Tarragon (Hyssop) | 1 | 3 | 30 | 10 |
| 0270080 | Bamboo shoots | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0270090 | Palm hearts | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0290000 | (ix) Sea weeds | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0401110 | Safflower | 0,02 (*) | 0,01 (*) | 0,1 (*) | 0,05 (*) |
| 0401120 | Borage | 0,02 (*) | 0,01 (*) | 0,1 (*) | 0,05 (*) |
| 0401130 | Gold of pleasure | 0,02 (*) | 0,01 (*) | 0,1 (*) | 0,05 (*) |
| 0401150 | Castor bean | 0,02 (*) | 0,01 (*) | 0,1 (*) | 0,05 (*) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---------|---|----------|----------|---------|----------|
| 0402020 | Palm nuts (palmoil kernels) | 0,02 (*) | 0,01 (*) | 0,1 (*) | 0,05 (*) |
| 0402030 | Palmfruit | 0,02 (*) | 0,01 (*) | 0,1 (*) | 0,05 (*) |
| 0402040 | Kapok | 0,02 (*) | 0,01 (*) | 0,1 (*) | 0,05 (*) |
| 0620000 | (ii) Coffee beans | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0630000 | (iii) Herbal infusions (dried) | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0631000 | (a) <i>Flowers</i> | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0631010 | Camomille flowers | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0631020 | Hybiscus flowers | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0631030 | Rose petals | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0631040 | Jasmine flowers (Elderflowers (Sambucus nigra)) | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0631050 | Lime (linden) | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0631990 | Others | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0632000 | (b) <i>Leaves</i> | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0632010 | Strawberry leaves | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0632020 | Rooibos leaves (Ginkgo leaves) | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0632030 | Maté | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0632990 | Others | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0633000 | (c) <i>Roots</i> | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0633010 | Valerian root | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0633020 | Ginseng root | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---------|-------------------------------------|----------|---------|---------|----------|
| 0633990 | Others | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0639000 | (d) <i>Other herbal infusions</i> | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0640000 | (iv) Cocoa (fermented beans) | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0650000 | (v) Carob (st johns bread) | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0800000 | 8. SPICES | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0810000 | (i) Seeds | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0810010 | Anise | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0810020 | Black caraway | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0810030 | Celery seed (Lovage seed) | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0810040 | Coriander seed | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0810050 | Cumin seed | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0810060 | Dill seed | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0810070 | Fennel seed | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0810080 | Fenugreek | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0810090 | Nutmeg | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0810990 | Others | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0820000 | (ii) Fruits and berries | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0820010 | Allspice | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0820020 | Anise pepper (Japan pepper) | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0820030 | Caraway | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---------|--|----------|---------|---------|----------|
| 0820040 | Cardamom | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0820050 | Juniper berries | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0820060 | Pepper, black and white (Long pepper, pink pepper) | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0820070 | Vanilla pods | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0820080 | Tamarind | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0820990 | Others | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0830000 | (iii) Bark | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0830010 | Cinnamon (Cassia) | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0830990 | Others | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0840000 | (iv) Roots or rhizome | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0840010 | Liquorice | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0840020 | Ginger | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0840030 | Turmeric (Curcuma) | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0840040 | Horseradish | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0840990 | Others | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0850000 | (v) Buds | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0850010 | Cloves | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0850020 | Capers | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0850990 | Others | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0860000 | (vi) Flower stigma | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---------|--|----------|----------|----------|-----------------|
| 0860010 | Saffron | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0860990 | Others | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0870000 | (vii) Aril | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0870010 | Mace | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0870990 | Others | 0,02 (*) | 0,1 (*) | 0,1 (*) | 0,05 (*) |
| 0900000 | 9. SUGAR PLANTS | 0,01 (*) | 0,01 (*) | 0,05 (*) | |
| 0900010 | Sugar beet (root) | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,05 |
| 0900020 | Sugar cane | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0900030 | Chicory roots | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 0900990 | Others | 0,01 (*) | 0,01 (*) | 0,05 (*) | 0,02 (*) |
| 1015000 | (e) <i>Horses, asses, mules or hinnies</i> | 0,01 (*) | | 0,05 (*) | 0,04 (*) |
| 1015010 | Meat | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,04 (*) |
| 1015020 | Fat | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,04 (*) |
| 1015030 | Liver | 0,01 (*) | 0,1 | 0,05 (*) | 0,04 (*) |
| 1015040 | Kidney | 0,01 (*) | 0,2 | 0,05 (*) | 0,04 (*) |
| 1015050 | Edible offal | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,04 (*) |
| 1015990 | Others | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,04 (*) |
| 1017000 | (g) <i>Other farm animals (Rabbit, Kangaroo)</i> | 0,01 (*) | | 0,05 (*) | 0,04 (*) |
| 1017010 | Meat | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,04 (*) |
| 1017020 | Fat | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,04 (*) |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---------|--|-----------------|----------|-----------------|-----------------|
| 1017030 | Liver | 0,01 (*) | 0,1 | 0,05 (*) | 0,04 (*) |
| 1017040 | Kidney | 0,01 (*) | 0,2 | 0,05 (*) | 0,04 (*) |
| 1017050 | Edible offal | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,04 (*) |
| 1017990 | Others | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,04 (*) |
| 1030020 | Duck | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,04 (*) |
| 1030030 | Goose | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,04 (*) |
| 1030040 | Quail | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,04 (*) |
| 1030990 | Others | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,04 (*) |
| 1040000 | (iv) Honey (Royal jelly, pollen) | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,04 (*) |
| 1050000 | (v) Amphibians and reptiles (Frog legs, crocodiles) | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,04 (*) |
| 1060000 | (vi) Snails | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,04 (*) |
| 1070000 | (vii) Other terrestrial animal products | 0,01 (*) | 0,05 (*) | 0,05 (*) | 0,04 (*) |

(^e) For the complete list of products of plant and animal origin to which MRLs apply, reference should be made to Annex I.

(*) Indicates lower limit of analytical determination

(F) = Fat soluble

(R) = The residue definition differs for the following combinations pesticide-code number:

Acetamiprid — code 1000000: Sum of acetamiprid and N-desmethyl-acetamiprid (IM-2-1), expressed as acetamiprid

Trifloxystrobin — code 1000000: the sum of trifloxystrobin and its metabolite (E, E)-methoxyimino- {2-[1-(3-trifluoromethyl-phenyl)-ethylideneamino-oxymethyl]-phenyl}-acetic acid (CGA 321113)¹