

## Draft of Standards for Pesticide Residue Limits in Foods

Appendix Table 1  
Pesticide Residue Limits in Foods

<b>Pesticide Name</b>	<b>Crop Category</b>	<b>Maximum Residue Limit (ppm)</b>	<b>Remark</b>
Acetamiprid	Lotus	2.0	Insecticide
Amisulbrom	Wax gourd	0.5	Fungicide
Amisulbrom	Watermelon	0.2	Fungicide
Amisulbrom	Pumpkin	0.5	Fungicide
Amisulbrom	Bottle gourd	0.5	Fungicide
Amisulbrom	Lycii fructus	1.0	Fungicide
Amisulbrom	Bitter melon	0.5	Fungicide
Amisulbrom	Eggplant	1.0	Fungicide
Amisulbrom	Melon	0.2	Fungicide
Amisulbrom	Summer squash	0.5	Fungicide
Amisulbrom	Strawberry	2.0	Fungicide
Amisulbrom	Vegetable pear	0.5	Fungicide
Amisulbrom	Sweet pepper	1.0	Fungicide
Amisulbrom	Luffa	0.5	Fungicide
Amisulbrom	Oriental pickling melon	0.5	Fungicide
Amisulbrom	Hot pepper	1.0	Fungicide
Chlorothalonil	Leaf vegetables with small leaves	5.0	Fungicide
Clothianidin	Chrysanthemum	5.0	Insecticide
Cyflufenamid	Baby cucumber	0.3	Fungicide
Cyflufenamid	Cucumber	0.3	Fungicide
Cyflumetofen	Citrus fruit	1.0	Acaricide
Deltamethrin	Chrysanthemum	5.0	Insecticide
Dinotefuran	Fireweed	2.0	Insecticide
Dinotefuran	Leaf lettuce	2.0	Insecticide
Dinotefuran	Pitaya	1.0	Insecticide
Dinotefuran	Burdock	0.05	Insecticide
Dinotefuran	Cos lettuce	2.0	Insecticide
Dinotefuran	Sweet potato	0.05	Insecticide
Dinotefuran	Gynura Oralis Hay	2.0	Insecticide

Dinotefuran	Bamboo shoot	0.05	Insecticide
Dinotefuran	Taro	0.05	Insecticide
Dinotefuran	Garland chrysanthemum	2.0	Insecticide
Dinotefuran	Celery	2.0	Insecticide
Dinotefuran	Daylily	0.5	Insecticide
Dinotefuran	Hyacinth bean	0.5	Insecticide
Dinotefuran	Lycii fructus	0.5	Insecticide
Dinotefuran	Okra	0.5	Insecticide
Dinotefuran	Gynura's Deux Couleurs	2.0	Insecticide
Dinotefuran	Eggplant	0.5	Insecticide
Dinotefuran	Banana	1.0	Insecticide
Dinotefuran	Garland chrysanthemum	2.0	Insecticide
Dinotefuran	Cowpea	0.5	Insecticide
Dinotefuran	Potato	0.05	Insecticide
Dinotefuran	Sweet pepper	0.5	Insecticide
Dinotefuran	Head lettuce	2.0	Insecticide
Dinotefuran	Snap bean	0.5	Insecticide
Dinotefuran	Spinach	2.0	Insecticide
Dinotefuran	Lima bean	0.5	Insecticide
Dinotefuran	Leaf-sweet potato	2.0	Insecticide
Dinotefuran	Avocado	1.0	Insecticide
Dinotefuran	Hot pepper	0.5	Insecticide
Dinotefuran	Pineapple	1.0	Insecticide
Dinotefuran	Pea	0.5	Insecticide
Dinotefuran	Goa bean	0.5	Insecticide
Dinotefuran	Water spinach	2.0	Insecticide
Dinotefuran	Camphorweed	2.0	Insecticide
Dinotefuran	Basil	2.0	Insecticide
Dinotefuran	Asparagus	0.05	Insecticide
Dinotefuran	Broad bean	0.5	Insecticide
Imidacloprid	Lotus ( fresh )	1.0	Insecticide
Imidacloprid	Lotus ( dry )	3.0	Insecticide
Isotianil	Rice	0.3	Fungicide
Mandipropamid	Cruciferous leaf vegetables with small leaves	2.0	Fungicide
Mandipropamid	Cruciferous leaf vegetables with wrapped leaves	3.0	Fungicide
Metaflumizone	Tea	3.0	Insecticide

Prochloraz	Sweet sop	1.0	Fungicide
Pyriproxyfen	Other citrus ( except grapefruit and lemon )	0.5	Insecticide
Spinetoram	Citrus fruit	0.2	Insecticide
Spinetoram	Tea	3.0	Insecticide
Spirodiclofen	Pomelo	0.5	Acaricide
Spirodiclofen	Lime	0.5	Acaricide
Spirodiclofen	Grapefruit	0.5	Acaricide
Spirodiclofen	Lemon	0.5	Acaricide
Thiamethoxam	Chrysanthemum	1.0	Insecticide
Tolfenpyrad	Mango	1.0	Insecticide
Trifloxystrobin	Pomelo	0.5	Fungicide
Trifloxystrobin	Chinese chive	2.0	Fungicide
Trifloxystrobin	Chive flower	2.0	Fungicide
Trifloxystrobin	Leek sprout	2.0	Fungicide
Trifloxystrobin	Lime	0.5	Fungicide
Trifloxystrobin	Green garlic	2.0	Fungicide

#### Appendix Table 4

#### Classification of Crops in the Pesticide Residue Limits in Foods

Group	Crop
17. Citrus	Citrus fruit, lemon, pomelo, grapefruit, <u>lime</u> , etc.