

Annex

Standards for Pesticide Residue Limits in Foods

Article 3

Appendix Table 1

Pesticide Residue Limits in Foods

Pesticide Name	Crop Category	Maximum Residue Limit (ppm)	Remark
Acequinocyl	Wax gourd	0.5	Acaricide
Acequinocyl	Pumpkin	0.5	Acaricide
Acequinocyl	Bottle gourd	0.5	Acaricide
Acequinocyl	Summer squash	0.5	Acaricide
Acequinocyl	Vegetable pear	0.5	Acaricide
Acequinocyl	Luffa	0.5	Acaricide
Acequinocyl	Oriental pickling melon	0.5	Acaricide
Acetamiprid	Yam	0.5	Insecticide
Acetamiprid	Burdock	0.5	Insecticide
Acetamiprid	Sweet potato	0.5	Insecticide
Acetamiprid	Bamboo shoot	0.5	Insecticide
Acetamiprid	Water caltrop	0.5	Insecticide
Acetamiprid	Asparagus	0.5	Insecticide
Azoxystrobin	Taro	1.0	Fungicide
Azoxystrobin	Ginger	0.1	Fungicide
Chlorothalonil	Sword bean	5.0	Fungicide
Chlorothalonil	Vegetable soybean	5.0	Fungicide
Chlorothalonil	White dutch runner bean (fresh)	5.0	Fungicide
Chlorothalonil	Hyacinth bean	5.0	Fungicide
Chlorothalonil	Cowpea (fresh)	5.0	Fungicide
Chlorothalonil	Snap bean	5.0	Fungicide
Chlorothalonil	Lima bean	5.0	Fungicide
Chlorothalonil	Pea	5.0	Fungicide
Chlorothalonil	Pigeon pea (fresh)	5.0	Fungicide
Chlorothalonil	Goa bean	5.0	Fungicide
Chlorothalonil	Broad bean (fresh)	5.0	Fungicide
Chlorothalonil	Chickpea	5.0	Fungicide
Cyazofamid	Lycii fructus	2.0	Fungicide
Cyazofamid	Boxthorn leaf	1.0	Fungicide
Cyazofamid	Pepino	2.0	Fungicide

Cyazofamid	Sweet pepper	2.0	Fungicide
Cyazofamid	Hot pepper	2.0	Fungicide
Cyflufenamid	Papaya	0.1	Fungicide
Cyflufenamid	Wax gourd	0.3	Fungicide
Cyflufenamid	Watermelon	0.07	Fungicide
Cyflufenamid	Kiwi fruit	0.1	Fungicide
Cyflufenamid	Pumpkin	0.3	Fungicide
Cyflufenamid	Bottle gourd	0.3	Fungicide
Cyflufenamid	Cantaloupe	0.07	Fungicide
Cyflufenamid	Bitter melon	0.3	Fungicide
Cyflufenamid	Melon	0.07	Fungicide
Cyflufenamid	Summer squash	0.3	Fungicide
Cyflufenamid	Vegetable pear	0.3	Fungicide
Cyflufenamid	Luffa	0.3	Fungicide
Cyflufenamid	Oriental pickling melon	0.3	Fungicide
Cyromazine	Burdock	1.0	Insecticide
Deltamethrin	Burdock	0.05	Insecticide
Deltamethrin	Bamboo shoot	0.05	Insecticide
Dimethomorph	Taro	0.5	Fungicide
Dimethomorph	Ginger	0.05	Fungicide
Famoxadone	Lycii fructus	1.0	Fungicide
Famoxadone	Eggplant	1.0	Fungicide
Famoxadone	Pepino	1.0	Fungicide
Famoxadone	Sweet pepper	1.0	Fungicide
Famoxadone	Hot pepper	1.0	Fungicide
Imidacloprid	Vegetable soybean	3.0	Insecticide
Imidacloprid	Bamboo shoot	0.5	Insecticide
Imidacloprid	Taro	0.5	Insecticide
Imidacloprid	Peas and beans	3.0	Insecticide
Malathion	Burdock	0.5	Insecticide
Malathion	Shallot bulb	0.5	Insecticide
Malathion	Scallion bulb	0.5	Insecticide
Methiocarb	Onion	0.5	Insecticide
Methiocarb	Chinese chive	0.5	Insecticide
Methiocarb	Leek sprout	0.5	Insecticide
Methiocarb	Chive flower	0.5	Insecticide
Methiocarb	Shallot bulb	0.5	Insecticide
Methiocarb	Shallot leaf	0.5	Insecticide

Methiocarb	Green garlic	0.5	Insecticide
Methiocarb	Garlic	0.5	Insecticide
Methiocarb	Scallion bulb	0.5	Insecticide
Methiocarb	Scallion leaf	0.5	Insecticide
Novaluron	Lycii fructus	1.0	Insecticide
Novaluron	Eggplant	1.0	Insecticide
Novaluron	Pepino	1.0	Insecticide
Novaluron	Sweet pepper	1.0	Insecticide
Novaluron	Hot pepper	1.0	Insecticide
Pyraclostrobin	Taro	0.4	Fungicide
Pyraclostrobin	Ginger	0.4	Fungicide
Spirodiclofen	Hawthorn	0.8	Acaricide
Spirodiclofen	Plum	0.8	Acaricide
Spirodiclofen	Apricot	0.8	Acaricide
Spirodiclofen	Loquat	0.8	Acaricide
Spirodiclofen	Peach	0.8	Acaricide
Spirodiclofen	Prune	0.8	Acaricide
Spirodiclofen	Pear	0.8	Acaricide
Spirodiclofen	Quince	0.8	Acaricide
Spirodiclofen	Cherry	0.8	Acaricide
Tebuconazole	Kiwi fruit	0.5	Fungicide

Article 6

Appendix Table 4

Classification of Crops for the Pesticide Residue Limits in Foods

Group	Crop
6. Leaf vegetables with small leaves	Cruciferous leaf vegetables with small leaves (Chinese mustard, edible rape, qing-jiang-cai, Chinese kale, cabbage sprout, leaf-radish, leaf-mustard, shepherd's purse, kale, mustard sprout, broccoli sprout, radish sprout), leaf lettuce, cos lettuce, garland chrysanthemum, Gynura's Deux Couleurs, Gynura Oralis Hay, fireweed, leaved chrysanthemum, Camphorweed, green garlic, spring onion, Chinese chive, leek sprout, chive flower, celery, water spinach, spinach, leaf-beet, leaf-sweet potato, basil, chayote shoots, perilla, leafy pea, amaranth, <u>boxthorn leaf, shallot leaf, scallion leaf, etc.</u>
7. Root, bulb and tuber vegetables	Radish, carrot, ginger, onion(welsh onion, tree onion, silverskin onion, etc), potato, bamboo shoot, asparagus, co-ba, taro, sweet potato, yam, cassava, beetroot, <u>shallot bulb, scallion bulb, lily bulb, burdock, yam bean, lotus root, , daylily stem, garlic, black salsify, woolly glycine, hairy uraria, <u>garlic, water caltrop, etc.</u></u>
9. Fruit vegetables	Tomato, eggplant, sweet pepper, hot pepper, daylily, Lycii fructus, okra, roselle, <u>pepino, etc.</u>
12. Melons	Watermelon, melon, cantaloupe(<u>including Persian melon</u>), etc.