

Annex

Draft of Standards for Pesticide Residue Limits in Foods

Article 3

Appendix Table 1

Pesticide Residue Limits in Foods

Pesticide Name	Crop Category	Maximum Residue Limit (ppm)	Remark
Amisulbrom	Citrus fruit	2.0	Fungicide
Bifenazate	Cantaloupe	0.5	Acaricide
Bifenazate	Tea	2.0	Acaricide
Bifenazate	Pear	2.0	Acaricide
Bifenazate	Apple	1.0	Acaricide
Bromopropylate	Sword bean	1.0	Acaricide
Bromopropylate	Soybean	0.1	Acaricide
Bromopropylate	Soybean sprout	0.1	Acaricide
Bromopropylate	White dutch runner bean (dry)	0.1	Acaricide
Bromopropylate	White dutch runner bean (fresh)	1.0	Acaricide
Bromopropylate	Hyacinth bean	1.0	Acaricide
Bromopropylate	Alfalfa sprout	0.1	Acaricide
Bromopropylate	Strawberry	2.0	Acaricide
Bromopropylate	cowpea (dry)	0.1	Acaricide
Bromopropylate	cowpea (fresh)	1.0	Acaricide
Bromopropylate	Snap bean	1.0	Acaricide
Bromopropylate	Lima bean	1.0	Acaricide
Bromopropylate	Peanut sprout	0.1	Acaricide
Bromopropylate	Mung bean	0.1	Acaricide
Bromopropylate	Mung bean sprout	0.1	Acaricide
Bromopropylate	Pea	1.0	Acaricide
Bromopropylate	Pea sprout	0.1	Acaricide
Bromopropylate	Pigeon pea (dry)	0.1	Acaricide
Bromopropylate	Pigeon pea (fresh)	1.0	Acaricide
Bromopropylate	Goa bean	1.0	Acaricide
Bromopropylate	Broad bean (dry)	0.1	Acaricide
Bromopropylate	Broad bean (fresh)	1.0	Acaricide
Bromopropylate	Chickpea	1.0	Acaricide
Cyflufenamid	Strawberry	0.5	Fungicide
Cyflufenamid	Apple	0.5	Fungicide

Cyflumetofen	Peach	0.2	Acaricide
Cyflumetofen	Strawberry	2.0	Acaricide
Cyflumetofen	Pear	2.0	Acaricide
Dimethomorph	Yam bean	0.05	Fungicide
Dimethomorph	Hairy uraria	0.05	Fungicide
Dimethomorph	Pea	1.0	Fungicide
Dimethomorph	Woolly glycine	0.05	Fungicide
Diniconazole	Cantaloupe	0.5	Fungicide
Diniconazole	Pear	0.5	Fungicide
Diniconazole	Grape	0.5	Fungicide
Dithiopyr	Rice	0.01	Herbicide
Emamectin benzoate	Sword bean	0.02	Insecticide
Emamectin benzoate	Soybean	0.02	Insecticide
Emamectin benzoate	Yam bean	0.02	Insecticide
Emamectin benzoate	Hairy uraria	0.02	Insecticide
Emamectin benzoate	White dutch runner bean (fresh)	0.02	Insecticide
Emamectin benzoate	Hyacinth bean	0.02	Insecticide
Emamectin benzoate	cowpea (fresh)	0.02	Insecticide
Emamectin benzoate	Snap bean	0.02	Insecticide
Emamectin benzoate	Lima bean	0.02	Insecticide
Emamectin benzoate	Pea	0.02	Insecticide
Emamectin benzoate	Pigeon pea (fresh)	0.02	Insecticide
Emamectin benzoate	Goa bean	0.02	Insecticide
Emamectin benzoate	Woolly glycine	0.02	Insecticide
Emamectin benzoate	Broad bean (fresh)	0.02	Insecticide
Emamectin benzoate	Chickpea	0.02	Insecticide
Etoxazole	Strawberry	0.5	Acaricide
Fenpropathrin	Grape	5.0	Insecticide
Fenpyroximate	Baby cucumber	0.1	Acaricide
Fenpyroximate	Wax gourd	0.1	Acaricide
Fenpyroximate	Watermelon	0.1	Acaricide
Fenpyroximate	Pumpkin	0.1	Acaricide
Fenpyroximate	Bottle gourd	0.1	Acaricide
Fenpyroximate	Cantaloupe	0.1	Acaricide
Fenpyroximate	Cucumber	0.1	Acaricide
Fenpyroximate	Bitter melon	0.1	Acaricide
Fenpyroximate	Melon	0.1	Acaricide
Fenpyroximate	Summer squash	0.1	Acaricide

Fenpyroximate	Vegetable pear	0.1	Acaricide
Fenpyroximate	Potato	0.02	Acaricide
Fenpyroximate	Luffa	0.1	Acaricide
Fenpyroximate	Oriental pickling melon	0.1	Acaricide
Flubendiamide	Cantaloupe	0.2	Insecticide
Flubendiamide	Peach	1.0	Insecticide
Flubendiamide	Strawberry	1.0	Insecticide
Flubendiamide	Tomato	2.0	Insecticide
Flubendiamide	Head lettuce	1.0	Insecticide
Flubendiamide	Grape	2.0	Insecticide
Fluopicolide	Fireweed	3.0	Fungicide
Fluopicolide	Burdock	0.02	Fungicide
Fluopicolide	Gynura Oralis Hay	3.0	Fungicide
Fluopicolide	Taro	0.02	Fungicide
Fluopicolide	Leaved chrysanthemum	3.0	Fungicide
Fluopicolide	Daylily	1.0	Fungicide
Fluopicolide	Blackjack	3.0	Fungicide
Fluopicolide	Lycii fructus	1.0	Fungicide
Fluopicolide	Salsify leaf	3.0	Fungicide
Fluopicolide	Onion	0.02	Fungicide
Fluopicolide	Roselle	1.0	Fungicide
Fluopicolide	Gynura' s Deux Couleurs	3.0	Fungicide
Fluopicolide	Eggplant	1.0	Fungicide
Fluopicolide	Chinese chive (including sprout and flower)	3.0	Fungicide
Fluopicolide	Pepino	1.0	Fungicide
Fluopicolide	Chinese mahogany	3.0	Fungicide
Fluopicolide	Shallot bulb	0.02	Fungicide
Fluopicolide	Garland chrysanthemum	3.0	Fungicide
Fluopicolide	Potato	0.02	Fungicide
Fluopicolide	Sweet pepper	1.0	Fungicide
Fluopicolide	Beetroot	0.02	Fungicide
Fluopicolide	Artichoke	3.0	Fungicide
Fluopicolide	Tomato	1.0	Fungicide
Fluopicolide	Head lettuce	3.0	Fungicide
Fluopicolide	Spinach	3.0	Fungicide
Fluopicolide	Black salsify	0.02	Fungicide
Fluopicolide	Leafy pea	3.0	Fungicide

Fluopicolide	Green garlic	3.0	Fungicide
Fluopicolide	Garlic	0.02	Fungicide
Fluopicolide	Hot pepper	1.0	Fungicide
Fluopicolide	Ground cherry	1.0	Fungicide
Fluopicolide	Spring onion	3.0	Fungicide
Fluopicolide	Tree tomato	1.0	Fungicide
Fluopicolide	Scallion bulb	0.02	Fungicide
Fluopicolide	Scallion leaf	3.0	Fungicide
Fluopicolide	Ginger	0.02	Fungicide
Fluopicolide	Camphorweed	3.0	Fungicide
Fluopicolide	Chinese wedelia	3.0	Fungicide
Flutriafol	Banana	0.3	Fungicide
Fosthiazate	Watermelon	0.1	Nematocide
Fosthiazate	Tomato	0.1	Nematocide
Phenthoate	Citrus fruit	0.2	Insecticide
Phenthoate	Apple	0.2	Insecticide
Profenophos	Small red bean	0.05	Insecticide
Profenophos	Peanut	0.05	Insecticide
Propamocarb hydrochloride	Fireweed	10.0	Fungicide
Propamocarb hydrochloride	Burdock	0.3	Fungicide
Propamocarb hydrochloride	Gynura Oralis Hay	10.0	Fungicide
Propamocarb hydrochloride	Taro	0.3	Fungicide
Propamocarb hydrochloride	Leaved chrysanthemum	10.0	Fungicide
Propamocarb hydrochloride	Blackjack	10.0	Fungicide
Propamocarb hydrochloride	Salsify leaf	10.0	Fungicide
Propamocarb hydrochloride	Onion	0.3	Fungicide
Propamocarb hydrochloride	Gynura' s Deux Couleurs	10.0	Fungicide
Propamocarb hydrochloride	Chinese chive (including sprout and flower)	10.0	Fungicide

Propamocarb hydrochloride	Chinese mahogany	10.0	Fungicide
Propamocarb hydrochloride	Shallot bulb	0.3	Fungicide
Propamocarb hydrochloride	Garland chrysanthemum	10.0	Fungicide
Propamocarb hydrochloride	Potato	0.3	Fungicide
Propamocarb hydrochloride	Beetroot	0.3	Fungicide
Propamocarb hydrochloride	Artichoke	10.0	Fungicide
Propamocarb hydrochloride	Spinach	10.0	Fungicide
Propamocarb hydrochloride	Black salsify	0.3	Fungicide
Propamocarb hydrochloride	Leafy pea	10.0	Fungicide
Propamocarb hydrochloride	Green garlic	10.0	Fungicide
Propamocarb hydrochloride	Garlic	0.3	Fungicide
Propamocarb hydrochloride	Spring onion	10.0	Fungicide
Propamocarb hydrochloride	Scallion bulb	0.3	Fungicide
Propamocarb hydrochloride	Scallion leaf	10.0	Fungicide
Propamocarb hydrochloride	Ginger	0.3	Fungicide
Propamocarb hydrochloride	Camphorweed	10.0	Fungicide
Propamocarb hydrochloride	Chinese wedelia	10.0	Fungicide
Saflufenacil	Barley	0.03	Herbicide
Saflufenacil	Cottonseed	0.2	Herbicide
Saflufenacil	Grapefruit	0.03	Herbicide
Saflufenacil	Pea	0.03	Herbicide

Saflufenacil	Pea (dry)	0.3	Herbicide
Spirotetramat	Loquat	1.0	Acaricide
Spirotetramat	Persimmon	0.7	Acaricide
Spirotetramat	Prune	3.0	Acaricide
Spirotetramat	Pear	1.0	Acaricide

Article 6

Appendix Table 4

Classification of Crops for the Pesticide Residue Limits in Foods

Group	Crop
5. Leaf vegetables with wrapped leaves	Cruciferous leaf vegetables with wrapped leaves 【cabbage (including kohlrabi, Brussels sprouts), cauliflower, Chinese cabbage, broccoli, Brussels sprouts mustard, big stem mustard】 , head lettuce, artichoke, etc.
6. Leaf vegetables with small leaves	Cruciferous leaf vegetables with small leaves (Chinese mustard, edible rape, qing-jiang-cai, Chinese kale, cabbage sprout, leaf-radish, leaf-mustard, shepherd's purse, kale, mustard sprout, broccoli sprout, radish sprout), leaf lettuce, cos lettuce, garland chrysanthemum, Gynura's Deux Couleurs, Gynura Oralis Hay, fireweed, leaved chrysanthemum, Camphorweed, green garlic, spring onion, Chinese chive, leek sprout, chive flower, celery, water spinach, spinach, leaf-beet, leaf-sweet potato, basil, chayote shoots, perilla, leafy pea, amaranth, boxthorn leaf, shallot leaf, scallion leaf, <u>salsify leaf</u> , <u>Chinese mahogany</u> , etc.
9. Fruit vegetables	Tomato, eggplant, sweet pepper, hot pepper, daylily, Lycii fructus, okra, roselle, pepino, <u>ground cherry</u> , <u>tree tomato</u> , etc.
10. Melon vegetables	Cucumber (including bur cucumber), bitter melon, luffa, wax gourd, pumpkin, bottle gourd, vegetable pear, oriental pickling melon, summer squash, etc.
12. Sprouts	<u>Soybean sprout</u> , <u>alfalfa sprout</u> , <u>mung bean sprout</u> , <u>pea sprout</u> , <u>peanut sprout</u> , etc.
17. Pome	Apple, pear, peach (including nectarine), plum, prune, cherry, apricot, jujubes, persimmon, Indian jujubes, loquat, quince, hawthorn, etc.
18. Citrus	Citrus fruit, lemon (including lime), pomelo, grapefruit, lime, etc.
22. Herbs and spices	Rose, chrysanthemum, lotus, camomile, lavender, mint, lemon grass, rosemary, pepper (black and white), star anise, foeniculi fructus, fiveleaf gynostemma, crataegi fructus, polygonati, amomi, cardamom, nutmeg, lily, ginger lily, orchid, sage, thyme, parsley, bay leave, marigold flower, balm leave, jasmine, verbena, sweet osmanthus, linden, oregano, mate leave, <u>pilosa beggarticks</u> , <u>Chinese wedelia</u> , etc.