DRAFT UGANDA STANDARD

First Edition 2017-mm-dd

and s FOR PROPERTY OF THE PRO School Clothing — Part 6: Girls' slacks and skirts



Reference number DUS 1687-6: 2017

Compliance with this standard does not; of itself confer immunity from legal obligations

A Uganda Standard does not purport to include all necessary provisions of a contract. Users are responsible for its correct application



© UNBS 2017

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilised in any form or by any means, electronic or mechanical, including photocopying and microfilm, without prior written permission from UNBS.

Requests for permission to reproduce this document should be addressed to

The Executive Director
Uganda National Bureau of Standards

P.O. Box 6329 Kampala Uganda

Tel: +256 417 333 250/1/2 Fax: +256 414 286 123 E-mail: info@unbs.go.ug Web: www.unbs.go.ug

Contents

Page

Forew	rord	iv
1	Scope	5
2	Normative references	.5
3	Definitions	5
4	Materials	5
4.1 4.2	Outer MaterialsSupplementary materials and components	5
	Style, size and make	
5 5.1	Style	€
5.2	SizeMake	6
5.3 5.3.1	MakeGeneral	7
5.3.2	Waistband	7
5.3.3	Openings and waistband closures	7
5.3.4 5.3.5	Pockets	
5.3.6	Bottoms of slacksHems of skirts	7
5.3.7 5.3.8	ButtonholesSeams	
6	Packing, care-labelling and marking	
7	Inspection	5
-		
	(A (normative) Notes to purchasers	

Foreword

Uganda National Bureau of Standards (UNBS) is a parastatal under the Ministry of Trade, Industry and Cooperatives established under Cap 327, of the Laws of Uganda, as amended. UNBS is mandated to coordinate the elaboration of standards and is

- (a) a member of International Organisation for Standardisation (ISO) and
- (b) a contact point for the WHO/FAO Codex Alimentarius Commission on Food Standards, and
- (c) the National Enquiry Point on TBT Agreement of the World Trade Organisation (WTO)

The work of preparing Uganda Standards is carried out through Technical Committees. A Technical Committee is established to deliberate on standards in a given field or area and consists of key stakeholders including government, academia, consumer groups, private sector and other interested parties.

Draft Uganda Standards adopted by the Technical Committee are widely circulated to stakeholders and the general public for comments. The committee reviews the comments before recommending the draft standards for approval and declaration as Uganda Standards by the National Standards Council.

The committee responsible for this document is Technical Committee UNBS/TC 7, Textile, Leather, Paper and Related Products, Subcommittee SC 1, Textile and Related products.

DUS 1687 consists of the following parts, under the general title School Clothing:

Part 1: General requirements for school clothing.

Part 2: Blazers.

Part 3: Trousers and shorts.

Part 4: Shirts.

Part 5: Dresses, tunics and gyms.

Part 6: Girls' slacks and skirts.

Part 7: Knee-high stockings and ankle socks.

Part 8: Jerseys and cardigans.

Part 9: Briefs.

Part 10: Tracksuits

Part 11: Athletic wear

School Clothing — Part 6: Girls' slacks and skirts

1 Scope

This part of DUS 1687 specifies the materials, cut, make and trim of girls' slacks and skirts.

2 Normative references

The following referenced documents referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

DUS 1687-1, School clothing — Part 1: General requirements for school clothing

US ISO 4915, Textiles — Stitch types — Classification and terminology

3 Definitions

For the purposes of this part of DUS 1687 the definition given in DUS 1687-1 and the following definition applies:

Size designation

The **age** (for sizes to fit intended wearers up to twelve years), or the **Imperial size** (for sizes to fit intended wearers older than twelve years) as well as the **numerical value**, in **centimetres**, of the waist and hip girth of the intended wearer

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at http://www.iso.org/obp

4 Materials

4.1 Outer Materials

The outer material, as required, shall be of a fabric that complies with the relevant requirements given in table 1 of DUS 1687-1.

Note: Clause 4.1 of DUS 1687-1 shall also apply.)

The colour(s) of the dyed fabric shall be an acceptable match to the required colour(s), as agreed upon between the purchaser and the supplier.

4.2 Supplementary materials and components

The supplementary materials and components shall comply with the relevant requirements given in 4.2 of DUS 1687-1

5 Style, size and make

5.1 Style

The style shall be as required. Skirts and slacks shall have a plain or an elasticized waist band.

5.2 Size

The slacks and skirts should be supplied in one (or more) of the size designations given in columns 1 to 3 of table1, as required, and their measurements, determined in accordance with clause 6.2 of DUS 1687-1, should conform to the appropriate values given in columns 4 to 7. The skirt length shall be as agreed upon between the purchaser and the manufacturer.

Table 1— Size range for girls' slacks and skirts (Dimensions in centimetres)

1	2	3	4	5	6	7	8
Si	ze designatio	า	Finished garment measurements				Distance between
Age(years) and waist girth(cm)	Height	Hip girth	Hip ¹⁾	Waist ²⁾	Body rise ³⁾	Outside leg length ³⁾	waistline seam and position of hip measurement ³⁾
4					2		
55	102	62	67	56	18	60	12.5
5-6							
56	106	64	69	57	19	64	12.5
6-7							
57	110	65	70	58	20	68	13.5
57	116	66	71	58	21	72	13.5
7-8							
59	122	69	74	60	22	76	14.0
8-9		7	9				
59	128	71	76	60	23	80	14.0
9-10		7					
61	134	74	79	62	24	86	15.5
61	140	76	81	62	25	89	15.5
11							
63	146	80	85	64	26	93	16.0
63	152	84	89	64	27	96	16.0
12							
65	158	88	93	66	28	100	16.5
65	164	92	97	66	28	103	16.5
28	170	82	93	57	27	103	17.0
57							
30	170	87	98	62	28	104	17.5
62							
32	170	92	103	67	28	105	18.0
67							

34	170	97	108	72	29	106	18.0
72							
36	170	102	113	77	29	107	18.0
77							
38	170	107	118	82	30	108	18.0
82							
40	170	112	123	87	30	109	18.0
87							
42	170	117	128	92	30	110	18.0
92							

¹⁾ Measured at the position specified in column 8.

5.3 Make

5.3.1 General

The relevant requirements for garments given in clause 4.3 of DUS 1687-1 shall apply.

5.3.2 Waistband

The type of waistband, i.e. plain or elasticized, shall be as required. A plain waistband shall be lined with outer material and interlined with an appropriate interlining (see sub clause 4.2.1 of DUS 1687-1).

5.3.3 Openings and waistband closures

The lower end of each opening, whether fitted with a slide fastener or not, shall be secured with a bar-tack The waistband shall be closed by means of a hook and bar (see sub clause 4.2.6 of DUS 1687-1) or by means of a button and buttonhole (see sub clause 4.2.5 of DUS 1687-1).

5.3.4 Pockets

Each end of the mouth of each pocket shall be bar-tacked.

5.3.5 Bottoms of slacks

The width of the finished hem of bottoms shall be at least 50mm. The edges shall be over locked, turned up and blind stitched.

5.3.6 Hems of skirts

In the case of a skirt that has permanent (heat-set) pleats, the finished width of the hem shall be at least 20 mm. In all other cases, the finished width of hems shall be at least 25mm. The edges shall be over locked, or turned in and blind stitched.

²⁾In the case of elasticized waistbands, the mean of the stretched and relaxed circumferences of the waist of the garment

³⁾ These values are given for guidance only and apply only to girls' slacks. The difference between the outside leg length and the body rise of the slacks (which does not include the width of the waistband) is an indication of the inside leg length of girls' slacks.

5.3.7 Buttonholes

All buttonholes shall be of one of the following types, as appropriate to the outer material:

- a) the shirt type(with a bar at each end); or
- b) the type having an eye and that is barred or fish-tailed and may be gimped.
- c) The length of a buttonhole shall be such as to acceptably accommodate the relevant button.

5.3.8 **Seams**

Unless otherwise required, seams shall be at least 9mm wide and shall be as follows:

- a) Side seams of skirts, and outside leg seams and seat seams of slacks shall be at least 20 mm wide, over locked, and pressed open. Alternatively, a 9 mm safety stitch seam may be used;
- b) seat seams of slacks shall be sewn with stitch type 401 (see US ISO 4915);
- c) all exposed edges shall be over locked, or bound, or turned in and stitched

6 Packing, care-labelling and marking

The requirements of clause 5 of DUS 1687-1 shall apply.

7 Inspection

Inspection shall be done in accordance with clause 6 of DUS 1687-1.

Annex A

(normative)

Notes to purchasers

- **A.1** The following requirements shall be specified in tender invitations and in each order or contract:
 - a) the type and colour(s) of the outer material (see clause 4.1);
 - b) the style (see clause 5.1);
 - c) the size designation(s) required (see clause 5.2);
 - d) the type of waistband (see sub clause 5.3.2); and
 - e) the type of seams required (see sub clause 5.3.8).
- of the support of the The following requirement shall be agreed upon between the supplier and the purchaser: **A.2** the length of skirts (see clause 5.2).

Certification marking

Products that conform to Uganda standards may be marked with Uganda National Bureau of Standards (UNBS) Certification Mark shown in the figure below.

The use of the UNBS Certification Mark is governed by the Standards Act, and the Regulations made thereunder. This mark can be used only by those licensed under the certification mark scheme operated by the Uganda National Bureau of Standards and in conjunction with the relevant Uganda Standard. The presence of this mark on a product or in relation to a product is an assurance that the goods comply with the requirements of that standard under a system of supervision, control and testing in accordance with the certification mark scheme of the Uganda National Bureau of Standards. UNBS marked products are continually checked by UNBS for conformity to that standard.

Further particulars of the terms and conditions of licensing may be obtained from the Director, Uganda National Bureau of Standards.



DRAFT UGANDASTANDARD FOR PUBLIC REVIEW

ICS nn.nnn.nn

Price based on nn pages