

Prochloraz

| Commodity | MRL (draft) ppm | MRL (current) ppm |
|---|-----------------------|-------------------------|
| Rice (brown rice) | ● 0.05 | 2 |
| Wheat | ○ 2 | 0.5 |
| Barley | ○ 2 | 0.5 |
| Rye | ○ 2 | 0.5 |
| Corn (maize, including pop corn and sweet corn) | 2 | 2 |
| Buckwheat | 2 | 2 |
| Other cereal grains ¹ | ○ 2 | 0.5 |
| Soybeans, dry | ● | 0.1 |
| Beans, dry ² | ● | 0.05 |
| Peas | ● | 0.3 |
| Broad beans | ● | 0.05 |
| Peanuts, dry | ● | 0.1 |
| Other pulses ³ | ● | 0.3 |
| Potato | ● | 0.05 |
| Taro | ● | 0.05 |
| Sweet potato | ● | 0.05 |
| Japanese yam (including Chinese yam) | ● | 0.05 |
| Konjac | ● | 0.05 |
| Other potatoes ⁴ | ● | 0.05 |
| Sugar beet | ● | 0.05 |
| Sugarcane | ● | 0.05 |
| Japanese radish, roots (including radish) | ● | 0.05 |
| Japanese radish, leaves (including radish) | ● | 0.05 |
| Turnip, roots (including rutabaga) | ● | 0.05 |
| Turnip, leaves (including rutabaga) | ● | 0.05 |
| Horseradish | ● | 0.05 |
| Watercress | ● | 5 |
| Chinese cabbage | ● | 0.05 |
| Cabbage | ● | 0.05 |
| Brussels sprouts | ● | 0.05 |
| Kale | ● | 0.05 |
| Komatsuna (Japanese mustard spinach) | ● | 0.05 |
| Kyona | ● | 0.05 |
| Qing-geng-cai | ● | 0.05 |
| Cauliflower | ● | 0.05 |
| Broccoli | ● | 0.05 |
| Other cruciferous vegetables ⁵ | ● | 5 |
| Burdock | ● | 0.05 |
| Salsify | ● | 0.05 |

| Commodity | MRL (draft) ppm | MRL (current) ppm |
|--|-----------------|-------------------|
| Artichoke | • | 0.05 |
| Chicory | • | 0.05 |
| Endive | • | 5 |
| Shungiku | • | 5 |
| Lettuce (including cos lettuce and leaf lettuce) | • | 2 |
| Other composite vegetables ⁶ | • | 0.05 |
| Onion | • | 0.05 |
| Welsh (including leek) | • | 0.05 |
| Garlic | • | 0.5 |
| Nira | • | 5 |
| Asparagus | • | 0.05 |
| Multiplying onion (including shallot) | • | 0.05 |
| Other liliaceous vegetables ⁷ | • 0.4 | 5 |
| Carrot | • | 0.05 |
| Parsnip | • | 0.05 |
| Parsley | • | 5 |
| Celery | • | 5 |
| Mitsuba | • | 5 |
| Other umbelliferous vegetables ⁸ | • | 5 |
| Tomato | • | 0.05 |
| Pimiento (sweet pepper) | ○ 3 | 1 |
| Egg plant | • | 0.05 |
| Other solanaceous vegetables ⁹ | ○ 3 | 0.05 |
| Cucumber (including gherkin) | • | 0.05 |
| Pumpkin (including squash) | • | 0.05 |
| Oriental pickling melon (vegetable) | • | 0.05 |
| Water melon | • | 0.05 |
| Melons | • | 0.05 |
| Makuwauri melon | • | 0.05 |
| Other cucurbitaceous vegetables ¹⁰ | • | 0.05 |
| Spinach | • | 0.05 |
| Bamboo shoots | • | 0.05 |
| Okra | • | 0.05 |
| Ginger | • | 0.05 |
| Peas, immature (with pods) | • | 0.05 |
| Kidney beans, immature (with pods) | • | 0.05 |
| Green soybeans | • | 0.05 |
| Button mushroom | ○ 3 | 2 |
| Shiitake mushroom | • | 2 |
| Other mushrooms ¹¹ | • | 2 |
| Other vegetables ¹² | • 2 | 5 |

| Commodity | MRL (draft) ppm | MRL (current) ppm |
|-----------------------------------|-----------------|-------------------|
| Unshu orange, pulp | • | 10 |
| Citrus natsudaidai, whole | • | 10 |
| Lemon | • | 10 |
| Orange (including navel orange) | • | 5 |
| Grapefruit | • | 10 |
| Lime | • | 10 |
| Other citrus fruits ¹³ | • | 10 |
| Apple | • | 0.05 |
| Japanese pear | • | 0.05 |
| Pear | • | 0.05 |
| Quince | • | 0.05 |
| Loquat | • | 0.05 |
| Peach | • | 0.05 |
| Nectarine | • | 0.05 |
| Apricot | • | 0.05 |
| Japanese plum (including prune) | • | 0.05 |
| Mume plum | • | 0.05 |
| Cherry | • | 0.05 |
| Strawberry | • | 1 |
| Raspberry | • | 0.05 |
| Blackberry | • | 0.05 |
| Blueberry | • | 0.05 |
| Cranberry | • | 0.05 |
| Huckleberry | • | 0.05 |
| Other berries ¹⁴ | • | 0.05 |
| Grape | • | 0.05 |
| Japanese persimmon | • | 0.05 |
| Banana | 5 | 5 |
| Kiwifruit | • | 0.05 |
| Papaya | 1 | 1 |
| Avocado | 5 | 5 |
| Pineapple | 2 | 2 |
| Guava | • | 0.05 |
| Mango | 2 | 2 |
| Passion fruit | • | 0.05 |
| Date | • | 0.05 |
| Other fruits ¹⁵ | • | 10 |
| Sunflower seeds | 0.5 | 0.5 |
| Sesame seeds | • | 0.1 |
| Safflower seeds | • | 0.1 |
| Cotton seeds | • | 0.1 |

| Commodity | MRL (draft) ppm | MRL (current) ppm |
|--|-----------------|-------------------|
| Rapeseeds | ○ 0.7 | 0.5 |
| Other oil seeds ¹⁶ | ○ 2 | 0.05 |
| Ginkgo nut | ● | 0.1 |
| Chestnut | ● | 0.1 |
| Pecan | ● | 0.1 |
| Almond | ● | 0.1 |
| Walnut | ● | 0.1 |
| Other nuts ¹⁷ | ● | 0.3 |
| Tea | ● | 0.1 |
| Coffee beans | ● | 0.2 |
| Hop | ● | 0.1 |
| Other spices ¹⁸ | 10 | 10 |
| Other herbs ¹⁹ | ● | 5 |
| Cattle, muscle | ○ 0.5 | 0.1 |
| Pig, muscle | ○ 0.5 | 0.1 |
| Other terrestrial mammals ²⁰ , muscle | ○ 0.5 | 0.1 |
| Cattle, fat | 0.5 | 0.5 |
| Pig, fat | 0.5 | 0.5 |
| Other terrestrial mammals, fat | 0.5 | 0.5 |
| Cattle, liver | 10 | 10 |
| Pig, liver | 10 | 10 |
| Other terrestrial mammals, liver | 10 | 10 |
| Cattle, kidney | 10 | 10 |
| Pig, kidney | 10 | 10 |
| Other terrestrial mammals, kidney | 10 | 10 |
| Cattle, edible offal ²¹ | 10 | 10 |
| Pig, edible offal | 10 | 10 |
| Other terrestrial mammals, edible offal | 10 | 10 |
| Milk | 0.05 | 0.05 |
| Chicken, muscle | 0.05 | 0.05 |
| Other poultry ²² , muscle | 0.05 | 0.05 |
| Chicken, fat | ● 0.05 | 0.1 |
| Other poultry, fat | ● 0.05 | 0.1 |
| Chicken, liver | 0.2 | 0.2 |
| Other poultry, liver | 0.2 | 0.2 |
| Chicken, kidney | 0.2 | 0.2 |
| Other poultry, kidney | 0.2 | 0.2 |
| Chicken, edible offal | 0.2 | 0.2 |
| Other poultry, edible offal | 0.2 | 0.2 |
| Chicken eggs | 0.1 | 0.1 |
| Other poultry, eggs | 0.1 | 0.1 |

| Commodity | MRL (draft) ppm | MRL (current) ppm |
|---|-----------------|-------------------|
| Wheat bran※ | | 7 |
| Sunflower oil (limited to refined sunflower oil that meet the JAS for Edible Vegetable Fats and Oils, and other edible oils that meet standards equivalent to or stricter than JAS) | | 1 |
| Sunflower oil | 1 | |

● : Commodities for which MRLs are to be lowered.

○ : Commodities for which MRLs are to be raised.

NOTE: The residue definition is to be sum of prochloraz and its metabolites hydrolyzed into 2,4,6-trichlorophenol with pyridine hydrochloride, expressed as prochloraz.

The current residue is sum of prochloraz, *N*-formyl-*N*-propyl-*N*-[2-(2,4,6-trichlorophenoxy)ethyl]urea, *N*-propyl-*N*-[2-(2,4,6-trichlorophenoxy)ethyl]urea and 2,4,6-trichlorophenol, expressed as prochloraz.

* The uniform limit 0.01 ppm will be applied to commodities not listed above.

* Shaded figures indicate provisional MRLs.

* Diagonal line means the food category to which MRL applies is not set.

The MRL in food category "Wheat bran" will be deleted, and whereas, MRL in this raw commodity (Wheat) will also apply to such processed commodity, taking into account the processing factor.

1. "Other cereal grains" refers to all cereal grains, except rice (brown rice), wheat, barley, rye, corn (maize) and buckwheat.
2. "Beans, dry" includes butter beans, cowbeans (red beans), lentil, kidney beans, lima beans, pedia, sultani, sultapya and white beans.
3. "Other pulses" refers to all legumes/pulses, except soybeans (dry), beans (dry), peas, broad beans, peanuts (dry) and spices.
4. "Other potatoes" refers to all potatoes, except potato, taro, sweet potato, yam and konjac.
5. "Other cruciferous vegetables" refers to all cruciferous vegetables, except Japanese radish roots and leaves (including radish), turnip roots and leaves, horseradish, watercress, Chinese cabbage, cabbage, brussels sprouts, kale, komatsuna (Japanese mustard spinach), kyona, qing-geng-cai, cauliflower, broccoli and herbs.
6. "Other composite vegetables" refers to all composite vegetables, except burdock, salsify, artichoke, chicory, endive, shungiku, lettuce (including cos lettuce and leaf lettuce) and herbs.
7. "Other liliaceous vegetables" refers to all liliaceous vegetables, except onion, welsh (including leek), garlic, nira, asparagus, multiplying onion and herbs.
8. "Other umbelliferous vegetables" refers to all umbelliferous vegetables, except carrot, parsnip, parsley, celery, mitsuba, spices and herbs.
9. "Other solanaceous vegetables" refers to all solanaceous vegetables, except tomato, pimiento (sweet pepper) and egg plant.
10. "Other cucurbitaceous vegetables" refers to all cucurbitaceous vegetables, except cucumber (including gherkin), pumpkin (including squash), oriental pickling melon (vegetable), watermelon, melons and makuwauri melon.

11. "Other mushrooms" refers to all mushrooms, except button mushroom and shiitake mushroom.
12. "Other vegetables" refers to all vegetables, except potatoes, sugar beet, sugarcane, cruciferous vegetables, composite vegetables, liliaceous vegetables, umbelliferous vegetables, solanaceous vegetables, cucurbitaceous vegetables, spinach, bamboo shoots, okra, ginger, peas (with pods, immature), kidney beans (with pods, immature), green soybeans, mushrooms, spices and herbs.
13. "Other citrus fruits" refers to all citrus fruits, except unshu orange, citrus natsudaikai, lemon, orange (including navel orange), grapefruit, lime and spices.
14. "Other berries" refers to all berries, except strawberry, raspberry, blackberry, blueberry, cranberry and huckleberry.
15. "Other fruits" refers to all fruits, except citrus fruits, apple, Japanese pear, pear, quince, loquat, peach, nectarine, apricot, Japanese plum (including prune), mume plum, cherry, berries, grape, Japanese persimmon, banana, kiwifruit, papaya, avocado, pineapple, guava, mango, passion fruit, date and spices.
16. "Other oil seeds" refers to all oil seeds, except sunflower seeds, sesame seeds, safflower seeds, cotton seeds, rapeseeds and spices.
17. "Other nuts" refers to all nuts, except ginkgo nut, chestnut, pecan, almond and walnut.
18. "Other spices" refers to all spices, except horseradish, wasabi (Japanese horseradish) rhizomes, garlic, peppers chili, paprika, ginger, lemon peels, orange peels (including navel orange), yuzu (Chinese citron) peels and sesame seeds.
19. "Other herbs" refers to all herbs, except watercress, nira, parsley stems and leaves, celery stems and leaves.
20. "Other terrestrial mammals" refers to all terrestrial mammals, except cattle and pig.
21. "Edible offal" refers to all edible parts, except muscle, fat, liver and kidney.
22. "Other poultry" refers to all poultry, except chicken.