



Brussels, **XXX**
[...](2021) **XXX** draft

ANNEX

ANNEX

to the

Commission Regulation (EU) .../...

**amending Regulation (EC) No 1223/2009 of the European Parliament and of the Council
as regards the use of certain UV filters in cosmetic products**

ANNEX

In Annex VI, entries 4 and 10 are replaced by the following:

Reference number	Substance identification				Conditions			Wordings of conditions of use and warnings
	Chemical name/INN	Name of Common Ingredients Glossary	CAS number	EC number	Product type, body parts	Maximum concentration in ready use preparation	Other	
a	b	c	d	e	f	g	h	i
'4	2-Hydroxy-4-methoxy-benzophenone/ Oxybenzone*	Benzophenone-3	131-57-7	205-031-5	a) Face products, hand products, and lip products, excluding propellant and pump spray products b) Body products, including propellant and pump spray products c) Other products	a) 6 % b) 2,2 % c) 0,5 %	For a) and b) Not more than 0,5 % to protect product formulation a) If used at 0,5 % to protect product formulation, the levels used as UV filter must not exceed 5,5 %. b) If used at 0,5 % to protect product formulation, the levels used as UV filter must not exceed 1,7 %.	For a) and b): Contains Benzophenone-3**

10	2-Cyano-3,3-diphenyl acrylic acid, 2-ethylhexyl ester/ Octocrylene*,***	Octocrylene	6197-30-4	228-250-8	a) Propellant spray products	a) 9 %		
					b) Other products	b) 10 %		

* However, cosmetic products containing that substance and complying with the restrictions set out in Regulation (EC) No 1223/2009 as applicable on [OP please insert the date = the day before the date of entry into force of this Regulation] may be placed on the Union market until [OP please insert date = 6 months after the date of entry into force of this Regulation] and be made available on the Union market until [OP please insert the date = 12 months after the date of entry into force of this Regulation].

** Not required if concentration is 0,5 % or less and when it is used only for product protection purposes.

*** Benzophenone as an impurity and/or degradation product of Octocrylene shall be kept at trace level.'