APPROVED 2018-10-04

Blended flour — Specification

Part 4:

Wheat and Sweet Potato blend

© KEBS 2023

#### TECHNICAL COMMITTEE REPRESENTATION

The following organizations were represented on the Technical Committee:

Agriculture and Food Authority (AFA)

Agriculture Sector Development Support Programme (ASDSP)

Farm Concern International.

Zeelandia EAST Africa Ltd.

Kenya Agriculture and Livestock Research Organization (KALRO)

Kenya Industrial Research and Development Institute (KIRDI)

Ministry of Agriculture, Livestock, Fisheries and Irrigation (MOALF&I)

Ministry of Health — Food Safety Unit

Ministry of Health — Nutrition and Dietetic

National Cereals and Produce Board (NCPB)

University of Nairobi

World Food Programme (WFP)

Kenya Medical Research Institute (KEMRI)

National Public Health Labs (NPHL)

**Government Chemist** 

Mennonite Economic Development Associates (MEDA)

Kenya Bureau of Standards — Secretariat

# **REVISION OF KENYA STANDARDS**

In order to keep abreast of progress in industry, Kenya Standards shall be regularly reviewed. Suggestions for improvements to published standards, addressed to the Managing Director, Kenya Bureau of Standards, are welcome.

© Kenya Bureau of Standards, 2023

Copyright. Users are reminded that by virtue of Section 25 of the Copyright Act, Cap. 130 of 2001 of the Laws of Kenya, copyright subsists in all Kenya Standards and except as provided under Section 25 of this Act, no Kenya Standard produced by Kenya Bureau of Standards may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from the Managing Director.

ICS 67.060

# **Blended flour — Specification**

Part 4:

Wheat and Sweet potato blend

# **KENYA BUREAU OF STANDARDS (KEBS)**

Head Office: P.O. Box 54974, Nairobi-00200, Tel.: (+254 020) 605490, 602350, Fax: (+254 020) 604031 E-Mail: info@kebs.org, Web:http://www.kebs.org

**Coast Region** Lake Region Rift Valley Region

P.O. Box 99376, Mombasa-80100

20100

Tel.: (+254 041) 229563, 230939/40

Fax: (+254 041) 229448

P.O. Box 2949, Kisumu-40100

P.O. Box 2138, Nakuru-

Tel.: (+254 057) 23549, 22396 Tel.: (+254 051) 210553, 210555

Fax: (+254 057) 21814

#### **Foreword**

This Kenya Standard was prepared by the Joint Technical Committee comprising of key stakeholders under the guidance of the Standards Projects Committee, and it is in accordance with the procedures of the Kenya Bureau of Standards.

Flour blending initiative is aimed at contributing towards food security, improved nutrition and increased employment opportunities in Kenya through flour blending based on under-utilized high value foods. This multi-sectoral approach has been designed through a consultative process that targets a high-impact approach aimed at integrating Arid and Semi Arid Lands (ASALs) as food and nutrition secure regions to contribute to the national food basket.

This Kenya Standard forms part of a series of standards aimed at blending traditional sources of flours mainly maize and wheat with the underutilized foods. This will reduce over reliance on maize and wheat as well as improve both food security and nutritional qualities of the products.

In the preparation of this Workshop Agreement, reference was made to the following documents:


KS EAS 1, Wheat flour — Specification.

KS EAS 51, Wheat grain — Specification.

KS EAS 773, Sweet potato flour — Specification.

KS EAS 772, Dried sweet potato chips — Specification

Acknowledgement is hereby made for the assistance derived from these sources.



# Blended flour — Specification

Part 4:

#### Wheat and Sweet Potato blend

# 1 Scope

This Kenya Standard specifies the requirements, methods of sampling and test for blended wheat and sweet potato flours prepared from the grains of common wheat (*Triticum aestivum* L.) and sweet potato chips (*Ipoemea batatas*.) or a mixture of their flour thereof intended for human consumption.

# 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

AOAC 2001.06, Total fumonisins in corn. Competitive direct enzyme-linked immunosorbent assay

AOAC 2013.06, Arsenic, Cadmium, Mercury and Lead in foods

KS CODEX STAN 192, General standard for food additives

KS CODEX STAN 193, Codex general standard for contaminants and toxins in food and feed

KS EAS 1, Wheat flour — Specification

KS EAS 51, Wheat grains — Specification

KS EAS 38, Labelling of pre-packaged foods — Specification

KS EAS 39, Hygiene in the food and drink manufacturing industry — Code of practice

KS EAS 772, Dried sweet potato chips — Specification

KS EAS 773, Sweet potato flour — Specification

KS EAS 767, Fortified wheat flour — Specification

KS EAS 803, Nutrition labelling — Requirements

KS EAS 804, Claims on food — General requirements

KS EAS 805, Use of nutrition and health claims — Requirements

KS ISO 712, Cereals and cereal products — Determination of moisture content — Reference method

KS ISO 2171, Cereals, pulses and by-products — Determination of ash yield by incineration

KS ISO 5498, Agricultural food products — Determination crude fibre Content-General method

KS ISO 5985, Animal feeding stuffs — Determination of ash insoluble in hydrochloric acid

KS ISO 6579-1, Microbiology of the food chain — Horizontal method for the detection, enumeration and serotyping of Salmonella — Part 1: Detection of Salmonella spp.

KS ISO 7305, Milled cereal products — Determination of fat acidity

KS ISO 16050, Foodstuffs — Determination of aflatoxin B1, and the total content of aflatoxins B1, B2, G1 and G2 in cereals, nuts and derived products — High-performance liquid chromatographic method

KS ISO 16649-2, Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of beta-glucuronidase-positive Escherichia coli — Part 2: Colony-count technique at 44 degrees C using 5-bromo-4-chloro-3-indolyl beta-D-glucuronide

KS ISO 21527-2, Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of yeasts and moulds — Part 2: Colony count technique in products with water activity less than or equal to 0,95

KS ISO 24333, Cereals and cereal products — Sampling

# 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

# 3.1 blended flour

a mixture of two different milled food crop produce. This can be obtained by mixing the food crop produce before milling or their flours thereof

# 3.1.1 food grade packaging material

material which will safeguard the hygienic, nutritional, technological and organoleptic qualities of the product

#### 3.1.2 wholesome

free from disease and physiological deterioration (such as but not limited to decay, breakdown, freezing damage) or adulteration/contamination, that appreciably affects their appearance, edibility, the keeping quality of the produce or market value

# 3.1.3 foreign matter

organic and inorganic materials (such as sand, soil, glass) other than extraneous matter in the flour

#### 3.2 musty odour

stale, mouldy or dump smell

# 3.2.1 foreign matter

all organic and inorganic material

# 3.2.2 inorganic matter

stones, glass, pieces of soil and other mineral matter

# 3.2.3 organic matter

any animal or plant matter (seed coats, straws, weeds) other than wheat grain, damaged wheat grain, other grains, inorganic extraneous matter and harmful/toxic seeds

# 3.3 Extraneous matter

Extraneous matter are all organic and inorganic materials other than wheat and sweet potato, broken wheat kernels, other grains and filth.

#### 3.3.1 Milled wheat flour.

Wheat flour is the product prepared from grain of common wheat, Triticum aestivum L., or club wheat, Triticum compactum Host., or mixtures thereof, by grinding or milling processes.

# 3.3.2 Sweet potato flour

product prepared from dried sweetpotato chips or paste by a pounding, grinding or milling process, followed by sifting to separate the fibre from the flour.

# 4 Requirements

#### 4.1 Raw materials

Blended wheat and sweet potato flour shall be prepared by blending wheat flour complying with KS EAS 1 or wheat grains complying with KS EAS 51 and sweet potato flour complying with KS EAS 773 or dried sweet potato chips complying with KS EAS 772.

# 4.2 General requirements

Blended wheat and sweetpotato flour shall be:

- a) of characteristic colour of wheat grains/flour and sweet potato chips /flour from which they were prepared;
- b) free from foreign matter such as insects, fungi or dirt;
- c) free from musty or other objectionable odour; and
- d) wholesome and fit for human consumption.

# 4.3 Specific requirements

**4.3.1** The minimum content of sweet potato flour in the blended product shall be 10 %.

**4.3.2** Blended wheat and sweet potato flour shall comply with the requirements given in Table 1 when tested in accordance with test method specified therein.

Table 1 — Compositional requirements for blended wheat and sweet potato flour

S/N	Parameter	Limit	Test method
i)	Crude fibre, % by m/m, maxa.	5	KS ISO 5498
ii)	Moisture, %, m/m, max.	14	KS ISO 712
iii)	Total ash, %, max.a	3	KS ISO 2171
iv)	Fat acidity, mg KOH per 100 g of product, m/m, max.	50	KS ISO 7305
v)	Acid insoluble ash, % by m/m, max.	0.4	KS ISO 5985
<sup>a</sup> % mass on dry matter basis.			

# 5 Fortification requirements

# 5.1 Levels of micronutrients

Fortified Blended wheat and sweet potato flour shall comply with the levels of micronutrients provided in Annex A.

# 6 Food additives

Only the food additives permitted by KS CODEX STAN 192 may be used without exceeding the stated limits.

# 7 Hygiene

- **7.1** Blended wheat and sweet potato flour shall be produced, prepared and handled in accordance with KS EAS 39.
- **7.2** The product shall comply with microbiological limits given in Table 5 when tested in accordance with the test methods specified therein.

Table 2 — Microbiological limits for blended wheat and sweet potato flour

S/N	Micro-organism	Maximum limit	Test method
i)	E. coli, Cfu/g	10 <sup>2</sup>	KS ISO 16649-2
ii)	Salmonella spp in 25 g	Absent	KS ISO 6579-1
iii)	Yeast and moulds, Cfu/g	104	KS ISO 21527-2

# 8 Contaminants

# 8.1 Heavy metals

Blended wheat and sweetpotato flour shall comply with KS CODEX STAN 193 for respective flours. In addition, the products shall comply with Table 3 when tested in accordance with test methods specified therein.

Table 3 — Heavy metals limits for blended wheat and sweet potato flour

S/N	Heavy metal	Limit,	Test method
		mg/kg	
i)	Arsenic (As)	0.1	
ii)	Lead (Pb)	0.2	AOAC 2013.06
iii)	Cadmium (Cd)	0.1	

# 8.2 Pesticide residues

Blended wheat and sweet potato flour shall comply with the maximum residue limits established by the Codex Alimentarius Commission for this commodity.

# 8.3 Mycotoxins

Blended wheat and sweet potato flour shall comply with mycotoxin limits specified in Table 4 when tested in accordance with test methods specified therein.

Table 4 — Mycotoxin limits for blended wheat and sweet potato flour

S/N	Mycotoxin	Maximum limit, µg/kg	Test method	
i)	Total aflatoxins	10	VC ICO 16050	
ii)	Aflatoxins B <sub>1</sub>	5	KS ISO 16050	
iii)	Fumonisins	2 000	AOAC 2001.06	

# 9 Packaging

- **9.1** Blended wheat and sweet potato flour shall be packaged in food grade packaging materials.
- **9.2** When the product is packaged in sacks, these shall be clean, sturdy and strongly sewn or sealed.

# 10 Labelling

# 10.1 General labelling

In addition to the requirements in KS EAS 38, each package shall be legibly and indelibly marked with the following:

a) name of product such as "Blended Wheat and Sweet potato" Flour or "Blended Sweet potato and Wheat Flour". The first name shall be that of the dominant flour in the blend:

- b) name and address of the manufacturer/packer/importer;
- c) brand name/registered trade mark, if any;
- d) lot or batch number in code or in clear format;
- e) net weight in metric units;
- f) the statement "Store in a cool dry place and away from contaminants";
- g) the statement "for human consumption";
- h) country of origin;
- i) date of manufacture;
- j) expiry date; and
- k) instructions for disposal of used package.

# 10.2 Nutrition labelling

The amount of nutrients in the blended wheat and sweet potato flour shall be declared on the label in accordance with KS EAS 803.

# 10.3 Nutrition and health claims

Blended wheat and sweet potato flour may have claims on - nutrition and health. Such claims when declared shall be in compliance with KS EAS 804 and KS EAS 805.

# 11 Sampling

Sampling shall be done in accordance with KS ISO 24333.

6

# **Annex A**

# Requirements for levels of micronutrients in fortified composite flour.

Nutrient	Fortificant	<b>Limits</b> mg/kg		Test method
		Min.	Max.	
Vitamin A <sup>a</sup>	Vitamin A (Retinyl) palmitate, spraydried or equivalent, 75 000 µg RE/gb (7.5 % retinol), min.	0.5	1.4	AOAC 2001.13
Vitamin B <sub>1</sub> ª	Thiamin Mononitrate, 81 %, min.	4.6	NAc	AOAC 953.17
Vitamin B <sub>2</sub> <sup>a</sup>	Riboflavin, 100 %, min.	3.3	NA	AOAC 970.65
Niacin <sup>a</sup>	Niacinamide, 99 %, min.	30	NA	AOAC 975.41
Vitamin B <sub>6</sub> <sup>a</sup>	Pyridoxine hydrochloride, 82 %, min.	3	NA	AOAC 961.15
Folate	Folic acid, 90.5 %, min.	1.1	3.2	AOAC 2004.05
Vitamin B <sub>12</sub>	Vitamin B <sub>12</sub> (Water soluble), 0.1 %,min.	0.01	NA	ISO 20634
Zinc	Zinc oxide, 80 %, min.	40	80	AOAC 2011.14
Total iron	Total iron	20	NA	AOAC 944.02

<sup>&</sup>lt;sup>a</sup> The addition of these micronutrients is optional in Tanzania.

NOTE 1 Any other fortificants listed by either British Pharmacopoeia (BP); Food Chemical Codex (FCC); Merck Index (MI); United States National Formulary (NF); European Pharmacopoeia (Ph Eur); United States Pharmacopoeia (USP); or FAO WHO Codex Alimentarius Commission may be used.

NOTE 2 Only NaFeEDTA, 12.5 % Fe, min or Ferrous fumarate, 32 %, min shall be used as a source of iron so as to provide iron at 20-40 mg/kg and 30-50 mg/kg respectively for wheat flour fortification.

<sup>&</sup>lt;sup>b</sup> 1μg RE = 3.33 IU, RE = Retinol equivalent.

<sup>&</sup>lt;sup>c</sup> NA-Not Applicable. The maximum limits for these nutrients are not necessary because the upper tolerance limits of these nutrients are very high.